
CARDSFlow

Release 0.0.

Simon Trendel

Oct 13, 2019

USAGE AND INSTALLATION

| | | |
|--------------|-----------------------------|------------|
| 1 | Installation | 3 |
| 2 | Getting started | 5 |
| 3 | Working with CASPR | 13 |
| 4 | Context | 19 |
| 5 | Technical Interfaces | 21 |
| 6 | User Interfaces | 23 |
| 7 | API | 27 |
| Index | | 153 |

Contents:

INSTALLATION

1.1 Prerequisites

The CARDSflow repo has been tested on Ubuntu 16.04 with ROS kinetic and Ubunutu 18.04 with ROS melodic. It may work on different platforms with different ROS versions. Make sure you install the following packages:

```
sudo apt install ros-$ROS_DISTRO-desktop-full libeigen3-dev libxml2-dev coinor-
↪ libipopt-dev \
qtbase5-dev qtdeclarative5-dev qtmultimedia5-dev qml-module-qtquick2 \
qml-module-qtquick-window2 qml-module-qtmultimedia qml-module-qtquick-dialogs \
qml-module-qtquick-controls qml-module-qt-labs-folderlistmodel qml-module-qt-labs-
↪ settings \
ros-$ROS_DISTRO-moveit-msgs doxygen swig mscgen ros-$ROS_DISTRO-grid-map \
ros-$ROS_DISTRO-controller-interface ros-$ROS_DISTRO-controller-manager ros-$ROS-
↪ DISTRO-aruco-detect \
ros-$ROS_DISTRO-effort-controllers libxml++2.6-dev ros-$ROS_DISTRO-robot-localization_
↪ libalglib-dev \
ros-$ROS_DISTRO-tf ros-$ROS_DISTRO-interactive-markers ros-$ROS_DISTRO-tf-conversions_
↪ \
ros-$ROS_DISTRO-robot-state-publisher
```

1.2 JSON

Install the newest json (version 3.6.1 at this time):

```
git clone https://github.com/nlohmann/json
cd json && mkdir build && cd build
cmake ..
make -j8
sudo make install
```

1.3 Get The Code

Clone the code to your catkin workspace:

```
cd path/to/your/catkin_ws/src
git clone --recursive https://github.com/CARDSflow/CARDSflow
```

1.4 Build From Source

First we need to build iDynTree (for more details on this step, visit the [iDynTree](#) website):

```
cd path/to/CARDSflow/iDyntree  
mkdir build && cd build  
cmake ..  
make -j9  
sudo make install
```

Next we need to build and install qpoases:

```
cd qpOASES/  
mkdir build && cd build  
cmake ../  
sudo make -j9 install
```

Now you can build CARDSflow simply by building your catkin workspace:

```
cd path/to/your/catkin_ws  
catkin_make  
source devel/setup.bash
```

1.5 RaspberryPi 3B+ installation

Download the image using the following command:

```
wget -nv http://bot.roboy.org:8081/~roboy/CARDSflow_raspberry_pi3B+.md5sum  
wget -nv http://bot.roboy.org:8081/~roboy/CARDSflow_raspberry_pi3B+.img
```

Use at least a 16GB SDcard and flash the image using the following command. NOTE: make sure you are using the correct sd-card device (/dev/sdX), otherwise you might wipe your whole system!!!

```
sudo dd if=CARDSflow_raspberry_pi3B+.img of=/dev/sdX bs=1M status=progress
```

Insert the sd-card into the raspi and power it. The image provides Ubuntu 16.03 MATE with ROS kinetic installed. In the home folder you can find the roboy_arduino_maschine workspace which contains a build version of CARDSflow.


CHAPTER TWO

GETTING STARTED

2.1 Booting up the robot

In the kindyn package a couple of example robots can be found. You can run them with the provided robot.launch file:


2.1.1 msj_platform



A robot that was build for training one of the 3-DoF shoulders of Roboy 2.0. It uses 8 cables to control the 3-DoFs. You can run it with the following command:

```
roslaunch kindyn robot.launch robot_name:=msj_platform start_controllers:='sphere_
˓→axis0 sphere_axis1 sphere_axis2'
```

2.1.2 roboy_upper_body



Roboy 2.0 upper body with the 3-DoF head and his two 5-DoF arms. Use the following command to launch it:


```
roslaunch kindyn robot.launch robot_name:=roboy_upper_body start_controllers:='spine_
˓→v0_axis0 spine_v0_axis1
spine_v0_axis2 spine_v1_axis0 spine_v1_axis1 spine_v1_axis2 spine_v2_axis0 spine_v2_
˓→axis1 spine_v2_axis2
sphere_head_axis0 sphere_head_axis1 sphere_head_axis2 sphere_left_axis0 sphere_left_
˓→axis1'
```

(continues on next page)

(continued from previous page)

```
sphere_left_axis2 elbow_left_rot0 elbow_left_rot1 sphere_right_axis0 sphere_right_
↪axis1 sphere_right_axis2
elbow_right_rot0 elbow_right_rot1'
```

2.1.3 roboy_xylophone



Roboy 2.0 upper body with the 3-DoF head and his two 7-DoF arms holding xylophone playing sticks. Use the following command to launch it:

```
roslaunch kindyn robot.launch robot_name:=roboy_xylophone start_controllers:='sphere_
↪head_axis0 sphere_head_axis1
sphere_head_axis2 sphere_left_axis0 sphere_left_axis1 sphere_left_axis2 elbow_left_
↪rot0 elbow_left_rot1
sphere_right_axis0 sphere_right_axis1 sphere_right_axis2 elbow_right_rot0 elbow_right_
↪rot1 left_wrist_0
left_wrist_1 right_wrist_0 right_wrist_1 hip_joint left_stick_tip_joint right_stick_
↪tip_joint'
```

2.1.4 roboy_arcade_maschine

A retro arcad maschine in the Roboy lab that has a 3-DoF Roboy head mounted on the top. Launch it with:

```
roslaunch kindyn robot.launch robot_name:=roboy_arcade_maschine start_controllers:=  
↳ 'sphere_axis0 sphere_axis1 sphere_axis2'
```

2.1.5 test_robot


A robot with 6-DoF, 3 prismatic and 3 rotational, with 20 cables. You can launch it with the following command


```
roslaunch kindyn robot.launch robot_name:=test_robot start_controllers:='joint0'  
↳ joint1 joint2 sphere_axis0 sphere_axis1 sphere_axis2'
```


2.1.6 yatr

Yet another test robot, 3-DoF, 8 cables. You can launch it with the following command

```
roslaunch kindyn robot.launch robot_name:=yatr start_controllers:='joint0 joint1'  
↳ joint2'
```







WORKING WITH CASPR

CARDSflow supports visualization of robots in **CASPR** (*The Cable-robot Analysis and Simulation Platform for Research*), an open-source software platform developed in MATLAB for the analysis of arbitrary cable-robot models.

You need to install custom message support for matlab **MATLABROS**

3.1 Setting up CASPR

1. Follow the installation guide in **CASPR**
2. After having CASPR installed in MATLAB, note the IPs of your platforms running CARDSflow and CASPR
3. Set up the CARDSflow interface in CASPR by: (*replace <cardsflow_ip>, <caspr_ip> with the corresponding IPs*)

```
CARDSFlow_configuration.SetROSConfig('<cardsflow_ip>', '<caspr_ip>');
```
4. Build custom ROS messages in **roboy_communication** for MATLAB by following instructions [here](#)

3.2 Simple Visualization

3.2.1 Launching CARDSflow

1. Launch a simple visualizer in CARDSflow by:


```
roslaunch cardsflow_rviz simple_visualization.launch
```
2. Add the CARDSflow panel in RViz
3. At the Displays Sidebar set Globals Options > Fixed Frame to “world”
4. At the Displays Sidebar add the display types “rviz > Marker” and “rviz > TF”
5. File > Save Config


3.2.2 CASPR Simulations


1. Launch the GUI in CASPR by:

```
CASPR_GUI
```

2. Select Example 2R planar XZ from the Model pull down menu
3. Press the To Rviz button on the GUI and verify that the robot is visualized in RViz
4. Press the Kinematics button in Simulators
5. Run an inverse kinematics simulation by pressing the Run button
6. Press the Rviz button to visualize the trajectory








**CHAPTER
FOUR**

CONTEXT

TECHNICAL INTERFACES

The following rqt_graph shows an overview of the ROS message infrastructure for one of the example robots, the msj_platform.



Two ROS nodes are active, the cardsflow_example_robot and the controller_manager. The cardsflow_example_robot is our msj_platform doing all the kinematic calculations. The joint, robot and tendon states are published on the respective topics in green. On the left there are three joint target topics available in blue. The controller_manager spawned three joint controller and the respective controllers subscribe to these topics as their target setpoints. The controller_type topic is advertised by our msj_platform and the controllers publish their type on that topic once they are spawned by the controller_manager. The last topic is the interactive_markers topic which the msj_platform subscribes to. When a user drags the interactive markers in rviz, the inverse kinematics service is called and the robot will try to move to the requested position.

**CHAPTER
SIX**


USER INTERFACES


There are two user interfaces available to the user, a rviz plugin and a rqt plugin. The following figure shows the rviz plugin.

NOTE: In order for the mesh and tendons to be visible add the following pluins to rviz: 1) Marker 2) TF 3) InteractiveMarkers (you need to change the topic when you add the plugin) 4) you need to change the fixed frame in rviz from map to world

The buttons of the rviz plugin trigger visualization, while the slider change their appearance.

The rqt plugin can be seen in the figure below. The sliders can be used to change the setpoints for the endeffector joints.





CHAPTER
SEVEN

API

```
struct Cable
```

Public Members

```
string name
vector<ViaPointPtr> viaPoints
    name of the cable
```

```
class CableLengthController : public controller_interface::Controller<hardware_interface::CardsflowCommandInterface>
```

Public Functions

```
CableLengthController()
    Constructor.
```

```
bool init(hardware_interface::CardsflowCommandInterface *hw, ros::NodeHandle &n)
    Initializes the controller.
```

Will be call by controller_manager when loading this controller

Return success

Parameters

- hw: pointer to the hardware interface
- n: the nodehandle

```
void update(const ros::Time &time, const ros::Duration &period)
    Called regularly by controller manager.
```

The length change of the cables wrt to a PD controller on the joint target position is calculated.

Parameters

- time: current time
- period: period since last control

```
void starting(const ros::Time &time)
    Called by controller manager when the controller is about to be started.
```

Parameters

- time: current time

```
void stopping (const ros::Time &time)
    Called by controller manager when the controller is about to be stopped.
```

Parameters

- time: current time

```
void JointPositionCommand (const std_msgs::Float32ConstPtr &msg)
    Joint position command callback for this joint.
```

Parameters

- msg: joint position target in radians

```
bool setControllerParameters (roboy_control_msgs::SetControllerParameters::Request &req,
                                roboy_control_msgs::SetControllerParameters::Response &res)
    Controller Parameters service.
```

Return success**Parameters**

- req: requested gains
- res: success

Private Members

```
double Kp = 100
double Kd = 0
double p_error_last = 0
    PD gains.

ros::NodeHandle nh
    last error

ros::Publisher controller_state
    ROS nodehandle.

ros::ServiceServer controller_parameter_srv
    publisher for controller state

boost::shared_ptr<ros::AsyncSpinner> spinner
    service for controller parameters

hardware_interface::CardsflowHandle joint
    ROS async spinner.

ros::Subscriber joint_command
    cardsflow joint handle for access to joint/cable model state

string joint_name
    joint command subscriber

int joint_index
    name of the controlled joint

ros::Time last_update
    index of the controlled joint in the robot model
```

```
class CableLengthVelocityController : public controller_interface::Controller<hardware_interface::CardsflowCommandInterface>
```

Public Functions

CableLengthVelocityController()

Constructor.

bool init(*hardware_interface::CardsflowCommandInterface* *hw, ros::NodeHandle &n)

Initializes the controller.

Will be call by controller_manager when loading this controller

Return success

Parameters

- hw: pointer to the hardware interface
- n: the nodehandle

void update(const** ros::Time &time, **const** ros::Duration &period)**

Called regularly by controller manager.

The length change of the cables wrt to a PD controller on the joint target position is calculated.

Parameters

- time: current time
- period: period since last control

void starting(const** ros::Time &time)**

Called by controller manager when the controller is about to be started.

Parameters

- time: current time

void stopping(const** ros::Time &time)**

Called by controller manager when the controller is about to be stopped.

Parameters

- time: current time

void JointVelocityCommand(const** std_msgs::Float32ConstPtr &msg)**

Joint position command callback for this joint.

Parameters

- msg: joint position target in radians

bool setControllerParameters(roboy_control_msgs::SetControllerParameters::Request &req,

roboy_control_msgs::SetControllerParameters::Response &res)

Controller Parameters service.

Return success

Parameters

- `req`: requested gains
- `res`: success

Private Members

```
double Kp = 0.1
double Kd = 0
double p_error_last = 0
    PD gains.

ros::NodeHandle nh
    last error

ros::Publisher controller_state
    ROS nodehandle.

ros::ServiceServer controller_parameter_srv
    publisher for controller state

boost::shared_ptr<ros::AsyncSpinner> spinner
    service for controller parameters

hardware_interface::CardsflowHandle joint
    ROS async spinner.

ros::Subscriber joint_command
    cardsflow joint handle for access to joint/cable model state

string joint_name
    joint command subscriber

int joint_index
    name of the controlled joint

ros::Time last_update
    index of the controlled joint in the robot model

class CardsflowCommandInterface : public HardwareResourceManager<CardsflowHandle, ClaimResources>
class CardsflowHandle : public hardware_interface::CardsflowStateHandle
```

Public Functions

CardsflowHandle()

CardsflowHandle(const CardsflowStateHandle &js, double *joint_position_cmd, double *joint_velocity_cmd, double *joint_torque_cmd, VectorXd *motor_cmd)

Parameters

- `js`: joint state handle
- `joint_position_cmd`: joint position command
- `joint_velocity_cmd`: joint velocity command
- `joint_torque_cmd`: joint torque command
- `motor_cmd`: cable command

- `js`: This joint's state handle
- `cmd`: A pointer to the storage for this joint's output command

`void setMotorCommand (VectorXd command)`
Cable length command.

Parameters

- `command`:

`double getJointPositionCommand () const`
Returns the joint position command.

Return joint position command

`double getJointVelocityCommand () const`
Returns the joint velocity command.

Return joint velocity command

`double getJointTorqueCommand () const`
Returns the joint torque command.

Return joint torque command

`void setJointPositionCommand (double cmd)`
Sets the joint position command.

Parameters

- `cmd`: joint position command

`void setJointVelocityCommand (double cmd)`
Sets the joint velocity command.

Parameters

- `cmd`: joint velocity command

`void setJointTorqueCommand (double cmd)`
Sets the joint torque command.

Parameters

- `cmd`: joint torque command

Private Members

```
double *joint_position_cmd_
double *joint_velocity_cmd_
double *joint_torque_cmd_
```

```
VectorXd *motor_cmd_
    joint position/velocity/torque command

class CardsflowRviz : public Panel, public rviz_visualization
```

Public Functions

```
CardsflowRviz (QWidget *parent = 0)
~CardsflowRviz ()

void load (const rviz::Config &config)
    Load all configuration data for this panel from the given Config object.
```

Parameters

- config: rviz config file

```
void save (rviz::Config config) const
    Save all configuration data from this panel to the given Config object.
```

It is important here that you call [save\(\)](#) on the parent class so the class id and panel name get saved.

Parameters

- config: rviz config file

Public Slots

```
void show_mesh ()
    Toggles mesh visualization.

void show_collision ()
    Toggles collision visualization.

void show_target ()
    Toggles target visualization.

void show_tendon ()
    Toggles tendon visualization.

void show_tendon_length ()
    Toggles tendon length visualization.

void show_force ()
    Toggles force visualization.

void show_torque ()
    Toggles torque visualization.

void visualizePose ()
    Visualization of Pose.

void visualizeCollision ()
    Visualization of Collision Shapes.
```

```
void visualizePoseTarget ()
    Visualization of Pose Target.

void visualizeTendon ()
    Visualization of Tendon.

void visualizeTendonTarget ()
    Visualization of Tendon Target.

void visualizeTorque ()
    Visualization of Torque.

void visualizeTorqueTarget ()
    Visualization of Torque Target.
```

Signals

```
void visualizePoseSignal ()

void visualizeCollisionSignal ()

void visualizeTargetSignal ()

void visualizePoseTargetSignal ()

void visualizeTendonSignal ()

void visualizeTendonTargetSignal ()

void visualizeTorqueSignal ()

void visualizeTorqueTargetSignal ()
```

Private Functions

```
void RobotState (const geometry_msgs::PoseStampedConstPtr &msg)
    Callback to robot state messages.
```

Parameters

- msg:

```
void RobotStateTarget (const geometry_msgs::PoseStampedConstPtr &msg)
    Callback to robot state target messages.
```

Parameters

- msg:

```
void TendonState (const roboy_simulation_msgs::TendonConstPtr &msg)
    Callback for Tendon state messages.
```

Parameters

- msg:

```
void TendonStateTarget (const roboy_simulation_msgs::TendonConstPtr &msg)
    Callback for Tendon state target messages.
```

Parameters

- msg:

```
void JointState (const roboy_simulation_msgs::JointStateConstPtr &msg)
    Callback for Joint state messages.
```

Parameters

- msg:

```
void JointStateTarget (const roboy_simulation_msgs::JointStateConstPtr &msg)
    Callback for Joint state target messages.
```

Parameters

- msg:

Private Members

```
ros::NodeHandlePtr nh
boost::shared_ptr<ros::AsyncSpinner> spinner
ros::Subscriber robot_state
ros::Subscriber tendon_state
ros::Subscriber joint_state
ros::Subscriber robot_state_target
ros::Subscriber tendon_state_target
ros::Subscriber joint_state_target
tf::TransformListener tf_listener
tf::TransformBroadcaster tf_broadcaster
map<string, geometry_msgs::Pose> pose
map<string, geometry_msgs::Pose> pose_target
map<string, TendonTendon
```

```

bool visualize_collisions = true
bool visualize_targets = true
bool visualize_tendon = true
bool visualize_tendon_length = true
bool visualize_force = false
bool visualize_torque = false
bool visualize_tendon_target = true
bool visualize_tendon_length_target = true
bool visualize_force_target = false
bool visualize_torque_target = false
QPushButton *show_mesh_button
QPushButton *show_collision_button
QPushButton *show_target_button
QPushButton *show_tendon_button
QPushButton *show_force_button
QPushButton *show_torque_button
QPushButton *show_tendon_length_button
QSlider *mesh_transparency
QSlider *cable_thickness
QSlider *tendon_length_text_size
string model_name

class CardsflowStateHandle
Subclassed by hardware_interface::CardsflowHandle

```

Public Functions

```

CardsflowStateHandle()
CardsflowStateHandle(const std::string &name, int joint_index, const double *pos, const
double *vel, const double *acc, const MatrixXd *L, const MatrixXd
*M, const VectorXd *CG)

```

Parameters

- name: The name of the joint
- joint_index: index of the joint in the robot model
- pos: joint position
- vel: joint velocity
- acc: joint acceleration
- L: pointer to the L matrix
- M: pointer to the mass matrix

- CG: pointer to the Coriolis+Gravity vector
- name: The name of the joint
- joint_index: index of the joint in the robot model
- pos: A pointer to the storage for this joint's position
- vel: A pointer to the storage for this joint's velocity

`std::string getName() const`

Returns the joint name.

Return joint name

`int getJointIndex() const`

Returns the joint index in the robot model.

Return joint index

`double getPosition() const`

Returns the current joint position.

Return joint position

`double getVelocity() const`

Returns the current joint velocity.

Return joint velocity

`double getAcceleration() const`

Returns the current joint acceleration.

Return joint acceleration

`MatrixXd getL() const`

Returns the cable model L matrix.

Return L

`MatrixXd getM() const`

Returns the robot Mass matrix.

Return M

`VectorXd getCG() const`

Returns the robot Coriolis+Gravity vector.

Return CG

Private Members

```
std::string name_
int joint_index_
    joint name

const double *pos_
    joint index

const double *vel_
    joint position

const double *acc_
    joint velocity

const VectorXd *CG_
    joint acceleration

const MatrixXd *L_
    Coriolis+Gravity vector.

const MatrixXd *M_

class CardsflowStateInterface : public HardwareResourceManager<CardsflowStateHandle>

struct COLOR
```

Public Functions

```
COLOR (float r, float g, float b, float a)
void randColor ()
```

Public Members

```
float r
float g
float b
float a

struct EigenRobotAcceleration
```

Public Functions

```
void resize (int nrOfInternalDOFs)
void random ()
```

Public Members

```
Eigen::Matrix<double, 6, 1> baseAcc
Eigen::VectorXd jointAcc
```

struct EigenRobotState

A tutorial on how to use the KinDynComputations class with Eigen data structures.

CopyPolicy: Released under the terms of LGPL 2.0+ or later Struct containing the floating robot state using Eigen data structures.

Author Silvio Traversaro

Public Functions

```
void resize (int nrOfInternalDOFs)
```

```
void random ()
```

Public Members

Eigen::Matrix4d world_H_base

Eigen::VectorXd jointPos

Eigen::Matrix<double, 6, 1> baseVel

Eigen::VectorXd jointVel

Eigen::Vector3d gravity

```
class ForcePositionController : public controller_interface::Controller<hardware_interface::CardsflowCommandInterface
```

Public Functions

```
ForcePositionController()
```

Constructor.

```
bool init (hardware_interface::CardsflowCommandInterface *hw, ros::NodeHandle &n)
```

Initializes the controller.

Will be call by controller_manager when loading this controller

Return success

Parameters

- *hw*: pointer to the hardware interface
- *n*: the nodehandle

```
void update (const ros::Time &time, const ros::Duration &period)
```

Called regularly by controller manager.

The torque for a joint wrt to a PD controller on the joint target position is calculated.

Parameters

- *time*: current time
- *period*: period since last control

```
void starting (const ros::Time &time)
```

Called by controller manager when the controller is about to be started.

Parameters

- time: current time

void stopping (const ros::Time &time)

Called by controller manager when the controller is about to be stopped.

Parameters

- time: current time

void JointPositionCommand (const std_msgs::Float32ConstPtr &msg)

Joint position command callback for this joint.

Parameters

- msg: joint position target in radians

**bool setControllerParameters (roboy_control_msgs::SetControllerParameters::Request &req,
 roboy_control_msgs::SetControllerParameters::Response &res)**

Controller Parameters service.

Return success

Parameters

- req: requested gains
- res: success

Private Members

double **q_target** = 0

double **p_error_prev** = 0

joint position target

double **Kp** = 1

double **Kd** = 0

ros::NodeHandle **nh**

PD gains.

ros::Publisher **controller_state**

ROS nodehandle.

ros::ServiceServer **controller_parameter_srv**

publisher for controller state

boost::shared_ptr<ros::AsyncSpinner> **spinner**

service for controller parameters

hardware_interface::CardsflowHandle joint

ros::Subscriber **joint_command**

cardsflow joint handle for access to joint/cable model state

string **joint_name**

joint command subscriber

```
int joint_index
    name of the controlled joint

template<typename _Scalar, int NX = Dynamic, int NY = Dynamic>
struct Functor
```

Public Types

```
enum [anonymous]
    Values:
        InputsAtCompileTime = NX
        ValuesAtCompileTime = NY

typedef _Scalar Scalar
typedef Eigen::Matrix<Scalar, InputsAtCompileTime, 1> InputType
typedef Eigen::Matrix<Scalar, ValuesAtCompileTime, 1> ValueType
typedef Eigen::Matrix<Scalar, ValuesAtCompileTime, InputsAtCompileTime> JacobianType
```

Public Functions

```
Functor()

Functor(int inputs, int values)
int inputs() const
int values() const
```

Public Members

```
const int m_inputs
const int m_values

struct iDynTreeRobotAcceleration
```

Public Functions

```
void resize(int nrOfInternalDOFs)
```

Public Members

```
iDynTree::Vector6 baseAcc
iDynTree::VectorDynSize jointAcc

struct iDynTreeRobotState
    the base link of each endeffector
```

Public Functions

`void resize (int nrOfInternalDOFs)`

Public Members

`iDynTree::Transform world_H_base`

`iDynTree::VectorDynSize jointPos`

`iDynTree::Twist baseVel`

`iDynTree::VectorDynSize jointVel`

`iDynTree::Vector3 gravity`

`struct iDynTreeRobotState`

Struct containing the floating robot state using iDynTree data structures.

For the semantics of this structures, see KinDynComputation::setRobotState method.

Public Functions

`void resize (int nrOfInternalDOFs)`

Public Members

`iDynTree::Transform world_H_base`

`iDynTree::VectorDynSize jointPos`

`iDynTree::Twist baseVel`

`iDynTree::VectorDynSize jointVel`

`iDynTree::Vector3 gravity`

`struct iDynTreeRobotState`

the base link of each endeffector

Public Functions

`void resize (int nrOfInternalDOFs)`

Public Members

`iDynTree::Transform world_H_base`

`iDynTree::VectorDynSize jointPos`

`iDynTree::Twist baseVel`

`iDynTree::VectorDynSize jointVel`

`iDynTree::Vector3 gravity`

`class MeasureExecutionTime`

Public Functions

```
MeasureExecutionTime (string logfile_name)
~MeasureExecutionTime ()
void start ()
double stop (const char *name)
```

Private Members

```
time_point<Clock> start_point
time_point<Clock> stop_point
ofstream log_file
class MotorConfig
```

Public Functions

MotorConfig()

bool **readConfig** (const string &*filepath*)
Reads a yaml motor config file.

Return success

Parameters

- *filepath*: to config

bool **writeConfig** (const string &*filepath*)
Writes a yaml motor config file.

Return success

Parameters

- *filepath*:

bool **fileExists** (const string &*filepath*)
Checks if a file exists.

Return exists

Parameters

- *filepath*:

double **displacement2force** (double *displacement*, int *fpga*, int *motor*)
Transforms displacement to force using loaded coefficients.

Return force

Parameters

- displacement:
- fpga: for this fpga
- motor: motor id (as listed in read config)

double force2displacement (double *force*, int *fpga*, int *motor*)

Transforms force to displacement using loaded coefficients.

Return force

Parameters

- displacement:
- fpga: for this fpga
- motor: motor id (as listed in read config)

Public Members

vector<vector<vector<float>>> **coeffs_displacement2force**

vector<vector<vector<float>>> **coeffs_force2displacement**

class MsjPlatform: public *cardsflow::kindyn::Robot*, public *cardsflow::kindyn::Robot*

Public Functions

MsjPlatform (string *urdf*, string *cardsflow_xml*)

Constructor.

Parameters

- urdf: path to urdf
- cardsflow_xml: path to cardsflow xml

void **read** ()

Updates the robot model and if we do not use gazebo for simulation, we integrate using the forwardKinematics function with a small step length.

void **write** ()

Sends motor commands to the real robot.

bool **GymStepService** (roboy_simulation_msgs::GymStep::Request &*req*,
 roboy_simulation_msgs::GymStep::Response &*res*)

bool **GymResetService** (roboy_simulation_msgs::GymReset::Request &*req*,
 roboy_simulation_msgs::GymReset::Response &*res*)

MsjPlatform (string *urdf*, string *cardsflow_xml*)

Constructor.

Parameters

- urdf: path to urdf
- cardsflow_xml: path to cardsflow xml

```
void read()  
    Updates the robot model and if we do not use gazebo for simulation, we integrate using the forwardKinematics function with a small step length.  
  
void write()  
    Sends motor commands to the real robot.  
  
int pnpoly (vector<double> limits_x, vector<double> limits_y, double testx, double testy)  
  
void randomPose()
```

Public Members

```
bool external_robot_state  
ros::NodeHandlePtr nh  
    indicates if we get the robot state externally  
ros::Publisher motor_command  
    ROS nodehandle.  
ros::ServiceServer gym_step  
    motor command publisher  
ros::ServiceServer gym_reset  
double l_offset  
    motor command publisher  
float Kp = 0.001  
ros::Publisher sphere_axis0  
ros::Publisher sphere_axis1  
ros::Publisher sphere_axis2  
vector<double> limits[3]  
boost::shared_ptr<std::thread> pose_thread  
  
class Rickshaw_pedaling : public cardsflow::kindyn::Robot
```

Public Functions

```
Rickshaw_pedaling (string urdf, string cardsflow_xml)  
    Constructor.
```

Parameters

- *urdf*: path to urdf
- *cardsflow_xml*: path to cardsflow xml

```
void read()  
    Updates the robot model and integrates the robot model using the forwardKinematics function with a small step length.
```

```
void write()  
    Sends motor commands to the real robot.
```

Public Members

```

ros::NodeHandlePtr nh
ros::Publisher motor_command
    ROS nodehandle.

ros::ServiceClient motor_config
    motor command publisher

ros::ServiceClient sphere_left_axis0_params
ros::ServiceClient sphere_left_axis1_params
ros::ServiceClient sphere_left_axis2_params

map<string, ros::ServiceClient> motor_control_mode

vector<string> endeffectors = {"spine_right"}

map<string, vector<string>> endeffector_jointnames

bool external_robot_state

map<string, vector<short unsigned int> > Rickshaw_pedaling::motors= { "head"
    indicates if we get the robot state externally

map<string, vector<short unsigned int> > Rickshaw_pedaling::sim_motors= { "head"

map<string, vector<double> > Rickshaw_pedaling::l_offset= { "head", {0, 0, 0, 0}

class Rikshaw : public cardsflow::kindyn::Robot, public cardsflow::kindyn::Robot

```

Public Functions

Rikshaw (string *urdf*, string *cardsflow_xml*)
 Constructor.

Parameters

- *urdf*: path to urdf
- *cardsflow_xml*: path to cardsflow xml

void **read()**
 Updates the robot model and integrates the robot model using the forwardKinematics function with a small step length.

void **write()**
 Sends motor commands to the real robot.

Rikshaw (string *urdf*, string *cardsflow_xml*)
 Constructor.

Parameters

- *urdf*: path to urdf
- *cardsflow_xml*: path to cardsflow xml

void **MotorStatus** (**const** roboy_middleware_msgs::MotorStatus::ConstPtr &*msg*)

```

void read()  

    Updates the robot model and integrates the robot model using the forwardKinematics function with a small  

    step length.  
  

void write()  

    Sends motor commands to the real robot.

```

Public Members

```

ros::NodeHandlePtr nh  

ros::Publisher motor_command  

    ROS nodehandle.  
  

ros::ServiceClient motor_config  

    motor command publisher  
  

ros::ServiceClient sphere_left_axis0_params  

ros::ServiceClient sphere_left_axis1_params  

ros::ServiceClient sphere_left_axis2_params  
  

map<string, ros::ServiceClient> motor_control_mode  

vector<string> endeffectors = {"spine_right"}  

map<string, vector<string>> endeffector_jointnames  

bool external_robot_state  
  

map< string, vector< short unsigned int > > Rikshaw::motors= { "head", {9,1}  

    indicates if we get the robot state externally  
  

map< string, vector< short unsigned int > > Rikshaw::sim_motors= { "head",  

map< string, vector< double > > Rikshaw::l_offset= { "head", {0,0,0,0,0,0}}  
  

ros::Publisher joint_hip_left  

    motor command publisher  
  

ros::Publisher joint_hip_right  

ros::Publisher joint_knee_left  

ros::Publisher joint_knee_right  

ros::Publisher joint_foot_left  

ros::Publisher joint_foot_right  

ros::Publisher left_shoulder_axis0  

ros::Publisher left_shoulder_axis1  

ros::Publisher left_shoulder_axis2  

ros::Publisher elbow_left_rot0  

ros::Publisher elbow_left_rot1  

ros::Publisher left_wrist_0  

ros::Publisher left_wrist_1  

ros::Publisher right_shoulder_axis0

```

```

ros::Publisher right_shoulder_axis1
ros::Publisher right_shoulder_axis2
ros::Publisher elbow_right_rot0
ros::Publisher elbow_right_rot1
ros::Publisher right_wrist_0
ros::Publisher right_wrist_1
ros::Subscriber motor_status
map<string, ros::ServiceClient> motor_config
bool status_received = false
    indicates if we get the robot state externally
std_msgs::Float32 roll
std_msgs::Float32 pitch
std_msgs::Float32 yaw
float err_x = 0
float error_y = 0
float pitch_max = 0.33
float pitch_min = -0.50
float yaw_min = -0.50
float yaw_max = 0
map<string, vector<double> > Rikshaw::encoder_offset = {
    {"head", {0, 0, 0, 0, 0, 0}}
class Robot : public rviz_visualization
Subclassed by Roboy2, RoboyIcecream

```

Public Functions

Robot ()
Constructor.

~Robot ()
Destructor.

void **init** (string *urdf_file_path*, string *viapoints_file_path*, vector<string> *joint_names*)
initializes everything, call before use!

Parameters

- *urdf_file_path*: path to robot urdf
- *viapoints_file_path*: path to viapoints xml
- *joint_names*: a vector of joint_names to be considered from the model

void **update ()**
Updates the model.

virtual void read()

This is the read function and should implement reading the state of your robot.

virtual void write()

This is the write function and should implement writing commands to your robot.

Public Members

iDynTree::KinDynComputations **kinDynComp**

iDynTree::KinDynComputations **kinDynCompTarget**

size_t **number_of_dofs** = 0

the full robot model

vector<string> **endeffectors**

number of degrees of freedom of the whole robot

map<string, size_t> **endeffector_index**

names of the endeffectors

vector<size_t> **endeffector_number_of_dofs**

vector<size_t> **endeffector_dof_offset**

size_t **number_of_joints** = 0

number of degrees of freedom of each endeffector

size_t **number_of_cables** = 0

number of joints of the whole robot

size_t **number_of_links** = 0

number of cables, ie muscles of the whole robot

Matrix4d **world_H_base**

number of links of the whole robot

vector<Matrix4d> **world_to_link_transform**

floating base 6-DoF pose

vector<Matrix4d> **link_to_world_transform**

vector<Matrix4d> **frame_transform**

Eigen::Matrix<double, 6, 1> **baseVel**

Vector3d **gravity**

the velocity of the floating base

MatrixXd **M**

gravity vector (default: (0,0,-9.81)

VectorXd **CG**

The Mass matrix of the robot.

VectorXd **q**

The Coriolis+Gravity term of the robot.

VectorXd **qd**

VectorXd **qdd**

VectorXd **q_min**

joint position, velocity, acceleration

```

VectorXd q_max
VectorXd q_target
    joint limits

VectorXd qd_target
VectorXd qdd_target

VectorXd q_target_prev
    joint positon, velocity, acceleration targets

VectorXd qd_target_prev

VectorXd qdd_target_prev

VectorXd l_int
    joint positon, velocity, acceleration targets

VectorXd l

VectorXd l_target

vector<VectorXd> Ld
    tendon length and length change

VectorXd torques

VectorXd cable_forces
    joint torques

vector<VectorXd> ld
    the cable forces in Newton

MatrixXd L
    tendon length changes for each controller

MatrixXd L_t

MatrixXd S
    L and -L^T.

MatrixXd P

MatrixXd V

MatrixXd W

vector<vector<pair<ViaPointPtr, ViaPointPtr>>> segments
    matrices of cable model

bool external_robot_state
    cable segments

bool simulated = false
    indicates if we get the robot state externally

bool initialized = false
    indicates if the robots is simulated or hardware is used

```

Protected Types

```

typedef boost::array<double, 2> state_type
odeint integration time

```

Protected Attributes

```

iDynTree::FreeFloatingGeneralizedTorques bias
iDynTree::MatrixDynSize Mass
    Coriolis+Gravity term.

bool torque_position_controller_active = false
    Mass matrix.

bool force_position_controller_active = false

bool cable_length_controller_active = false

VectorXd qdd_torque_control

VectorXd qdd_force_control

vector<Cable> cables

vector<VectorXd> joint_axis
    all cables of the robot

vector<string> link_names
    joint axis of each joint

vector<string> joint_names

map<string, int> link_index
    link and joint names of the robot

map<string, int> joint_index

vector<ros::Publisher> joint_command_pub
    link and joint indices of the robot

vector<int> controller_type

double integration_time = 0
    currently active controller type

vector<state_type> joint_state
    second order dynamics integration

vector<state_type> motor_state

bool first_time_solving = true
    joint and cable states

int nWSR = 1000

VectorXd f_min
    qp working sets

VectorXd f_max

int qp_print_level = PL_NONE

SQProblem qp_solver
    qpoases print level

real_t *H
    qpoases quadratic problem solver

real_t *g

real_t *A

```

```

real_t *lb
real_t *ub
real_t *b
real_t *FOpt

ros::Time last_visualization
    quadratic problem variables

Eigen::IOFormat fmt
    timestamp for visualization at reasonable intervals

hardware_interface::JointStateInterface joint_state_interface
    formator for terminal printouts

hardware_interface::EffortJointInterface joint_command_interface
    ros control joint state interface

hardware_interface::CardsflowStateInterface cardsflow_state_interface
    ros control joint command interface

hardware_interface::CardsflowCommandInterface cardsflow_command_interface
    cardsflow state interface

bool first_update = true
    cardsflow command interface

```

Private Functions

void MoveEndEffector (const** roboy_control_msgs::MoveEndEffectorGoalConstPtr &goal)**
 Move endeffector action server.

Parameters

- goal:

bool parseViapoints (const** string &viapoints_file_path, vector<Cable> &cables)**
 parses the cardsflow xml file for viapoint definitions

Return

success

Parameters

- viapoints_file_path: path to the cardsflow.xml file
- cables: will be filled with the parsed viapoints of the defined cables

**bool ForwardKinematicsService (roboy_middleware_msgs::ForwardKinematics::Request &req,
 roboy_middleware_msgs::ForwardKinematics::Response
 &res)**

Forward kinematic service for endeffectors.

Return

success

Parameters

- req: endeffector, requested joint angles
- res: 3d resulting position of endeffector

```
bool InverseKinematicsService (roboy_middleware_msgs::InverseKinematics::Request &req,  
                                roboy_middleware_msgs::InverseKinematics::Response &res)  
Inverse kinematic service for endeffectors.
```

Return success

Parameters

- req: endeffector and ik type
- res: joint configuration solution

```
bool InverseKinematicsMultipleFramesService (roboy_middleware_msgs::InverseKinematicsMultipleFrames::Request  
                                              &req, roboy_middleware_msgs::InverseKinematicsMultipleFrames::Response  
                                              &res)
```

```
void InteractiveMarkerFeedback (const visualization_msgs::InteractiveMarkerFeedbackConstPtr  
                               &msg)
```

Callback for Interactive Marker Feedback of endeffectors.

When the Interactive Marker is released in rviz, the IK routine is called and the solution directly applied to the robot q_target angles

Parameters

- msg: Interactive Marker Feedback message

```
void JointState (const sensor_msgs::JointStateConstPtr &msg)
```

Callback for the joint state of the robot.

This can come from gazebo, the real robot or else where.

Parameters

- msg: message containing joint_name/angle information

```
void JointTarget (const sensor_msgs::JointStateConstPtr &msg)
```

Callback for the joint target of the robot.

Parameters

- msg: message containing joint_name/angle information

```
void FloatingBase (const geometry_msgs::PoseConstPtr &msg)
```

Callback for the floating base world pose.

This can come from gazebo, the real robot or else where.

Parameters

- msg: message containing the 6 DoF pose of the floating base

```
VectorXd resolve_function (MatrixXd &A_eq, VectorXd &b_eq, VectorXd &f_min, VectorXd  
                           &f_max)
```

Private Members

```
Matrix3d *link_to_link_transform
```

```
ros::NodeHandlePtr nh
```

```

boost::shared_ptr<ros::AsyncSpinner> spinner
    ROS node handle.

ros::Publisher robot_state_pub
    async ROS spinner

ros::Publisher tendon_state_pub

ros::Publisher joint_state_pub

ros::Publisher cardsflow_joint_states_pub

ros::Publisher robot_state_target_pub
    ROS robot pose and tendon publisher.

ros::Publisher tendon_state_target_pub

ros::Publisher joint_state_target_pub

ros::Subscriber controller_type_sub
    target publisher

ros::Subscriber joint_state_sub

ros::Subscriber joint_target_sub

ros::Subscriber floating_base_sub

ros::Subscriber interactive_marker_sub

ros::ServiceServer ik_srv
    ROS subscribers.

ros::ServiceServer ik_two_frames_srv

ros::ServiceServer fk_srv

map<string, boost::shared_ptr<actionlib::SimpleActionServer<roboy_control_msgs::MoveEndEffectorAction>>> moveEndEff
map<string, iDynTree::KinDynComputations> ik_models

map<string, iDynTree::InverseKinematics> ik
    the robot models for each endeffector

map<string, string> ik_base_link
    the ik for each endeffector

struct cardsflow::vrpuppet::Robot::iDynTreeRobotState robotstate

class Robot : public cardsflow::kindyn::Robot

```

Public Functions

Robot (string *urdf*, string *cardsflow_xml*)

void **read**()

This is the read function and should implement reading the state of your robot.

void **write**()

This is the write function and should implement writing commands to your robot.

Private Members

```
ros::NodeHandlePtr nh  
bool external_robot_state  
class Robot : public RobotHW, public rviz_visualization  
Subclassed by MsjPlatform, MsjPlatform, Rickshaw_pedaling, Rikshaw, Rikshaw, Robot, RoboyArcadeMachine, RoboyHead, RoboyUpperBody, RoboyXylophone, ShoulderTestbed, TheClaw, VRpuppet, Yatr
```

Public Functions

Robot ()
Constructor.

~Robot ()
Destructor.

void init (string urdf_file_path, string viapoints_file_path, vector<string> joint_names)
initializes everything, call before use!

Parameters

- urdf_file_path: path to robot urdf
- viapoints_file_path: path to viapoints xml
- joint_names: a vector of joint_names to be considered from the model

void update ()
Updates the model.

virtual void read ()
This is the read function and should implement reading the state of your robot.

virtual void write ()
This is the write function and should implement writing commands to your robot.

void forwardKinematics (double dt)
Integrates the robot equation of motions using odeint.

Parameters

- dt: the integrations step length in seconds

Public Members

```
size_t number_of_dofs = 0  
vector<string> endeffectors  
    number of degrees of freedom of the whole robot  
map<string, size_t> endeffector_index  
    names of the endeffectors  
vector<size_t> endeffector_number_of_dofs  
vector<size_t> endeffector_dof_offset
```

```

size_t number_of_joints = 0
    number of degrees of freedom of each endeffector

size_t number_of_cables = 0
    number of joints of the whole robot

size_t number_of_links = 0
    number of cables, ie muscles of the whole robot

Matrix4d world_H_base
    number of links of the whole robot

vector<Matrix4d> world_to_link_transform
    floating base 6-DoF pose

vector<Matrix4d> link_to_world_transform

vector<Matrix4d> frame_transform

Eigen::Matrix<double, 6, 1> baseVel

Vector3d gravity
    the velocity of the floating base

MatrixXd M
    gravity vector (default: (0,0,-9.81))

VectorXd CG
    The Mass matrix of the robot.

VectorXd q
    The Coriolis+Gravity term of the robot.

VectorXd qd

VectorXd qdd

VectorXd q_min
    joint position, velocity, acceleration

VectorXd q_max

VectorXd q_target
    joint limits

VectorXd qd_target

VectorXd qdd_target

VectorXd q_target_prev
    joint position, velocity, acceleration targets

VectorXd qd_target_prev

VectorXd qdd_target_prev

VectorXd l_int
    joint position, velocity, acceleration targets

VectorXd l

VectorXd l_target

vector<VectorXd> Ld
    tendon length and length change

VectorXd torques

```

```
VectorXd cable_forces
    joint torques

vector<VectorXd> ld
    the cable forces in Newton

MatrixXd L
    tendon length changes for each controller

MatrixXd L_t

MatrixXd S
    L and -L^T.

MatrixXd P

MatrixXd V

MatrixXd W

vector<vector<pair<ViaPointPtr, ViaPointPtr>>> segments
    matrices of cable model
```

Protected Types

```
typedef boost::array<double, 2> state_type
    odeint integration time
```

Protected Attributes

```
iDynTree::FreeFloatingGeneralizedTorques bias
    cable segments

iDynTree::MatrixDynSize Mass
    Coriolis+Gravity term.

bool torque_position_controller_active = false
    Mass matrix.

bool force_position_controller_active = false
bool cable_length_controller_active = false

VectorXd qdd_torque_control

VectorXd qdd_force_control

vector<Cable> cables

vector<VectorXd> joint_axis
    all cables of the robot

vector<string> link_names
    joint axis of each joint

vector<string> joint_names

map<string, int> link_index
    link and joint names of the robot

map<string, int> joint_index
```

```

vector<ros::Publisher> joint_command_pub
    link and joint indices of the robot

vector<int> controller_type

double integration_time = 0
    currently active controller type

vector<state_type> joint_state
    second order dynamics integration

vector<state_type> motor_state

bool first_time_solving = true
    joint and cable states

int nWSR = 1000

VectorXd f_min
    qp working sets

VectorXd f_max

int qp_print_level = PL_NONE

SQProblem qp_solver
    qpoases print level

real_t *H
    qpoases quadratic problem solver

real_t *g

real_t *A

real_t *lb

real_t *ub

real_t *b

real_t *FOpt

ros::Time last_visualization
    quadratic problem variables

Eigen::IOFormat fmt
    timestamp for visualization at reasonable intervals

hardware_interface::JointStateInterface joint_state_interface
    formator for terminal printouts

hardware_interface::EffortJointInterface joint_command_interface
    ros control joint state interface

hardware_interface::CardsflowStateInterface cardsflow_state_interface
    ros control joint command interface

hardware_interface::CardsflowCommandInterface cardsflow_command_interface
    cardsflow state interface

bool first_update = true
    cardsflow command interface

bool external_robot_target = false

```

Private Functions

```
void MoveEndEffector (const roboy_control_msgs::MoveEndEffectorGoalConstPtr &goal)  
    Move endeffector action server.
```

Parameters

- goal:

```
bool parseViapoints (const string &viapoints_file_path, vector<Cable> &cables)  
    parses the cardsflow xml file for viapoint definitions
```

Return

success

Parameters

- viapoints_file_path: path to the cardsflow.xml file
- cables: will be filled with the parsed viapoints of the defined cables

```
bool ForwardKinematicsService (roboy_middleware_msgs::ForwardKinematics::Request &req,  
                                roboy_middleware_msgs::ForwardKinematics::Response  
                                &res)
```

Forward kinematic service for endeffectors.

Return

success

Parameters

- req: endeffector, requested joint angles
- res: 3d resulting position of endeffector

```
bool InverseKinematicsService (roboy_middleware_msgs::InverseKinematics::Request &req,  
                                roboy_middleware_msgs::InverseKinematics::Response &res)
```

Inverse kinematic service for endeffectors.

Return

success

Parameters

- req: endeffector and ik type
- res: joint configuration solution

```
bool InverseKinematicsMultipleFramesService (roboy_middleware_msgs::InverseKinematicsMultipleFrames::Req  
                                              &req, roboy_middleware_msgs::InverseKinematicsMultipleFrames  
                                              &res)
```

```
void InteractiveMarkerFeedback (const visualization_msgs::InteractiveMarkerFeedbackConstPtr  
                               &msg)
```

Callback for Interactive Marker Feedback of endeffectors.

When the Interactive Marker is released in rviz, the IK routine is called and the solution directly applied to the robot q_target angles

Parameters

- msg: Interactive Marker Feedback message

```
void JointState (const sensor_msgs::JointStateConstPtr &msg)
    Callback for the joint state of the robot.
```

This can come from gazebo, the real robot or else where.

Parameters

- msg: message containing joint_name/angle information

```
void FloatingBase (const geometry_msgs::PoseConstPtr &msg)
    Callback for the floating base world pose.
```

This can come from gazebo, the real robot or else where.

Parameters

- msg: message containing the 6 DoF pose of the floating base

```
VectorXd resolve_function (MatrixXd &A_eq, VectorXd &b_eq, VectorXd &f_min, VectorXd
&f_max)
```

```
void update_V ()
```

Updates the V matrix of the cable model.

```
void update_S ()
```

Updates the S matrix of the cable model.

```
void update_P ()
```

Updates the P matrix of the cable model.

```
void controllerType (const roboy_simulation_msgs::ControllerTypeConstPtr &msg)
```

Callback for controller type change.

The controller type defines how the forwardKinematics function integrates the robot states

Parameters

- msg: message containing the joint_name/type pair

Private Members

```
Matrix3d *link_to_link_transform
```

```
ros::NodeHandlePtr nh
```

```
boost::shared_ptr<ros::AsyncSpinner> spinner
```

ROS node handle.

```
ros::Publisher robot_state_pub
```

async ROS spinner

```
ros::Publisher tendon_state_pub
```

```
ros::Publisher joint_state_pub
```

```
ros::Publisher robot_state_target_pub
```

ROS robot pose and tendon publisher.

```
ros::Publisher tendon_state_target_pub
```

```
ros::Publisher joint_state_target_pub
```

```
ros::Subscriber controller_type_sub
```

target publisher

```

ros::Subscriber joint_state_sub
ros::Subscriber floating_base_sub
ros::Subscriber interactive_marker_sub
ros::ServiceServer ik_srv
    ROS subscribers.

ros::ServiceServer ik_two_frames_srv
ros::ServiceServer fk_srv

map<string, boost::shared_ptr<actionlib::SimpleActionServer<roboy_control_msgs::MoveEndEffectorAction>>> moveEndEffectorSrvs

iDynTree::KinDynComputations kinDynComp
iDynTree::KinDynComputations kinDynCompTarget
map<string, iDynTree::KinDynComputations> ik_models
    the full robot model

map<string, iDynTree::InverseKinematics> ik
    the robot models for each endeffector

map<string, string> ik_base_link
    the ik for each endeffector

struct cardsflow::kindyn::Robot::iDynTreeRobotState robotstate

struct RobotConfigurationEstimator : public Functor<double>

```

Public Functions

RobotConfigurationEstimator (int *number_of_samples*, int *number_of_cables*, int *number_of_links*)

int **operator()** (**const** VectorXd &*x*, VectorXd &*fvec*) **const**

This is the function that is called in each iteration.

Return

Parameters

- *x*: the pose vector (3 rotational 3 translational parameters)
- *fvec*: the error function (the difference between the sensor positions)

Public Members

```

int number_of_samples
int number_of_cables
int number_of_links

```

Public Static Attributes

cardsflow::kindyn::Robot ***robot**

```
class Roboy2 : public cardsflow::vrpuppet::Robot
```

Public Functions

Roboy2 (string *urdf*, string *cardsflow_xml*)
 Constructor.

Parameters

- *urdf*: path to urdf
- *cardsflow_xml*: path to cardsflow xml

bool **initPose** (std::srvs::Empty::Request &*req*, std::srvs::Empty::Response &*res*)

void **MotorStatus** (**const** roboy_middleware_msgs::MotorStatus::ConstPtr &*msg*)

void **read()**
 Updates the robot model.

void **write()**
 Sends motor commands to the real robot.

Public Members

```
ros::NodeHandlePtr nh
ros::Publisher motor_command
ROS nodehandle.

ros::Subscriber motor_status_sub
motor command publisher

ros::ServiceServer init_pose
ros::AsyncSpinner *spinner

map<string, ros::ServiceClient> motor_control_mode
map<string, ros::ServiceClient> motor_config
vector<string> body_parts = {"head"}

map<string, vector<string>> endeffector_jointnames
map<string, bool> motor_status_received
map<string, int> init_mode
map<string, int> init_setpoint
map<string, vector<int>> real_motor_ids
map<string, vector<int>> sim_motor_ids
map<string, vector<int>> motor_type
map<string, vector<double>> l_offset
map<string, vector<double>> position
map<string, vector<double>> velocity
map<string, vector<double>> displacement
map<string, int> bodyPartIDs
```

```
map<string, bool> use_motor_config
class RoboyArcadeMaschine : public cardsflow::kindyn::Robot
```

Public Functions

RoboyArcadeMaschine (string *urdf*, string *cardsflow_xml*)
Constructor.

Parameters

- *urdf*: path to urdf
- *cardsflow_xml*: path to cardsflow xml

void read()
Updates the robot model and integrates the robot model using the forwardKinematics function with a small step length.

void write()
Sends motor commands to the real robot.

Public Members

```
ros::NodeHandlePtr nh
ros::Publisher motor_command
ROS nodehandle.
bool external_robot_state
motor command publisher
class RoboyHead : public cardsflow::kindyn::Robot
```

Public Functions

RoboyHead (string *urdf*, string *cardsflow_xml*)
Constructor.

Parameters

- *urdf*: path to urdf
- *cardsflow_xml*: path to cardsflow xml

void FaceCoordinates (const geometry_msgs::Point::ConstPtr &msg)

void MotorStatus (const roboy_middleware_msgs::MotorStatus::ConstPtr &msg)

void read()
Updates the robot model and integrates the robot model using the forwardKinematics function with a small step length.

void write()
Sends motor commands to the real robot.

Public Members

```

ros::NodeHandlePtr nh

ros::Publisher motor_command
    ROS nodehandle.

ros::Publisher sphere_head_axis0
ros::Publisher sphere_head_axis1
ros::Publisher sphere_head_axis2

ros::Subscriber motor_status
    motor command publisher

ros::Subscriber face_coordinates

ros::ServiceClient sphere_left_axis0_params
ros::ServiceClient sphere_left_axis1_params
ros::ServiceClient sphere_left_axis2_params

map<string, ros::ServiceClient> motor_control_mode

map<string, ros::ServiceClient> motor_config

vector<string> endeffectors = {"shoulder_right"}

map<string, vector<string>> endeffector_jointnames

bool external_robot_state

bool status_received = false
    indicates if we get the robot state externally

std_msgs::Float32 roll
std_msgs::Float32 pitch
std_msgs::Float32 yaw

float err_x = 0
float error_y = 0
float pitch_max = 0.33
float pitch_min = -0.50
float yaw_min = -0.50
float yaw_max = 0

map<string, vector<int> > RoboyHead::motors= { "shoulder_right", {9,10,11,12}
map<string, vector<int> > RoboyHead::sim_motors= { "shoulder_right", {0,1,2,3}
map<string, vector<float> > RoboyHead::l_change= { "shoulder_right", {0,0,0,0}
map<string, vector<double> > RoboyHead::l_offset= { "head", {0,0,0,0,0,0}}
map<string, vector<double> > RoboyHead::encoder_offset= { "head", {0,0,0,0,0,0}

class RoboyIcecream : public cardsflow::vrpuppet::Robot

```

Public Functions

RoboyIcecream (string *urdf*, string *cardsflow_xml*)
Constructor.

Parameters

- *urdf*: path to urdf
- *cardsflow_xml*: path to cardsflow xml

bool **initPose** (std::srvs::Empty::Request &*req*, std::srvs::Empty::Response &*res*)

void **MotorStatus** (**const** roboy_middleware_msgs::MotorStatus::ConstPtr &*msg*)

void **read**()

Updates the robot model.

void **write**()

Sends motor commands to the real robot.

Public Members

```
ros::NodeHandlePtr nh  
ros::Publisher motor_command  
ROS nodehandle.  
ros::Subscriber motor_status_sub  
motor command publisher  
ros::ServiceServer init_pose  
ros::AsyncSpinner *spinner  
map<string, ros::ServiceClient> motor_control_mode  
map<string, ros::ServiceClient> motor_config  
vector<string> body_parts = {"head", , }  
map<string, vector<string>> endeffector_jointnames  
map<string, bool> motor_status_received  
map<string, int> init_mode  
map<string, int> init_setpoint  
map<string, vector<int>> real_motor_ids  
map<string, vector<int>> sim_motor_ids  
map<string, vector<int>> motor_type  
map<string, vector<double>> l_offset  
map<string, vector<double>> position  
map<string, vector<double>> velocity  
map<string, vector<double>> displacement  
map<string, int> bodyPartIDs
```

```
map<string, bool> use_motor_config
class RoboyUpperBody : public cardsflow::kindyn::Robot
```

Public Functions

RoboyUpperBody (string *urdf*, string *cardsflow_xml*)
 Constructor.

Parameters

- *urdf*: path to urdf
- *cardsflow_xml*: path to cardsflow xml

void read()
 Updates the robot model and integrates the robot model using the forwardKinematics function with a small step length.

void write()
 Sends motor commands to the real robot.

Public Members

```
ros::NodeHandlePtr nh
ros::Publisher motor_command
    ROS nodehandle.
ros::ServiceClient motor_config
    motor command publisher
ros::ServiceClient sphere_left_axis0_params
ros::ServiceClient sphere_left_axis1_params
ros::ServiceClient sphere_left_axis2_params
map<string, ros::ServiceClient> motor_control_mode
vector<string> endeffectors = {"spine_right"}
map<string, vector<string>> endeffector_jointnames
bool external_robot_state
map<string, vector<int> > RoboyUpperBody::motors= { "head", {9,10,11,12,13,14} }
    indicates if we get the robot state externally
map<string, vector<int> > RoboyUpperBody::sim_motors= { "head", {36,37,35,34} }
map<string, vector<double> > RoboyUpperBody::l_offset= { "head", {0,0,0,0,0,0} }
class RoboyXylophone : public cardsflow::kindyn::Robot
```

Public Functions

RoboyXylophone (string *urdf*, string *cardsflow_xml*)
 Constructor.

Parameters

- *urdf*: path to urdf
- *cardsflow_xml*: path to cardsflow xml

void **read**()
 Updates the robot model and integrates the robot model using the forwardKinematics function with a small step length.

void **write**()
 Sends motor commands to the real robot.

Public Members

```
ros::NodeHandlePtr nh
ros::Publisher motor_command
ROS nodehandle.

bool external_robot_state
motor command publisher

vector<double> l_offset
indicates if we get the robot state externally

class rviz_visualization
Subclassed by cardsflow::kindyn::Robot, cardsflow::vrpuppet::Robot, CardsflowRviz
```

Public Functions

```
rviz_visualization()
~rviz_visualization()

void initializeInteractiveMarkerServer()

Marker makeBox(InteractiveMarker &msg)

InteractiveMarkerControl &makeBoxControl(InteractiveMarker &msg)

void make6DofMarker(bool fixed, unsigned int interaction_mode, const tf::Vector3 &position, bool
show_6dof, double scale = 1, const char *frame = "world", const char
"name = "interactive_marker", const char *description = "for interaction and
shit")

Vector3d convertGeometryToEigen(const geometry_msgs::Vector3 &vector_in)
geometry_msgs::Vector3 convertEigenToGeometry(const Vector3d &vector_in)

void PoseMsgToTF(const geometry_msgs::Pose &msg, tf::Transform &bt)
```

```
void publishMesh (const char *package, const char *relative_path, const char *modelname,
                 Vector3d &pos, Quaterniond &orientation, double scale, const char *frame,
                 const char *ns, int message_id, double duration = 0, COLOR color = COLOR(1,
                 , , ))
```

Publishes a mesh visualization marker.

Parameters

- package: ros package in which this mesh is located
- relative_path: the relative path inside that ros packae
- the: mesh file name
- pos: at this position
- orientation: with this orientation
- modelname: name of the mesh.dae
- frame: in this frame
- ns: namespace
- message_id: unique id
- duration: in seconds
- color: of the mesh

```
void publishMesh (const char *package, const char *relative_path, const char *modelname, geometry_msgs::Pose &pose, double scale, const char *frame, const char *ns, int message_id, double duration = 0, COLOR color = COLOR(1, , , ))
```

Publishes a mesh visualization marker.

Parameters

- package: ros package in which this mesh is located
- relative_path: the relative path inside that ros packae
- the: mesh file name
- pose: of mesh
- modelname: name of the mesh.dae
- frame: in this frame
- ns: namespace
- message_id: unique id
- duration: in seconds
- color: of the mesh

```
void publishSphere (Vector3d &pos, const char *frame, const char *ns, int message_id, COLOR color, float radius = 0.01, double duration = 0)
```

Publishes a sphere visualization marker.

Parameters

- pos: at this positon
- frame: in this frame

- ns: namespace
- message_id: a unique id
- rgda: rgb color (0-1) plus transparency
- duration: for this duration in seconds (0=forever)

```
void publishSphere (geometry_msgs::Pose &pose, const char *frame, const char *ns, int mes-  
sage_id, COLOR color, float radius = 0.01, double duration = 0)
```

Publishes a sphere visualization marker.

Parameters

- pose: at this positon
- frame: in this frame
- ns: namespace
- message_id: a unique id
- rgda: rgb color (0-1) plus transparency
- duration: for this duration in seconds (0=forever)

```
void publishCube (Vector3d &pos, Vector4d &quat, const char *frame, const char *ns, int mes-  
sage_id, COLOR color, float radius = 0.01, double duration = 0)
```

Publishes a cube visualization marker.

Parameters

- pos: at this positon
- quat: with this orientation
- frame: in this frame
- ns: namespace
- message_id: a unique id
- rgda: rgb color (0-1) plus transparency
- duration: for this duration in seconds (0=forever)

```
void publishCube (geometry_msgs::Pose &pose, const char *frame, const char *ns, int mes-  
sage_id, COLOR color, float radius = 0.01, double duration = 0)
```

Publishes a cube visualization marker.

Parameters

- pose: with this pose
- frame: in this frame
- ns: namespace
- message_id: a unique id
- rgda: rgb color (0-1) plus transparency
- duration: for this duration in seconds (0=forever)

```
void publishCube (Vector3d &pos, Quaternionf &quat, const char *frame, const char *ns, int message_id, COLOR color, float dx = 0.01, float dy = 0.01, float dz = 0.01, double duration = 0)
```

Publishes a cube visualization marker.

Parameters

- *pos*: position
- *quat*: quaternion
- *frame*: in this frame
- *ns*: namespace
- *message_id*: a unique id
- *rgda*: rgb color (0-1) plus transparency
- *dx*: cube x dim
- *dy*: cube y dim
- *dz*: cube z dim
- *duration*: for this duration in seconds (0=forever)

```
void publishCylinder (Vector3d &pos, const char *frame, const char *ns, int message_id, COLOR color, float radius = 0.01, double duration = 0)
```

Publishes a cylinder visualization marker.

Parameters

- *pos*: at this positon
- *frame*: in this frame
- *ns*: namespace
- *message_id*: a unique id
- *rgda*: rgb color (0-1) plus transparency
- *duration*: for this duration in seconds (0=forever)

```
void publishRay (Vector3d &pos, Vector3d &dir, const char *frame, const char *ns, int message_id, COLOR color, double duration = 0)
```

Publishes a ray visualization marker.

Parameters

- *pos*: at this positon
- *dir*: direction
- *frame*: in this frame
- *message_id*: a unique id
- *ns*: namespace
- *color*: rgb color (0-1) plus transparency
- *duration*: for this duration in seconds (0=forever)

```
void publishText (Vector3d &pos, const char *text, const char *frame, const char *ns, int message_id, COLOR color, double duration, float height)
    Publishes a text message marker.
```

Parameters

- pos: at this positon
- text: with this text
- frame: in this frame
- ns: namespace
- message_id: a unique id
- color: rgb color (0-1) plus transparency
- duration: for this duration in seconds (0=forever)
- height: height of the text

```
void clearMarker (int id)
    Clears a marker with this id.
```

```
void clearAll ()
    Clears all markers in rviz.
```

```
bool getTransform (string from, string to, geometry_msgs::Pose &transform)
    Gets a tf transform.
```

Return success**Parameters**

- from: source frame
- to: target frame
- transform: will be filled with the transform

```
bool getTransform (string from, string to, Matrix4d &transform)
    Gets a tf transform.
```

Return success**Parameters**

- from: source frame
- to: target frame
- transform: will be filled with the transform

```
bool getLighthouseTransform (bool lighthouse, const char *to, Matrix4d &transform)
    Queries the tf listener for the specified transform.
```

Return true if available**Parameters**

- lighthouse:

- to: another frame
- transform: the transform if available

`bool getLighthouseTransform(const char *from, bool lighthouse, Matrix4d &transform)`
 Queries the tf listener for the specified transform.

Return true if available

Parameters

- lighthouse:
- from: another frame
- transform: the transform if available

`bool getTransform(const char *from, const char *to, tf::Transform &transform)`
 Queries the tf listener for the specified transform.

Return true if available

Parameters

- to: this frame
- from: another frame
- transform: the transform if available

`bool publishTransform(string from, string to, geometry_msgs::Pose &transform)`
 Publishes a tf transform.

Return success

Parameters

- from: source frame
- to: target frame
- transform:

Public Members

```
ros::Publisher visualization_pub
ros::Publisher visualization_array_pub
bool publish_as_marker_array = false
int number_of_markers_to_publish_at_once = 100
```

Public Static Functions

```
void processFeedback(const visualization_msgs::InteractiveMarkerFeedbackConstPtr &feedback)
```

Private Members

```
ros::NodeHandlePtr nh
visualization_msgs::MarkerArray marker_array
tf::TransformListener listener
tf::TransformBroadcaster broadcaster
```

Private Static Attributes

```
boost::shared_ptr<interactive_markers::InteractiveMarkerServer> interactive_marker_server
interactive_markers::MenuHandler menu_handler
bool first = true
class ShoulderTestbed : public cardsflow::kindyn::Robot
```

Public Functions

ShoulderTestbed (string urdf, string cardsflow_xml)
Constructor.

Parameters

- urdf: path to urdf
- cardsflow_xml: path to cardsflow xml

void **read** ()
Updates the robot model and if we do not use gazebo for simulation, we integrate using the forwardKinematics function with a small step length.

void **write** ()
Sends motor commands to the real robot.

Public Members

```
ros::Time last_update
bool external_robot_state
ros::NodeHandlePtr nh
    indicates if we get the robot state externally
ros::Publisher motor_command
    ROS nodehandle.
double l_offset[NUMBER_OF_MOTORS]
    motor command publisher
double winch_radius[8] = {0.007, , , , , }
float Kp = 0.001
struct Tendon
```

Public Members

```
float force
float l
float ld
vector<geometry_msgs::Vector3> viaPoints
class TheClaw : public cardsflow::kindyn::Robot
```

Public Functions

TheClaw (string *urdf*, string *cardsflow_xml*)
 Constructor.

Parameters

- *urdf*: path to urdf
- *cardsflow_xml*: path to cardsflow xml

void **read()**
 Updates the robot model and if we do not use gazebo for simulation, we integrate using the forwardKinematics function with a small step length.

int **meterPerSecondToServoSpeed** (double *meterPerSecond*)
 Converts tendon length changes from the cable model to pwm commands of the real robot.

Return

pwm

Parameters

- *meterPerSecond*: tendon length change

void **write()**
 Sends motor commands to the real robot.

Public Members

```
bool external_robot_state
ros::NodeHandlePtr nh
    indicates if we get the robot state externally
ros::Publisher motor_command
    ROS nodehandle.
```

```
class TorquePositionController : public controller_interface::Controller<hardware_interface::EffortJointInterface>
```

Public Functions

TorquePositionController()
 Constructor.

```
bool init (hardware_interface::EffortJointInterface *hw, ros::NodeHandle &n)  
    Initializes the controller.
```

Will be call by controller_manager when loading this controller

Return success

Parameters

- *hw*: pointer to the hardware interface
- *n*: the nodehandle

```
void update (const ros::Time &time, const ros::Duration &period)
```

Called regularly by controller manager.

The torque for a joint wrt to a PD controller on the joint target position is calculated.

Parameters

- *time*: current time
- *period*: period since last control

```
void starting (const ros::Time &time)
```

Called by controller manager when the controller is about to be started.

Parameters

- *time*: current time

```
void stopping (const ros::Time &time)
```

Called by controller manager when the controller is about to be stopped.

Parameters

- *time*: current time

```
void JointCommand (const std_msgs::Float32ConstPtr &msg)
```

Joint position command callback for this joint.

Parameters

- *msg*: joint position target in radians

```
bool setControllerParameters (roboy_control_msgs::SetControllerParameters::Request &req,
```

```
                           roboy_control_msgs::SetControllerParameters::Response &res)
```

Controller Parameters service.

Return success

Parameters

- *req*: requested gains
- *res*: success

Private Members

```

double q_target = 0
double Kp = 3000
    joint position target
double Kd = 5
ros::NodeHandle nh
    PD gains.
ros::Publisher controller_state
    ROS nodehandle.
ros::ServiceServer controller_parameter_srv
    publisher for controller state
boost::shared_ptr<ros::AsyncSpinner> spinner
    service for controller parameters
hardware_interface::JointHandle joint
ros::Subscriber joint_command
string joint_name
    joint command subscriber
class UDP Socket

```

Public Functions

UDPSocket (const char *server_IP, int server_port, const char *client_IP, int client_port, bool exclusive = true)

Creates a socket on the given server_IP and server_port and sets up the “connection” with the client.

Because it is UDP, there is no handshake, the socket just sends and listens to packages from the client_IP and client_port

Parameters

- server_IP: the server socket IP
- server_port: the server socket port
- client_IP: the client to send and receive UDP packets to/from
- client_port: the client port
- exclusive: receive exclusively packages from client

UDPSocket (const char *client_IP, int client_port, bool exclusive = true)

Tries to guess the users IP and sets up the socket on Port 8000 and “connects” to client_IP on client_port.

Parameters

- client_IP: the client to send and receive UDP packets to/from
- client_port: the client port
- exclusive: receive exclusively packages from client

UDPSocket (const char *client_IP, int client_port, int server_port, bool exclusive = true)

UDPSocket (int *port*, int *broadcastIP* = 0xffffffff, bool *broadcaster* = false)
Creates a broadcast socket on port.

Parameters

- *port*: on this port
- *broadcastIP*: use this broadcast IP
- *broadcaster*: if true this binds the port to the broadcast port

UDPSocket (int *port*, bool *broadcaster*)
Creates a broadcast socket on port.

Parameters

- *port*: on this port
- *broadcaster*: if true this binds the port to the broadcast port

~UDPSocket ()

uint32_t **receiveHostIP** (**const** char **key*, uint32_t &*IP*)
Receive ROS master IP.

Return status (0 invalid, 1 too short, 2 too long, 3 accepted)

Parameters

- *key*: only if this key is matched with the UDP message

bool **broadcastHostIP** (uint32_t *IP*)
Broadcast ROS master IP.

Return successfully broadcasted

Parameters

- *IP*: broadcast this IP

bool **broadcastHostIP** (char **key*, int *length*)
Broadcast ROS master IP of the machine this node was run on.

Return successfully broadcasted

Parameters

- *key*: the key to unlock
- *length*: the length inbytes of the key

bool **receiveSensorData** (uint32_t &*sensorID*, bool &*lighthouse*, bool &*axis*, uint16_t &*sweepDuration*)
Listens for UDP package containing lighthouse tracking data.

Return

Parameters

- *sensorID*: sensor id

- lighthouse: witch lighthouse
- axis:
- sweepDuration:

```
bool receiveSensorData (vector<uint32_t> &sensorID, vector<bool> &lighthouse, vector<bool> &axis, vector<uint32_t> &sweepDuration)
```

```
bool convertByte2Text (uint32_t inet, char *inet_str)
```

Converts a byte internet address to a human readable address.

Return success

Parameters

- inet:
- inet_str:

```
bool convertText2Byte (char *inet_str, uint32_t *inet)
```

Converts a human readable address to abyte internet address.

Return success

Parameters

- inet_str:
- inet:

```
int receiveUDP ()
```

receive from anyone

Return received number of bytes

```
int receiveUDPFFromClient ()
```

receive from client

Return received number of bytes

```
bool sendUDPToClient ()
```

send to client

Return success

Public Members

```
pair<uint32_t, string> myIP
```

```
pair<uint32_t, string> myBroadcastIP
```

```
char buf[MAXBUFSIZE]
```

```
struct sockaddr_in client_addr
```

```
ssize_t numbytes
```

Private Functions

`bool setTimeOut (int usecs)`
Sets the UDP package receive and send timeout.

Return success

Parameters

- `usecs`: time in microseconds

`bool whatsMyIP (string &IP, string &Broadcast_IP, bool preferEthernet = true)`
Tries to guess your IP.

Parameters

- `IP`: your IP
- `Broadcast_IP`: your broadcast IP
- `preferEthernet`: if True ethernet will be preferred over wifi
- `success`: (fails if I can't find a valid IP for wifi or ethernet adapter)

`bool broadcastUDP ()`
broadcast

Return success

Private Members

```
bool initialized = false
int sockfd
struct sockaddr_in server_addr
struct sockaddr_in broadcast_addr
socklen_t client_addr_len
socklen_t server_addr_len
socklen_t broadcast_addr_len
struct addrinfo *servinfo
bool exclusive
struct ViaPoint
```

Public Functions

`ViaPoint (string link_name, Vector3d &local_coordinates, bool fixed_to_world = false)`

Parameters

- `link_name`:
- `local_coordinates`:

- `fixed_to_world`:

Public Members

```
string link_name
int link_index
    the name of the link the viapoint belongs to
bool fixed_to_world
    the index of the link the viapoint belongs to wrt. the robot model
Vector3d local_coordinates
    indicates if the viapoint if moving with the link or is fixed to the world
Vector3d global_coordinates
    the local coordinates in the link frame
class VRpuppet : public cardsflow::kindyn::Robot
```

Public Functions

VRpuppet (string *urdf*, string *cardsflow_xml*)
 Constructor.

Parameters

- *urdf*: path to urdf
- *cardsflow_xml*: path to cardsflow xml

void read()
 Updates the robot model and integrates the robot model using the forwardKinematics function with a small step length.

void write()
 Sends motor commands to the real robot.

Public Members

```
ros::NodeHandlePtr nh
ros::Publisher motor_command
    ROS nodehandle.
ros::ServiceClient motor_config
    motor command publisher
ros::ServiceClient sphere_left_axis0_params
ros::ServiceClient sphere_left_axis1_params
ros::ServiceClient sphere_left_axis2_params
map<string, ros::ServiceClient> motor_control_mode
vector<string> endeffectors = {"spine_right"}
map<string, vector<string>> endeffector_jointnames
```

```

bool external_robot_state
map<string, vector<short unsigned int> > VRpuppet::motors= { "head", {9,10,11}
    indicates if we get the robot state externally
map<string, vector<short unsigned int> > VRpuppet::sim_motors= { "head", {36,37,38,39,40,41}
map<string, vector<double> > VRpuppet::l_offset= { "head", {0,0,0,0,0,0} },
class Yatr : public cardsflow::kindyn::Robot

```

Public Functions

Yatr (string *urdf*, string *cardsflow_xml*)

void **read** ()

Updates the robot model and if we do not use gazebo for simulation, we integrate using the forwardKinematics function with a small step length.

void **write** ()

Sends motor commands to the real robot.

Public Members

bool **external_robot_state**

ros::NodeHandlePtr **nh**

indicates if we get the robot state externally

ros::Publisher **motor_command**

ROS nodehandle.

```
namespace capture_pedal_trajectory
```

Functions

getPositionLeftFoot ()

UTILITY FUNCTIONS ###.

getPositionRightFoot ()

setJointControllerParameters (*proportionalVal proportionalVal, derivativeVal derivativeVal*)

jointStateCallback (*joint_data joint_data*)

getPedalPositions (*numSamples numSamples*)

plotPedalTrajectories ()

plotEverything (*numSamples numSamples, jointAngleDict jointAngleDict*)

inverse_kinematics_client (*endeffector endeffecto, frame frame, x x, y y, z z*)

inverse_kinematics_multiple_frames_client (*endeffector endeffecto, frames frames, x x, y y, z z, weights weights*)

main ()

MAIN ###.

Variables

```

string capture_pedal_trajectory.JSON_FILENAME = "captured_pedal_trajectory_22feb.json"
float capture_pedal_trajectory.JOINT_ANGLE_TOLERANCE_FK = 0.05
int capture_pedal_trajectory.JOINT_KP = 10
int capture_pedal_trajectory.JOINT_KD = 0
float capture_pedal_trajectory.PEDAL_CENTER_OFFSET_X = 0.09223
    MEASURED PARAMETERS ###.

float capture_pedal_trajectory.PEDAL_CENTER_OFFSET_Y = 0.00013
float capture_pedal_trajectory.PEDAL_CENTER_OFFSET_Z = 0.00426
int capture_pedal_trajectory.BIKE_OFFSET_X = 0
int capture_pedal_trajectory.BIKE_OFFSET_Y = 0
int capture_pedal_trajectory.BIKE_OFFSET_Z = 0
float capture_pedal_trajectory.PEDAL_RADIUS = 0.16924
float capture_pedal_trajectory.RIGHT_LEG_OFFSET_Y = 0.15796
float capture_pedal_trajectory.LEFT_LEG_OFFSET_Y = -0.18736
string capture_pedal_trajectory.ROS_JOINT_HIP_RIGHT = "joint_hip_right"
    GLOBAL VARIABLES ###.

string capture_pedal_trajectory.ROS_JOINT_KNEE_RIGHT = "joint_knee_right"
string capture_pedal_trajectory.ROS_JOINT_ANKLE_RIGHT = "joint_foot_right"
string capture_pedal_trajectory.ROS_JOINT_HIP_LEFT = "joint_hip_left"
string capture_pedal_trajectory.ROS_JOINT_KNEE_LEFT = "joint_knee_left"
string capture_pedal_trajectory.ROS_JOINT_ANKLE_LEFT = "joint_foot_left"
string capture_pedal_trajectory.RIGHT_HIP_JOINT = "right_hip"
string capture_pedal_trajectory.RIGHT_KNEE_JOINT = "right_knee"
string capture_pedal_trajectory.RIGHT_ANKLE_JOINT = "right_ankle"
string capture_pedal_trajectory.LEFT_HIP_JOINT = "left_hip"
string capture_pedal_trajectory.LEFT_KNEE_JOINT = "left_knee"
string capture_pedal_trajectory.LEFT_ANKLE_JOINT = "left_ankle"
dictionary capture_pedal_trajectory._jointsStatusData= {   RIGHT_HIP_JOINT: {
namespace capture_pedal_trajectory_left_leg_only

```

Functions

get_distance (*point1 point1, point2 point2*)
 UTILITY FUNCTIONS ###.

Documentation for a function

Return the distance between two points where points are a list of two coordinates.

getPositionLeftFoot ()

```

getPositionRightFoot()
setJointControllerParameters (proportionalVal proportionalVal, derivativeVal derivativeVal)
jointStateCallback (joint_data joint_data)
getPedalPositions (numSamples numSamples)
plotPedalTrajectories ()
plotEverything (numSamples numSamples, jointAngleDict jointAngleDict)
inverse_kinematics_client (endeffector endeffect, frame frame, x x, y y, z z)
inverse_kinematics_multiple_frames_client (endeffector endeffect, frames frames, x x,
y y, z z, weights weights)
main_notnow()
MAIN ###.

main()

```

Variables

```

string capture_pedal_trajectory_left_leg_only.JSON_FILENAME = "captured_pedal_trajectory_left_leg_only.json"
string capture_pedal_trajectory_left_leg_only.TEMP_READFILE = "captured_pedal_trajectory_left_leg_only.txt"
float capture_pedal_trajectory_left_leg_only.JOINT_ANGLE_TOLERANCE_FK = 0.002
int capture_pedal_trajectory_left_leg_only.JOINT_KP = 200
int capture_pedal_trajectory_left_leg_only.JOINT_KD = 0
float capture_pedal_trajectory_left_leg_only.POINT_REACHED_TOLERANCE = 0.02
capture_pedal_trajectory_left_leg_only.LEFT_HIP_JOINT_TEST_CONFIGURATIONS = np.linspace(0, 180, 100)
capture_pedal_trajectory_left_leg_only.LEFT_KNEE_JOINT_TEST_CONFIGURATIONS = np.linspace(0, 180, 100)
capture_pedal_trajectory_left_leg_only.LEFT_ANKLE_JOINT_TEST_CONFIGURATIONS = np.linspace(0, 180, 100)
float capture_pedal_trajectory_left_leg_only.LEFT_HIP_JOINT_LOWER_LIMIT = -1.9
int capture_pedal_trajectory_left_leg_only.LEFT_KNEE_JOINT_LOWER_LIMIT = 0
float capture_pedal_trajectory_left_leg_only.LEFT_ANKLE_JOINT_LOWER_LIMIT = -0.7
float capture_pedal_trajectory_left_leg_only.LEFT_HIP_JOINT_UPPER_LIMIT = 0.5
float capture_pedal_trajectory_left_leg_only.LEFT_KNEE_JOINT_UPPER_LIMIT = 2.0
float capture_pedal_trajectory_left_leg_only.LEFT_ANKLE_JOINT_UPPER_LIMIT = 0.7
float capture_pedal_trajectory_left_leg_only.PEDAL_CENTER_OFFSET_X = 0.09222872619138
MEASURED PARAMETERS ###.

float capture_pedal_trajectory_left_leg_only.PEDAL_CENTER_OFFSET_Y = 0.00013171801209
float capture_pedal_trajectory_left_leg_only.PEDAL_CENTER_OFFSET_Z = 0.00427728349654
int capture_pedal_trajectory_left_leg_only.BIKE_OFFSET_X = 0
int capture_pedal_trajectory_left_leg_only.BIKE_OFFSET_Y = 0
int capture_pedal_trajectory_left_leg_only.BIKE_OFFSET_Z = 0
float capture_pedal_trajectory_left_leg_only.PEDAL_RADIUS = 0.16924

```

```

float capture_pedal_trajectory_left_leg_only.RIGHT_LEG_OFFSET_Y = 0.1579606226770175
float capture_pedal_trajectory_left_leg_only.LEFT_LEG_OFFSET_Y = -0.1873561275007122
string capture_pedal_trajectory_left_leg_only.ROS_JOINT_HIP_RIGHT = "joint_hip_right"
GLOBAL VARIABLES ###.

string capture_pedal_trajectory_left_leg_only.ROS_JOINT_KNEE_RIGHT = "joint_knee_right"
string capture_pedal_trajectory_left_leg_only.ROS_JOINT_ANKLE_RIGHT = "joint_foot_right"
string capture_pedal_trajectory_left_leg_only.ROS_JOINT_HIP_LEFT = "joint_hip_left"
string capture_pedal_trajectory_left_leg_only.ROS_JOINT_KNEE_LEFT = "joint_knee_left"
string capture_pedal_trajectory_left_leg_only.ROS_JOINT_ANKLE_LEFT = "joint_foot_left"
string capture_pedal_trajectory_left_leg_only.RIGHT_HIP_JOINT = "right_hip"
string capture_pedal_trajectory_left_leg_only.RIGHT_KNEE_JOINT = "right_knee"
string capture_pedal_trajectory_left_leg_only.RIGHT_ANKLE_JOINT = "right_ankle"
string capture_pedal_trajectory_left_leg_only.LEFT_HIP_JOINT = "left_hip"
string capture_pedal_trajectory_left_leg_only.LEFT_KNEE_JOINT = "left_knee"
string capture_pedal_trajectory_left_leg_only.LEFT_ANKLE_JOINT = "left_ankle"
dictionary capture_pedal_trajectory_left_leg_only._jointsStatusData= {      RIGHT_HIP_J...
namespace CARDSflow

```

Enums

```

enum ControllerType
Values:
    cable_length_controller
    torque_position_controller
    force_position_controller

namespace cardsflow
namespace kindyn

```

TypeDefs

```

typedef boost::shared_ptr<ViaPoint> ViaPointPtr
namespace vrpuppet
namespace compute_steering_path

```

Functions

```

computeSteeringAngles()
    UTILITY FUNCTIONS ###.

computeHandTrajectories()

```

```
main()
MAIN ###.
```

Variables

```
int compute_steering_path.MAX_TURNING_ANGLE = math.pi / 6
FUNCTION PARAMETERS ###.

int compute_steering_path.NUM_STEERING_ANGLES = 61
int compute_steering_path.RIKSHAW_TURN_JOINT_X_OFFSET = 0
int compute_steering_path.RIKSHAW_TURN_JOINT_Y_OFFSET = 0
int compute_steering_path.RIKSHAW_TURN_JOINT_Z_OFFSET = 0
float compute_steering_path.HANDLEBAR_X_OFFSET = 0.728713
float compute_steering_path.HANDLEBAR_Z_OFFSET = 0.719269
float compute_steering_path.HAND_Y_OFFSET = 0.125
list compute_steering_path._steeringAngles = []
GLOBAL VARIABLES ###.

list compute_steering_path._rightHandTrajectory = []
list compute_steering_path._leftHandTrajectory = []
list compute_steering_path._centerHandlebarTrajectory = []

namespace Eigen
namespace EigenExtension
```

Functions

Matrix3f **SkewSymmetric** (Vector3f v)

Skew symmetric matrix for cross product computation.

Return skew symmetric matrix

Parameters

- v: 3d Vector

Matrix3d **SkewSymmetric2** (Vector3d v)

Skew symmetric matrix for cross product computation.

Return skew symmetric matrix

Parameters

- v: 3d Vector

Matrix<float, 2, 1> **GetLinearSplineCoefficients** (float q_r_i, float q_r_ip1, double t)

Matrix<float, 4, 1> **GetCubicSplineCoefficients** (float q_r_i, float q_d_r_i, float q_r_ip1, float q_d_r_ip1, double t)

```
Matrix<float, 6, 1> GetQuinticSplineCoefficients (float q_r_i, float q_d_r_i, float q_dd_r_i,
                                                float q_r_ip1, float q_d_r_ip1, float
                                                q_dd_r_ip1, double t)
```

```
void LinearSplineInterpolate (float *q_r, float *q_d_r, float *q_dd_r, Matrix<float, 2, 1> a,
                               double t)
```

```
void CubicSplineInterpolate (float *q_r, float *q_d_r, float *q_dd_r, Matrix<float, 4, 1> a, dou-
ble t)
```

```
void QuinticSplineInterpolate (float *q_r, float *q_d_r, float *q_dd_r, Matrix<float, 6, 1> a,
                               double t)
```

```
Matrix3f ComputeRotationMatrix (AngleAxisf a)
```

```
Matrix3f ComputeRotationMatrixDeriv (AngleAxisf a, AngleAxisf a_d)
```

```
Matrix3f ComputeRotationMatrixDoubleDeriv (AngleAxisf a, AngleAxisf a_d, AngleAxisf
a_dd)
```

```
MatrixXf Pinv (MatrixXf A)
```

Pseudo inverse matrix.

Return Pseudo inverse matrix

Parameters

- *A*:

```
MatrixXd Pinv (MatrixXd A)
```

Pseudo inverse matrix.

Return Pseudo inverse matrix

Parameters

- *A*:

```
namespace finals_simulation_pedaling
```

Functions

```
joint_state_callback (joint_data joint_data)
```

Documentation for a function.

This function collects the current status of the joint-angles and saves them in the global dictionary “joint_status_data”.

```
import_joint_trajectory_record()
```

Documentation for a function.

Collects and saves all joint- and pedal-angles from the pre-captured trajectory from the (global variable).

```
get_joint_position (jointName jointName)
```

Documentation for a function.

Return current joint-angle of .

```
plot_measured_trajectories (input_float input_float)
```

get_joint_velocity (*jointName jointName*)
Documentation for a function.
Return current joint-velocity of .

get_position (*endeffector endeffector, frame frame*)
Documentation for a function.
Return the postion of the of the correspondent .

set_joint_controller_parameters (*proportionalVal proportionalVal, derivativeVal derivativeVal*)
Documentation for a function.
Sets Kp of joint-controller to Sets Kd of joint-controller to

get_position_left_foot ()
Documentation for a function.
Return the position of the left foot of Roboy.

get_position_right_foot ()
Documentation for a function.
Return the position of the right foot of Roboy.

get_distance (*point1 point1, point2 point2*)
Documentation for a function.
Return the distance between two points where points are a list of two coordinates.

check_output_limits (*inputVal inputVal*)
Documentation for a function.
Checks if is inside possible range of joint-angle velocities. If not, returns max-velocity if too high or min-velocity if to low instead of .

compute_velocity (*joint_name joint_name, next_joint_angle next_joint_angle, current_joint_angle current_joint_angle, end_time end_time*)
Documentation for a function.
Returns ideal joint-velocity for according to and joint-angle-difference between and :
$$\text{ideal_velocity} = \text{joint_angle_difference} / (\text{end_time} - \text{current_time})$$

check_pedal_angle_valid (*pedal_angle pedal_angle*)

get_joint_angle (*joint_name joint_name, pedal_angle pedal_angle*)
Documentation for a function.
Evaluate and return joint-angle of correspondent to using the interpolated function:
The functions can be used by calling “<function_name>(<pedal_angle>)” ==> returns <joint_angle>

interpolate_functions ()
Documentation for a function.
Initializing interpolated functions for joint-angles using pre-captured set points with pedal-angle as input and joint-angle as output:
The functions can be used by calling “<function_name>(<pedal_angle>)” ==> returns <joint_angle>

evaluate_current_pedal_angle (*current_point current_point*)
Documentation for a function.
Evaluating the current pedal-angle according to the current position of the left foot . Using trigonometric functions for the evaluation of the angle.

publish_velocity (*joint_name joint_name, next_joint_angle next_joint_angle, current_joint_angle current_joint_angle, end_time end_time*)

Documentation for a function.

For joint :

- Evaluate ideal velocity in rad/s according to joint-angle-difference and end-time of transition
- Multiply value with (global variable) to receive velocity in rad/s
- Multiply value with (global variable) to slow down simulation time.
- Multiply value with (global variable) of correspondent joint to erase joint-error
- Publish velocity to joint-controller and sleep until end-time of transition

update_velocity (*velocity_Twist velocity_Twist*)

Documentation for a function.

Updates the global variables , and TRAJECTORY_POINT_DURATION when a bike-velocity gets published to the topic “cmd_vel”.

get_angle_difference (*angle_1 angle_1, angle_2 angle_2*)

Documentation for a function.

Returns the absolute difference of two angles within the interval [0;2pi]

control_pedaling()

Documentation for a function.

Controls the whole pedaling-process.

Evaluates next pedal-angle according to current pedal-angle and (global variable). Uses to compute joint-velocities for every joint-angle for every transition between two. trajectory points.

Use Threads to simultaneously publish and control joint-angles.

Computes joint-angle-error and adjusts error-factors for every joint to optimize ideal joint-velocity for further transitions.

Simplified Pseudo-Code:

while bike_velocity = 0:

```
for joint in joints:
    publish(0)
    sleep()
```

current_pedal_angle = get_current_pedal_angle(left_foot_position)

next_pedal_angle = current_pedal_angle + (2pi / number_circulation_points)

for joint in joints:

```
next_joint_angle = interpolation_function(next_pedal_angle)
Thread.publish_velocity(joint_name, current_joint_angle, next_joint_angle, end_time)
```

for Thread in created_threads:

```
Thread.join
```

for joint in joints:

```
update_error_factor()
```

```
main()
```

Documentation for a function.

Initializes the Control-Node for Pedaling and starts Pedaling-Algorithm.

Variables

```
bool finals_simulation_pedaling.PRINT_DEBUG = True
int finals_simulation_pedaling.SIMULATION_FACTOR = 100
int finals_simulation_pedaling.NUMBER_CIRCULATION_POINTS = 15
string finals_simulation_pedaling.RECORDED_TRAJECTORY_FILENAME = "trajectory_pedaling"
float finals_simulation_pedaling.JOINT_VELOCITY_FACTOR_SIMULATION = 0.008
int finals_simulation_pedaling.CONTROLLER_FREQUENCY = 100
float finals_simulation_pedaling.MIN_JOINT_VEL = -500.0
float finals_simulation_pedaling.MAX_JOINT_VEL = 500.0
int finals_simulation_pedaling.MIN_PEDAL_ANGLE = 0
float finals_simulation_pedaling.RADIUS_BACK_TIRE = 0.294398
float finals_simulation_pedaling.RADIUS_GEAR_CLUSTER = 0.06
float finals_simulation_pedaling.RADIUS_FRONT_CHAIN_RING = 0.075
float finals_simulation_pedaling.BIKE_VELOCITY = 0.0
float finals_simulation_pedaling.PEDAL_SINGLE_ROTATION_DURATION = 0.0
float finals_simulation_pedaling.TRAJECTORY_POINT_DURATION = 0.0
string finals_simulation_pedaling.ROS_JOINT_HIP_RIGHT = "joint_hip_right"
string finals_simulation_pedaling.ROS_JOINT_KNEE_RIGHT = "joint_knee_right"
string finals_simulation_pedaling.ROS_JOINT_ANKLE_RIGHT = "joint_foot_right"
string finals_simulation_pedaling.ROS_JOINT_HIP_LEFT = "joint_hip_left"
string finals_simulation_pedaling.ROS_JOINT_KNEE_LEFT = "joint_knee_left"
string finals_simulation_pedaling.ROS_JOINT_ANKLE_LEFT = "joint_foot_left"
string finals_simulation_pedaling.RIGHT_HIP_JOINT = "right_hip"
string finals_simulation_pedaling.RIGHT_KNEE_JOINT = "right_knee"
string finals_simulation_pedaling.RIGHT_ANKLE_JOINT = "right_ankle"
string finals_simulation_pedaling.LEFT_HIP_JOINT = "left_hip"
string finals_simulation_pedaling.LEFT_KNEE_JOINT = "left_knee"
string finals_simulation_pedaling.LEFT_ANKLE_JOINT = "left_ankle"
```

```

list finals_simulation_pedaling.x_pedal_record =  [ ]
list finals_simulation_pedaling.y_pedal_record =  [ ]
dictionary finals_simulation_pedaling.joint_trajectories_recorded= {      "pedal_angle"
finals_simulation_pedaling.f_interpolated_hip_right =  None
finals_simulation_pedaling.f_interpolated_hip_left =  None
finals_simulation_pedaling.f_interpolated_knee_right =  None
finals_simulation_pedaling.f_interpolated_knee_left =  None
finals_simulation_pedaling.f_interpolated_ankle_right =  None
finals_simulation_pedaling.f_interpolated_ankle_left =  None
finals_simulation_pedaling.f_interpolated_pedal_angle =  None
float finals_simulation_pedaling.velocity_error_factor_hip =  1.0
float finals_simulation_pedaling.velocity_error_factor_knee =  1.0
float finals_simulation_pedaling.velocity_error_factor_ankle =  1.0
int finals_simulation_pedaling.velocity_error_counter =  0
finals_simulation_pedaling.ros_right_hip_publisher =  rospy.Publisher('/joint_hip_right'
finals_simulation_pedaling.ros_right_knee_publisher =  rospy.Publisher('/joint_knee_right'
finals_simulation_pedaling.ros_right_ankle_publisher =  rospy.Publisher('/joint_foot_right'
finals_simulation_pedaling.ros_left_hip_publisher =  rospy.Publisher('/joint_hip_left'
finals_simulation_pedaling.ros_left_knee_publisher =  rospy.Publisher('/joint_knee_left'
finals_simulation_pedaling.ros_left_ankle_publisher =  rospy.Publisher('/joint_foot_left'
float finals_simulation_pedaling.PEDAL_CENTER_OFFSET_X =  0.09222872619138603
float finals_simulation_pedaling.PEDAL_CENTER_OFFSET_Y =  0.00013171801209023543
float finals_simulation_pedaling.PEDAL_CENTER_OFFSET_Z =  0.0042772834965418725
list finals_simulation_pedaling._jointsList= [ LEFT_HIP_JOINT, LEFT_KNEE_JOINT,
dictionary finals_simulation_pedaling._parametersRightHip= {      "param_p": 1500.0,
dictionary finals_simulation_pedaling._parametersRightKnee= {      "param_p": 2000.0,
dictionary finals_simulation_pedaling._parametersRightAnkle= {      "param_p": 1000.0,
dictionary finals_simulation_pedaling._parametersLeftHip= {      "param_p": 1500.0,
dictionary finals_simulation_pedaling._parametersLeftKnee= {      "param_p": 2000.0,
dictionary finals_simulation_pedaling._parametersLeftAnkle= {      "param_p": 1000.0,
dictionary finals_simulation_pedaling._jointsControlData= {      RIGHT_HIP_JOINT: _param
dictionary finals_simulation_pedaling.joint_status_data= {      RIGHT_HIP_JOINT: {
int finals_simulation_pedaling.number_imported_trajectory_points = -1
int finals_simulation_pedaling.trajectoryStartingPoint =  0
list finals_simulation_pedaling.pedalTrajectoryRight =  []
list finals_simulation_pedaling.pedalAngleTrajectoryLeft =  []

```

```
list finals_simulation_pedaling.pedalTrajectoryLeft = []
list finals_simulation_pedaling.hipTrajectoryRight = []
list finals_simulation_pedaling.kneeTrajectoryRight = []
list finals_simulation_pedaling.ankleTrajectoryRight = []
list finals_simulation_pedaling.hipTrajectoryLeft = []
list finals_simulation_pedaling.kneeTrajectoryLeft = []
list finals_simulation_pedaling.ankleTrajectoryLeft = []

namespace hardware_interface
namespace interpolation
```

Functions

```
importJointTrajectoryRecord()
```

Variables

```
string interpolation.RECORDED_TRAJECTORY_FILENAME = "capture_trajectory/captured_trajectory"
bool interpolation.PRINT_DEBUG = False
int interpolation.numTrajectoryPoints = 0
int interpolation.trajectoryStartingPoint = 0
list interpolation.pedalTrajectoryRight = []
list interpolation.pedalAngleTrajectoryRight = []
list interpolation.pedalTrajectoryLeft = []
list interpolation.hipTrajectoryRight = []
list interpolation.kneeTrajectoryRight = []
list interpolation.ankleTrajectoryRight = []
list interpolation.hipTrajectoryLeft = []
list interpolation.kneeTrajectoryLeft = []
list interpolation.ankleTrajectoryLeft = []
list interpolation.pedalTrajectory = pedalTrajectoryRight
list interpolation.hipTrajectory = hipTrajectoryRight
list interpolation.x = []
list interpolation.y = []
list interpolation.z = []
list interpolation.x_new = []
list interpolation.y_new = []
list interpolation.z_new = []
interpolation.a = range(0, 341, 10)
```

```

interpolation.f = interpolate.interp1d(a, hipTrajectory, kind = "cubic")
interpolation.f1 = interpolate.interp2d(x, y, z, kind='cubic')
interpolation.f2 = interpolate.interp2d(x, y, z, kind='linear')
list interpolation.interp1 = []
list interpolation.interp2 = []
list interpolation.interp3 = []
interpolation.a_new = np.arange(0,340, 0.05)
interpolation.some_value = f(a_new)
list interpolation.temp1 = []
list interpolation.temp2 = []
list interpolation.temp3 = []
int interpolation.mean_error1 = 0
interpolation.max_error1 = 0
int interpolation.mean_error2 = 0
interpolation.max_error2 = 0
int interpolation.mean_error3 = 0
int interpolation.max_error3 = 0
interpolation.current_error = np.abs(temp1[i] - z_new[i])
namespace joint_angle_velocity_factor_test

```

Functions

```

jointStateCallback(joint_data joint_data)
    UTILITY FUNCTIONS ###.

importJointTrajectoryRecord()
getJointPosition(jointName jointName)
getJointVelocity(jointName jointName)
getPosition(endeffector endeffector, frame frame)
getPositionLeftFoot()
getPositionRightFoot()
getDistance(point1 point1, point2 point2)
setPedalSingleRotationDuration(new_duration_seconds new_duration_seconds)
setTrajectoryPointDuration()
interpolateTrajectoryPoints(value1 value1, value2 value2, startTime startTime, currTime
                           currTime, endTime endTime)
    CONTROL FUNCTIONS ###.

checkOutputLimits(inputVal inputVal)

```

```

computeVelocitySetpoint(jointName jointName, next_joint_angle next_joint_angle, current_joint_angle current_joint_angle, startTime startTime, currTime currTime, endTime endTime)

get_joint_angle(thisJointName thisJointName, trajectory_angle trajectory_angle)

interpolate_functions()

evaluate_current_angle(current_point current_point)

publish_velocity(thisJointName thisJointName, next_joint_angle next_joint_angle, current_joint_angle current_joint_angle, _startTime _startTime, _currTime _currTime, _endTime _endTime)

FSM()

main()
MAIN ###.

```

Variables

```

bool joint_angle_velocity_factor_test.PRINT_DEBUG = False
MODULE PARAMETERS ###.

string joint_angle_velocity_factor_test.RECORDED_TRAJECTORY_FILENAME = "capture_trajectory"
float joint_angle_velocity_factor_test.PEDAL_POSITION_ERROR_TOLERANCE = 0.02
float joint_angle_velocity_factor_test.JOINT_TRAJECTORY_ERROR_TOLERANCE = 0.02
int joint_angle_velocity_factor_test.PEDAL_SINGLE_ROTATION_DURATION = 20
int joint_angle_velocity_factor_test.NUMBER_CIRCULATION_POINTS = 72
int joint_angle_velocity_factor_test.TRAJECTORY_POINT_DURATION = 10
int joint_angle_velocity_factor_test.CONTROLLER_FREQUENCY = 100
int joint_angle_velocity_factor_test.MIN_JOINT_VEL = -500
int joint_angle_velocity_factor_test.MAX_JOINT_VEL = 500
int joint_angle_velocity_factor_test.JOINT_VELOCITY_FACTOR = 1000
list joint_angle_velocity_factor_test.x_pedal_record = []
GLOBAL VARIABLES ###.

list joint_angle_velocity_factor_test.y_pedal_record = []
string joint_angle_velocity_factor_test.ROS_JOINT_HIP_RIGHT = "joint_hip_right"
string joint_angle_velocity_factor_test.ROS_JOINT_KNEE_RIGHT = "joint_knee_right"
string joint_angle_velocity_factor_test.ROS_JOINT_ANKLE_RIGHT = "joint_foot_right"
string joint_angle_velocity_factor_test.ROS_JOINT_HIP_LEFT = "joint_hip_left"
string joint_angle_velocity_factor_test.ROS_JOINT_KNEE_LEFT = "joint_knee_left"
string joint_angle_velocity_factor_test.ROS_JOINT_ANKLE_LEFT = "joint_foot_left"
string joint_angle_velocity_factor_test.RIGHT_HIP_JOINT = "right_hip"
string joint_angle_velocity_factor_test.RIGHT_KNEE_JOINT = "right_knee"
string joint_angle_velocity_factor_test.RIGHT_ANKLE_JOINT = "right_ankle"
string joint_angle_velocity_factor_test.LEFT_HIP_JOINT = "left_hip"

```

```

string joint_angle_velocity_factor_test.LEFT_KNEE_JOINT = "left_knee"
string joint_angle_velocity_factor_test.LEFT_ANKLE_JOINT = "left_ankle"
joint_angle_velocity_factor_test.f_interpolated_hip_right = None
joint_angle_velocity_factor_test.f_interpolated_hip_left = None
joint_angle_velocity_factor_test.f_interpolated_knee_right = None
joint_angle_velocity_factor_test.f_interpolated_knee_left = None
joint_angle_velocity_factor_test.f_interpolated_ankle_right = None
joint_angle_velocity_factor_test.f_interpolated_ankle_left = None
joint_angle_velocity_factor_test.f_interpolated_pedal_angle = None
float joint_angle_velocity_factor_test.velocity_error_factor_hip = 1.0
float joint_angle_velocity_factor_test.velocity_error_factor_knee = 1.0
float joint_angle_velocity_factor_test.velocity_error_factor_ankle = 1.0
joint_angle_velocity_factor_test.ros_right_hip_publisher = rospy.Publisher('/joint_hip_right', JointState)
joint_angle_velocity_factor_test.ros_right_knee_publisher = rospy.Publisher('/joint_knee_right', JointState)
joint_angle_velocity_factor_test.ros_right_ankle_publisher = rospy.Publisher('/joint_ankle_right', JointState)
joint_angle_velocity_factor_test.ros_left_hip_publisher = rospy.Publisher('/joint_hip_left', JointState)
joint_angle_velocity_factor_test.ros_left_knee_publisher = rospy.Publisher('/joint_knee_left', JointState)
joint_angle_velocity_factor_test.ros_left_ankle_publisher = rospy.Publisher('/joint_ankle_left', JointState)
float joint_angle_velocity_factor_test.PEDAL_CENTER_OFFSET_X = 0.20421
float joint_angle_velocity_factor_test.PEDAL_CENTER_OFFSET_Y = -0.00062
float joint_angle_velocity_factor_test.PEDAL_CENTER_OFFSET_Z = 0.2101
list joint_angle_velocity_factor_test._jointsList= [ RIGHT_HIP_JOINT, RIGHT_KNEE_JOINT, RIGHT_ANKLE_JOINT]
dictionary joint_angle_velocity_factor_test._parametersRightHip= { "param_p": 1500, "param_v": 0.0001}
dictionary joint_angle_velocity_factor_test._parametersRightKnee= { "param_p": 2000, "param_v": 0.0001}
dictionary joint_angle_velocity_factor_test._parametersRightAnkle= { "param_p": 1000, "param_v": 0.0001}
dictionary joint_angle_velocity_factor_test._parametersLeftHip= { "param_p": 1500, "param_v": 0.0001}
dictionary joint_angle_velocity_factor_test._parametersLeftKnee= { "param_p": 2000, "param_v": 0.0001}
dictionary joint_angle_velocity_factor_test._parametersLeftAnkle= { "param_p": 1000, "param_v": 0.0001}
dictionary joint_angle_velocity_factor_test._jointsControlData= { RIGHT_HIP_JOINT: 0.0, RIGHT_KNEE_JOINT: 0.0, RIGHT_ANKLE_JOINT: 0.0}
dictionary joint_angle_velocity_factor_test._jointsStatusData= { RIGHT_HIP_JOINT: 0.0, RIGHT_KNEE_JOINT: 0.0, RIGHT_ANKLE_JOINT: 0.0}
int joint_angle_velocity_factor_test.number_imported_trajectory_points = -1
int joint_angle_velocity_factor_test.trajectoryStartingPoint = 0
list joint_angle_velocity_factor_test.pedalTrajectoryRight = []
list joint_angle_velocity_factor_test.pedalAngleTrajectoryRight = []
list joint_angle_velocity_factor_test.pedalTrajectoryLeft = []
list joint_angle_velocity_factor_test.hipTrajectoryRight = []

```

```

list joint_angle_velocity_factor_test.kneeTrajectoryRight = []
list joint_angle_velocity_factor_test.ankleTrajectoryRight = []
list joint_angle_velocity_factor_test.hipTrajectoryLeft = []
list joint_angle_velocity_factor_test.kneeTrajectoryLeft = []
list joint_angle_velocity_factor_test.ankleTrajectoryLeft = []
string joint_angle_velocity_factor_test.INIT = "INIT"
STATE MACHINE ###.

string joint_angle_velocity_factor_test.PEDAL = "PEDAL"
string joint_angle_velocity_factor_test.UPDATE_PARAMETERS = "UPDATE_PARAMETERS"
namespace kp_kp

```

Functions

```

setJointControllerParameters (proportionalVal proportionalVal, derivativeVal derivativeVal)
main()

```

Variables

```

string kp_kp.JOINT_SHOULDER_AXIS0_RIGHT = "right_shoulder_axis0"
string kp_kp.JOINT_SHOULDER_AXIS1_RIGHT = "right_shoulder_axis1"
string kp_kp.JOINT_SHOULDER_AXIS2_RIGHT = "right_shoulder_axis2"
string kp_kp.JOINT_SHOULDER_AXIS0_LEFT = "left_shoulder_axis0"
string kp_kp.JOINT_SHOULDER_AXIS1_LEFT = "left_shoulder_axis1"
string kp_kp.JOINT_SHOULDER_AXIS2_LEFT = "left_shoulder_axis2"
string kp_kp.JOINT_ELBOW_RIGHT = "elbow_right"
string kp_kp.JOINT_ELBOW_LEFT = "elbow_left"
string kp_kp.JOINT_WRIST_RIGHT_SPHERE_AXIS0 = "wrist_right_sphere_axis0"
string kp_kp.JOINT_WRIST_RIGHT_SPHERE_AXIS1 = "wrist_right_sphere_axis1"
string kp_kp.JOINT_WRIST_RIGHT_SPHERE_AXIS2 = "wrist_right_sphere_axis2"
string kp_kp.JOINT_WRIST_LEFT_SPHERE_AXIS0 = "wrist_left_sphere_axis0"
string kp_kp.JOINT_WRIST_LEFT_SPHERE_AXIS1 = "wrist_left_sphere_axis1"
string kp_kp.JOINT_WRIST_LEFT_SPHERE_AXIS2 = "wrist_left_sphere_axis2"
string kp_kp.ROS_JOINT_HIP_RIGHT = "joint_hip_right"
string kp_kp.ROS_JOINT_KNEE_RIGHT = "joint_knee_right"
string kp_kp.ROS_JOINT_ANKLE_RIGHT = "joint_foot_right"
string kp_kp.ROS_JOINT_HIP_LEFT = "joint_hip_left"
string kp_kp.ROS_JOINT_KNEE_LEFT = "joint_knee_left"
string kp_kp.ROS_JOINT_ANKLE_LEFT = "joint_foot_left"

```

```
list kp_kp.JOINT_LIST= [JOINT_SHOULDER_AXIS0_RIGHT, JOINT_SHOULDER_AXIS1_RIGHT, JOINT_
namespace new_hand_steering_capture_trajectory
```

Functions

```
computeSteeringAngles()
    UTILITY FUNCTIONS ###.

computeHandTrajectories()

getPositionLeftHand()

getPositionRightHand()

setJointControllerParameters (proportionalVal proportionalVal, derivativeVal derivativeVal)
jointStateCallback (joint_data joint_data)

inverse_kinematics_client (endeffector endeffector, frame frame, x x, y y, z z, roll roll, pitch
pitch, yaw yaw)

main()
MAIN ###.
```

Variables

```
int new_hand_steering_capture_trajectory.MAX_TURNING_ANGLE = math.pi / 15
FUNCTION PARAMETERS ###.

int new_hand_steering_capture_trajectory.NUM_STEERING_ANGLES = 61
float new_hand_steering_capture_trajectory.RIKSHAW_TURN_JOINT_X_OFFSET = -0.230035468
float new_hand_steering_capture_trajectory.RIKSHAW_TURN_JOINT_Y_OFFSET = -0.010388308
float new_hand_steering_capture_trajectory.RIKSHAW_TURN_JOINT_Z_OFFSET = -0.205270696
int new_hand_steering_capture_trajectory.YAW_RIGHT_HAND_OFFSET = math.pi / 2 + math.pi
int new_hand_steering_capture_trajectory.YAW_LEFT_HAND_OFFSET = 3 * math.pi / 2 + math.pi
float new_hand_steering_capture_trajectory.HANDLEBAR_X_OFFSET = 0.728713
float new_hand_steering_capture_trajectory.HANDLEBAR_Z_OFFSET = 0.719269
float new_hand_steering_capture_trajectory.HAND_Y_OFFSET = 0.2
string new_hand_steering_capture_trajectory.JSON_FILENAME = "new_hand_steering_trajectory.json"
float new_hand_steering_capture_trajectory.JOINT_ANGLE_TOLERANCE_FK = 0.01
string new_hand_steering_capture_trajectory.ENDEFFECTOR_RIGHT = "right_arm"
string new_hand_steering_capture_trajectory.FRAME_RIGHT = "wrist_right_sphere_link1"
string new_hand_steering_capture_trajectory.ENDEFFECTOR_LEFT = "left_arm"
string new_hand_steering_capture_trajectory.FRAME_LEFT = "wrist_left_sphere_link1"
int new_hand_steering_capture_trajectory.BIKE_OFFSET_X = 0
MEASURED PARAMETERS ###.

int new_hand_steering_capture_trajectory.BIKE_OFFSET_Y = 0
int new_hand_steering_capture_trajectory.BIKE_OFFSET_Z = 0
```

```

list new_hand_steering_capture_trajectory._steeringAngles = []
GLOBAL VARIABLES ###.

list new_hand_steering_capture_trajectory._rightHandTrajectory = []
list new_hand_steering_capture_trajectory._leftHandTrajectory = []
list new_hand_steering_capture_trajectory._centerHandlebarTrajectory = []

string new_hand_steering_capture_trajectory.JOINT_SHOULDER_AXIS0_RIGHT = "right_shoulder_axis0_right"
string new_hand_steering_capture_trajectory.JOINT_SHOULDER_AXIS1_RIGHT = "right_shoulder_axis1_right"
string new_hand_steering_capture_trajectory.JOINT_SHOULDER_AXIS2_RIGHT = "right_shoulder_axis2_right"
string new_hand_steering_capture_trajectory.JOINT_SHOULDER_AXIS0_LEFT = "left_shoulder_axis0_left"
string new_hand_steering_capture_trajectory.JOINT_SHOULDER_AXIS1_LEFT = "left_shoulder_axis1_left"
string new_hand_steering_capture_trajectory.JOINT_SHOULDER_AXIS2_LEFT = "left_shoulder_axis2_left"
string new_hand_steering_capture_trajectory.JOINT_ELBOW_RIGHT = "elbow_right"
string new_hand_steering_capture_trajectory.JOINT_ELBOW_LEFT = "elbow_left"
string new_hand_steering_capture_trajectory.JOINT_WRIST_RIGHT_SPHERE_AXIS0 = "wrist_right_sphere_axis0"
string new_hand_steering_capture_trajectory.JOINT_WRIST_LEFT_SPHERE_AXIS0 = "wrist_left_sphere_axis0"
list new_hand_steering_capture_trajectory.JOINT_LIST= [JOINT_SHOULDER_AXIS0_RIGHT, JOINT_SHOULDER_AXIS1_RIGHT, JOINT_SHOULDER_AXIS2_RIGHT, JOINT_ELBOW_RIGHT, JOINT_ELBOW_LEFT, JOINT_WRIST_RIGHT_SPHERE_AXIS0, JOINT_WRIST_LEFT_SPHERE_AXIS0]
dictionary new_hand_steering_capture_trajectory._jointsStatusData

namespace pedal_simulation

```

Functions

joint_state_callback (joint_data joint_data)

Documentation for a function.

This function collects the current status of the joint-angles and saves them in the global dictionary “joint_status_data”.

import_joint_trajectory_record()

Documentation for a function.

Collects and saves all joint- and pedal-angles from the pre-captured trajectory from the (global variable).

get_joint_position (jointName jointName)

Documentation for a function.

Return current joint-angle of .

get_joint_velocity (jointName jointName)

Documentation for a function.

Return current joint-velocity of .

get_position (endeffector endeffector, frame frame)

Documentation for a function.

Return the postion of the of the correspondent .

set_joint_controller_parameters (proportionalVal proportionalVal, derivativeVal derivativeVal)

Documentation for a function.

Sets Kp of joint-controller to Sets Kd of joint-controller to

get_position_left_foot()

Documentation for a function.

Return the position of the left foot of Roboy.

get_position_right_foot()

Documentation for a function.

Return the position of the right foot of Roboy.

get_distance (point1 point1, point2 point2)

Documentation for a function.

Return the distance between two points where points are a list of two coordinates.

check_output_limits (inputVal inputVal)

Documentation for a function.

Checks if is inside possible range of joint-angle velocities. If not, returns max-velocity if too high or min-velocity if to low instead of .

compute_velocity (joint_name joint_name, next_joint_angle next_joint_angle, current_joint_angle

current_joint_angle, end_time end_time)

Documentation for a function.

Returns ideal joint-velocity for according to and joint-angle-difference between and :

ideal_velocity = joint_angle_difference / (end_time - current_time)

get_joint_angle (joint_name joint_name, pedal_angle pedal_angle)

Documentation for a function.

Evaluate and return joint-angle of correspondent to using the interpolated function:

The functions can be used by calling “<function_name>(<pedal_angle>)” ==> returns <joint_angle>

interpolate_functions()

Documentation for a function.

Initializing interpolated functions for joint-angles using pre-captured set points with pedal-angle as input and joint-angle as output:

The functions can be used by calling “<function_name>(<pedal_angle>)” ==> returns <joint_angle>

evaluate_current_pedal_angle (current_point current_point)

Documentation for a function.

Evaluating the current pedal-angle according to the current position of the left foot . Using trigonometric functions for the evaluation of the angle.

publish_velocity (joint_name joint_name, next_joint_angle next_joint_angle, current_joint_angle

current_joint_angle, end_time end_time)

Documentation for a function.

For joint :

- Evaluate ideal velocity in rad/s according to joint-angle-difference and end-time of transition
- Multiply value with (global variable) to receive velocity in rad/s
- Multiply value with (global variable) to slow down simulation time.
- Multiply value with (global variable) of correspondent joint to erase joint-error
- Publish velocity to joint-controller and sleep until end-time of transition

update_velocity (*velocity_Twist velocity_Twist*)

Documentation for a function.

Updates the global variables , and TRAJECTORY_POINT_DURATION when a bike-velocity gets published to the topic “cmd_vel”.

get_angle_difference (*angle_1 angle_1, angle_2 angle_2*)

Documentation for a function.

Returns the absolute difference of two angles within the interval [0;2pi]

control_pedaling()

Documentation for a function.

Controls the whole pedaling-process.

Evaluates next pedal-angle according to current pedal-angle and (global variable). Uses to compute joint-velocities for every joint-angle for every transition between two. trajectory points.

Use Threads to simultaneously publish and control joint-angles.

Computes joint-angle-error and adjusts error-factors for every joint to optimize ideal joint-velocity for further transitions.

Simplified Pseudo-Code:

while bike_velocity = 0:

```
for joint in joints:  
    publish(0)  
    sleep()
```

current_pedal_angle = get_current_pedal_angle(left_foot_position)

next_pedal_angle = current_pedal_angle + (2pi / number_circulation_points)

for joint in joints:

```
next_joint_angle = interpolation_function(next_pedal_angle)  
Thread.publish_velocity(joint_name, current_joint_angle, next_joint_angle, end_time)
```

for Thread in created_threads:

```
Thread.join
```

for joint in joints:

```
update_error_factor()
```

main()

Documentation for a function.

Initializes the Control-Node for Pedaling and starts Pedaling-Algorithm.

Variables

bool pedal_simulation.PRINT_DEBUG = True

```
float pedal_simulation.SIMULATION_FACTOR = 100.0
int pedal_simulation.NUMBER_CIRCULATION_POINTS = 30
string pedal_simulation.RECORDED_TRAJECTORY_FILENAME = "trajectory_pedaling/captured_"
float pedal_simulation.JOINT_VELOCITY_FACTOR_SIMULATION = 0.01
float pedal_simulation.PEDAL_POSITION_ERROR_TOLERANCE = 0.02
float pedal_simulation.JOINT_TRAJECTORY_ERROR_TOLERANCE = 0.02
int pedal_simulation.CONTROLLER_FREQUENCY = 100
float pedal_simulation.MIN_JOINT_VEL = -500.0
float pedal_simulation.MAX_JOINT_VEL = 500.0
float pedal_simulation.RADIUS_BACK_TIRE = 0.294398
float pedal_simulation.RADIUS_GEAR_CLUSTER = 0.06
float pedal_simulation.RADIUS_FRONT_CHAIN_RING = 0.075
float pedal_simulation.BIKE_VELOCITY = 0.0
float pedal_simulation.PEDAL_SINGLE_ROTATION_DURATION = 0.0
float pedal_simulation.TRAJECTORY_POINT_DURATION = 0.0
list pedal_simulation.x_pedal_record = []
list pedal_simulation.y_pedal_record = []
string pedal_simulation.ROS_JOINT_HIP_RIGHT = "joint_hip_right"
string pedal_simulation.ROS_JOINT_KNEE_RIGHT = "joint_knee_right"
string pedal_simulation.ROS_JOINT_ANKLE_RIGHT = "joint_foot_right"
string pedal_simulation.ROS_JOINT_HIP_LEFT = "joint_hip_left"
string pedal_simulation.ROS_JOINT_KNEE_LEFT = "joint_knee_left"
string pedal_simulation.ROS_JOINT_ANKLE_LEFT = "joint_foot_left"
string pedal_simulation.RIGHT_HIP_JOINT = "right_hip"
string pedal_simulation.RIGHT_KNEE_JOINT = "right_knee"
string pedal_simulation.RIGHT_ANKLE_JOINT = "right_ankle"
string pedal_simulation.LEFT_HIP_JOINT = "left_hip"
string pedal_simulation.LEFT_KNEE_JOINT = "left_knee"
string pedal_simulation.LEFT_ANKLE_JOINT = "left_ankle"
pedal_simulation.f_interpolated_hip_right = None
pedal_simulation.f_interpolated_hip_left = None
pedal_simulation.f_interpolated_knee_right = None
pedal_simulation.f_interpolated_knee_left = None
pedal_simulation.f_interpolated_ankle_right = None
pedal_simulation.f_interpolated_ankle_left = None
pedal_simulation.f_interpolated_pedal_angle = None
```

```

float pedal_simulation.velocity_error_factor_hip = 1.0
float pedal_simulation.velocity_error_factor_knee = 1.0
float pedal_simulation.velocity_error_factor_ankle = 1.0
int pedal_simulation.velocity_error_counter = 0
pedal_simulation.ros_right_hip_publisher = rospy.Publisher('/joint_hip_right/joint_hip_right_controller/command', Float64)
pedal_simulation.ros_right_knee_publisher = rospy.Publisher('/joint_knee_right/joint_knee_right_controller/command', Float64)
pedal_simulation.ros_right_ankle_publisher = rospy.Publisher('/joint_foot_right/joint_foot_right_controller/command', Float64)
pedal_simulation.ros_left_hip_publisher = rospy.Publisher('/joint_hip_left/joint_hip_left_controller/command', Float64)
pedal_simulation.ros_left_knee_publisher = rospy.Publisher('/joint_knee_left/joint_knee_left_controller/command', Float64)
pedal_simulation.ros_left_ankle_publisher = rospy.Publisher('/joint_foot_left/joint_foot_left_controller/command', Float64)
float pedal_simulation.PEDAL_CENTER_OFFSET_X = 0.20421
float pedal_simulation.PEDAL_CENTER_OFFSET_Y = -0.00062
float pedal_simulation.PEDAL_CENTER_OFFSET_Z = 0.2101
list pedal_simulation._jointsList= [RIGHT_HIP_JOINT, RIGHT_KNEE_JOINT, RIGHT_ANKLE_JOINT]
dictionary pedal_simulation._parametersRightHip= { "param_p": 1500.0, "param_i": 0.0}
dictionary pedal_simulation._parametersRightKnee= { "param_p": 2000.0, "param_i": 0.0}
dictionary pedal_simulation._parametersRightAnkle= { "param_p": 1000.0, "param_i": 0.0}
dictionary pedal_simulation._parametersLeftHip= { "param_p": 1500.0, "param_i": 0.0}
dictionary pedal_simulation._parametersLeftKnee= { "param_p": 2000.0, "param_i": 0.0}
dictionary pedal_simulation._parametersLeftAnkle= { "param_p": 1000.0, "param_i": 0.0}
dictionary pedal_simulation._jointsControlData= {RIGHT_HIP_JOINT: _parametersRightHip, RIGHT_KNEE_JOINT: _parametersRightKnee, RIGHT_ANKLE_JOINT: _parametersRightAnkle}
dictionary pedal_simulation.joint_status_data= {RIGHT_HIP_JOINT: { "Pos": 0.0, "Vel": 0.0, "Acc": 0.0}, RIGHT_KNEE_JOINT: { "Pos": 0.0, "Vel": 0.0, "Acc": 0.0}, RIGHT_ANKLE_JOINT: { "Pos": 0.0, "Vel": 0.0, "Acc": 0.0}}
int pedal_simulation.number_imported_trajectory_points = -1
int pedal_simulation.trajectoryStartingPoint = 0
list pedal_simulation.pedalTrajectoryRight = []
list pedal_simulation.pedalAngleTrajectoryRight = []
list pedal_simulation.pedalTrajectoryLeft = []
list pedal_simulation.hipTrajectoryRight = []
list pedal_simulation.kneeTrajectoryRight = []
list pedal_simulation.ankleTrajectoryRight = []
list pedal_simulation.hipTrajectoryLeft = []
list pedal_simulation.kneeTrajectoryLeft = []
list pedal_simulation.ankleTrajectoryLeft = []
namespace pedal_simulation_interpolation_cubic_derivative

```

Functions

```

jointStateCallback (joint_data joint_data)
    UTILITY FUNCTIONS ###.

setJointControllerParameters (proportionalVal proportionalVal, derivativeVal derivativeVal)
importJointTrajectoryRecord ()
getJointPosition (jointName jointName)
getJointVelocity (jointName jointName)
getPositionLeftFoot ()
getPositionRightFoot ()
getDistance (point1 point1, point2 point2)
setPedalSingleRotationDuration (new_duration_seconds new_duration_seconds)
setTrajectoryPointDuration ()
setPedalAngularVelocity ()
getCurrentAngle (current_point current_point)
interpolateAllJointPositions ()
printInterpolatedFunctions ()
checkOutputLimits (inputVal inputVal)
    CONTROL FUNCTIONS ###.

FSM ()
    STATE MACHINE ###.

main ()
    MAIN ###.

```

Variables

```

bool pedal_simulation_interpolation_cubic_derivative.PRINT_DEBUG = True
MODULE PARAMETERS ###.

string pedal_simulation_interpolation_cubic_derivative.RECORDED_TRAJECTORY_FILENAME =
float pedal_simulation_interpolation_cubic_derivative.PEDAL_POSITION_ERROR_TOLERANCE =
float pedal_simulation_interpolation_cubic_derivative.PEDAL_ANGLE_ERROR_TOLERANCE = 0
float pedal_simulation_interpolation_cubic_derivative.JOINT_TRAJECTORY_ERROR_TOLERANCE =
int pedal_simulation_interpolation_cubic_derivative.PEDAL_SINGLE_ROTATION_DURATION =
int pedal_simulation_interpolation_cubic_derivative.CONTROLLER_FREQUENCY = 100
int pedal_simulation_interpolation_cubic_derivative.MIN_JOINT_VEL = -50
int pedal_simulation_interpolation_cubic_derivative.MAX_JOINT_VEL = 50
int pedal_simulation_interpolation_cubic_derivative.JOINT_VELOCITY_FACTOR = 1
float pedal_simulation_interpolation_cubic_derivative.PEDAL_CENTER_OFFSET_X = 0.20421
float pedal_simulation_interpolation_cubic_derivative.PEDAL_CENTER_OFFSET_Y = -0.0006

```

```

float pedal_simulation_interpolation_cubic_derivative.PEDAL_CENTER_OFFSET_Z = 0.2101
list pedal_simulation_interpolation_cubic_derivative.x_pedal_record = []
GLOBAL VARIABLES ###.

list pedal_simulation_interpolation_cubic_derivative.y_pedal_record = []

string pedal_simulation_interpolation_cubic_derivative.ROS_JOINT_HIP_RIGHT = "joint_hip_right"
string pedal_simulation_interpolation_cubic_derivative.ROS_JOINT_KNEE_RIGHT = "joint_knee_right"
string pedal_simulation_interpolation_cubic_derivative.ROS_JOINT_ANKLE_RIGHT = "joint_ankle_right"
string pedal_simulation_interpolation_cubic_derivative.ROS_JOINT_HIP_LEFT = "joint_hip_left"
string pedal_simulation_interpolation_cubic_derivative.ROS_JOINT_KNEE_LEFT = "joint_knee_left"
string pedal_simulation_interpolation_cubic_derivative.ROS_JOINT_ANKLE_LEFT = "joint_ankle_left"
string pedal_simulation_interpolation_cubic_derivative.RIGHT_HIP_JOINT = "right_hip"
string pedal_simulation_interpolation_cubic_derivative.RIGHT_KNEE_JOINT = "right_knee"
string pedal_simulation_interpolation_cubic_derivative.RIGHT_ANKLE_JOINT = "right_ankle"
string pedal_simulation_interpolation_cubic_derivative.LEFT_HIP_JOINT = "left_hip"
string pedal_simulation_interpolation_cubic_derivative.LEFT_KNEE_JOINT = "left_knee"
string pedal_simulation_interpolation_cubic_derivative.LEFT_ANKLE_JOINT = "left_ankle"
list pedal_simulation_interpolation_cubic_derivative._jointsList = [RIGHT_HIP_JOINT, LEFT_HIP_JOINT, RIGHT_KNEE_JOINT, LEFT_KNEE_JOINT, RIGHT_ANKLE_JOINT, LEFT_ANKLE_JOINT]
list pedal_simulation_interpolation_cubic_derivative._jointsListROS= [ROS_JOINT_HIP_RIGHT, ROS_JOINT_HIP_LEFT, ROS_JOINT_KNEE_RIGHT, ROS_JOINT_KNEE_LEFT, ROS_JOINT_ANKLE_RIGHT, ROS_JOINT_ANKLE_LEFT]
dictionary pedal_simulation_interpolation_cubic_derivative._parametersRightHip= {}
dictionary pedal_simulation_interpolation_cubic_derivative._parametersRightKnee= {}
dictionary pedal_simulation_interpolation_cubic_derivative._parametersRightAnkle= {}
dictionary pedal_simulation_interpolation_cubic_derivative._parametersLeftHip= {}
dictionary pedal_simulation_interpolation_cubic_derivative._parametersLeftKnee= {}
dictionary pedal_simulation_interpolation_cubic_derivative._parametersLeftAnkle= {}
dictionary pedal_simulation_interpolation_cubic_derivative._jointsControlData= { RIGID_BODY_ID: 1, POSITION_X: 0.0, POSITION_Y: 0.0, POSITION_Z: 0.0, ORIENTATION_W: 1.0, ORIENTATION_X: 0.0, ORIENTATION_Y: 0.0, ORIENTATION_Z: 0.0, VELOCITY_X: 0.0, VELOCITY_Y: 0.0, VELOCITY_Z: 0.0, ACCELERATION_X: 0.0, ACCELERATION_Y: 0.0, ACCELERATION_Z: 0.0, TORQUE_X: 0.0, TORQUE_Y: 0.0, TORQUE_Z: 0.0 }
dictionary pedal_simulation_interpolation_cubic_derivative._jointsStatusData= { RIGID_BODY_ID: 1, POSITION_X: 0.0, POSITION_Y: 0.0, POSITION_Z: 0.0, ORIENTATION_W: 1.0, ORIENTATION_X: 0.0, ORIENTATION_Y: 0.0, ORIENTATION_Z: 0.0, VELOCITY_X: 0.0, VELOCITY_Y: 0.0, VELOCITY_Z: 0.0, ACCELERATION_X: 0.0, ACCELERATION_Y: 0.0, ACCELERATION_Z: 0.0, TORQUE_X: 0.0, TORQUE_Y: 0.0, TORQUE_Z: 0.0 }
int pedal_simulation_interpolation_cubic_derivative._numTrajectoryPoints = -1
int pedal_simulation_interpolation_cubic_derivative._trajectoryStartingPoint = 0
float pedal_simulation_interpolation_cubic_derivative._trajectoryPointDuration = 1.0
float pedal_simulation_interpolation_cubic_derivative._pedalAngularVelocity = 0.1
list pedal_simulation_interpolation_cubic_derivative._pedalTrajectoryRight = []
list pedal_simulation_interpolation_cubic_derivative._pedalAngleTrajectoryRight = []
list pedal_simulation_interpolation_cubic_derivative._hipTrajectoryRight = []
list pedal_simulation_interpolation_cubic_derivative._kneeTrajectoryRight = []
list pedal_simulation_interpolation_cubic_derivative._ankleTrajectoryRight = []
list pedal_simulation_interpolation_cubic_derivative._pedalTrajectoryLeft = []

```

```

list pedal_simulation_interpolation_cubic_derivative._pedalAngleTrajectoryLeft = []
list pedal_simulation_interpolation_cubic_derivative._hipTrajectoryLeft = []
list pedal_simulation_interpolation_cubic_derivative._kneeTrajectoryLeft = []
list pedal_simulation_interpolation_cubic_derivative._ankleTrajectoryLeft = []
namespace pedal_simulation_interpolation_linear_trajectory_points

```

Functions

```

jointStateCallback(joint_data joint_data)
    UTILITY FUNCTIONS ###.

setJointControllerParameters(proportionalVal proportionalVal, derivativeVal derivativeVal)
importJointTrajectoryRecord()
getJointPosition(jointName jointName)
getJointVelocity(jointName jointName)
getPosition(endeffector endeffector, frame frame)
getPositionLeftFoot()
getPositionRightFoot()
getDistance(point1 point1, point2 point2)
setPedalSingleRotationDuration(new_duration_seconds new_duration_seconds)
setTrajectoryPointDuration()
interpolateTrajectoryPoints(value1 value1, value2 value2, startTime startTime, currTime
    currTime, endTime endTime)
    CONTROL FUNCTIONS ###.

checkOutputLimits(inputVal inputVal)
computeVelocitySetpoint(jointName jointName, endPos endPos, startTime startTime, currTime
    currTime, endTime endTime)
FSM()
main()
    MAIN ###.

```

Variables

```

bool pedal_simulation_interpolation_linear_trajectory_points.PRINT_DEBUG = True
MODULE PARAMETERS ###.

string pedal_simulation_interpolation_linear_trajectory_points.RECORDED_TRAJECTORY_FILE
float pedal_simulation_interpolation_linear_trajectory_points.PEDAL_POSITION_ERROR_TOL
float pedal_simulation_interpolation_linear_trajectory_points.JOINT_TRAJECTORY_ERROR_TOL
int pedal_simulation_interpolation_linear_trajectory_points.PEDAL_SINGLE_ROTATION_DURATION
int pedal_simulation_interpolation_linear_trajectory_points.TRAJECTORY_POINT_DURATION =
int pedal_simulation_interpolation_linear_trajectory_points.CONTROLLER_FREQUENCY = 10

```

```

int pedal_simulation_interpolation_linear_trajectory_points.MIN_JOINT_VEL = -500
int pedal_simulation_interpolation_linear_trajectory_points.MAX_JOINT_VEL = 500
int pedal_simulation_interpolation_linear_trajectory_points.JOINT_VELOCITY_FACTOR = 1
list pedal_simulation_interpolation_linear_trajectory_points.x_pedal_record = []
GLOBAL VARIABLES ###.

list pedal_simulation_interpolation_linear_trajectory_points.y_pedal_record = []
string pedal_simulation_interpolation_linear_trajectory_points.ROS_JOINT_HIP_RIGHT =
string pedal_simulation_interpolation_linear_trajectory_points.ROS_JOINT_KNEE_RIGHT =
string pedal_simulation_interpolation_linear_trajectory_points.ROS_JOINT_ANKLE_RIGHT =
string pedal_simulation_interpolation_linear_trajectory_points.ROS_JOINT_HIP_LEFT =
string pedal_simulation_interpolation_linear_trajectory_points.ROS_JOINT_KNEE_LEFT =
string pedal_simulation_interpolation_linear_trajectory_points.ROS_JOINT_ANKLE_LEFT =
string pedal_simulation_interpolation_linear_trajectory_points.RIGHT_HIP_JOINT = "rig
string pedal_simulation_interpolation_linear_trajectory_points.RIGHT_KNEE_JOINT = "ri
string pedal_simulation_interpolation_linear_trajectory_points.RIGHT_ANKLE_JOINT = "ri
string pedal_simulation_interpolation_linear_trajectory_points.LEFT_HIP_JOINT = "lef
string pedal_simulation_interpolation_linear_trajectory_points.LEFT_KNEE_JOINT = "lef
string pedal_simulation_interpolation_linear_trajectory_points.LEFT_ANKLE_JOINT = "lef
list pedal_simulation_interpolation_linear_trajectory_points._jointsList = [RIGHT_HIP,
list pedal_simulation_interpolation_linear_trajectory_points._jointsListROS = [ROS_JO
dictionary pedal_simulation_interpolation_linear_trajectory_points._parametersRightHip
dictionary pedal_simulation_interpolation_linear_trajectory_points._parametersRightKne
dictionary pedal_simulation_interpolation_linear_trajectory_points._parametersRightAnk
dictionary pedal_simulation_interpolation_linear_trajectory_points._parametersLeftHip=
dictionary pedal_simulation_interpolation_linear_trajectory_points._parametersLeftKnee
dictionary pedal_simulation_interpolation_linear_trajectory_points._parametersLeftAnkle
dictionary pedal_simulation_interpolation_linear_trajectory_points._jointsControlData=
dictionary pedal_simulation_interpolation_linear_trajectory_points._jointsStatusData=
int pedal_simulation_interpolation_linear_trajectory_points.numTrajectoryPoints = -1
int pedal_simulation_interpolation_linear_trajectory_points.trajectoryStartingPoint =
list pedal_simulation_interpolation_linear_trajectory_points.pedalTrajectoryRight = []
list pedal_simulation_interpolation_linear_trajectory_points.pedalTrajectoryLeft = []
list pedal_simulation_interpolation_linear_trajectory_points.hipTrajectoryRight = []
list pedal_simulation_interpolation_linear_trajectory_points.kneeTrajectoryRight = []
list pedal_simulation_interpolation_linear_trajectory_points.ankleTrajectoryRight = []
list pedal_simulation_interpolation_linear_trajectory_points.hipTrajectoryLeft = []

```

```

list pedal_simulation_interpolation_linear_trajectory_points.kneeTrajectoryLeft = []
list pedal_simulation_interpolation_linear_trajectory_points.ankleTrajectoryLeft = []
string pedal_simulation_interpolation_linear_trajectory_points.INIT = "INIT"
STATE MACHINE ###.

string pedal_simulation_interpolation_linear_trajectory_points.PEDAL = "PEDAL"
string pedal_simulation_interpolation_linear_trajectory_points.UPDATE_PARAMETERS = "U"
namespace pedal_simulation_left_leg_experimental

```

Functions

joint_state_callback (*joint_data joint_data*)

Documentation for a function.

This function collects the current status of the joint-angles and saves them in the global dictionary “joint_status_data”.

import_joint_trajectory_record()

Documentation for a function.

Collects and saves all joint- and pedal-angles from the pre-captured trajectory from the (global variable).

get_joint_position (*jointName jointName*)

Documentation for a function.

Return current joint-angle of .

get_joint_velocity (*jointName jointName*)

Documentation for a function.

Return current joint-velocity of .

get_position (*endeffector endeffector, frame frame*)

Documentation for a function.

Return the postion of the of the correspondent .

set_joint_controller_parameters (*proportionalVal proportionalVal, derivativeVal derivativeVal*)

Documentation for a function.

Sets Kp of joint-controller to Sets Kd of joint-controller to

get_position_left_foot()

Documentation for a function.

Return the position of the left foot of Roboy.

get_position_right_foot()

Documentation for a function.

Return the position of the right foot of Roboy.

get_distance (*point1 point1, point2 point2*)

Documentation for a function.

Return the distance between two points where points are a list of two coordinates.

check_output_limits (*inputVal inputVal*)

Documentation for a function.

Checks if is inside possible range of joint-angle velocities. If not, returns max-velocity if too high or min-velocity if to low instead of .

compute_velocity (*joint_name joint_name, next_joint_angle next_joint_angle, current_joint_angle current_joint_angle, end_time end_time*)

Documentation for a function.

Returns ideal joint-velocity for according to and joint-angle-difference between and :

$\text{ideal_velocity} = \text{joint_angle_difference} / (\text{end_time} - \text{current_time})$

get_joint_angle (*joint_name joint_name, pedal_angle pedal_angle*)

Documentation for a function.

Evaluate and return joint-angle of correspondent to using the interpolated function:

The functions can be used by calling “<function_name>(<pedal_angle>)” ==> returns <joint_angle>

interpolate_functions ()

Documentation for a function.

Initializing interpolated functions for joint-angles using pre-captured set points with pedal-angle as input and joint-angle as output:

The functions can be used by calling “<function_name>(<pedal_angle>)” ==> returns <joint_angle>

evaluate_current_pedal_angle (*current_point current_point*)

Documentation for a function.

Evaluating the current pedal-angle according to the current position of the left foot . Using trigonometric functions for the evaluation of the angle.

publish_velocity (*joint_name joint_name, next_joint_angle next_joint_angle, current_joint_angle current_joint_angle, end_time end_time*)

Documentation for a function.

For joint :

- Evaluate ideal velocity in rad/s according to joint-angle-difference and end-time of transition
- Multiply value with (global variable) to receive velocity in rad/s
- Multiply value with (global variable) to slow down simulation time.
- Multiply value with (global variable) of correspondent joint to erase joint-error
- Publish velocity to joint-controller and sleep until end-time of transition

update_velocity (*velocity_Twist velocity_Twist*)

Documentation for a function.

Updates the global variables , and TRAJECTORY_POINT_DURATION when a bike-velocity gets published to the topic “cmd_vel”.

get_angle_difference (*angle_1 angle_1, angle_2 angle_2*)

Documentation for a function.

Returns the absolute difference of two angles within the interval [0;2pi]

control_pedaling ()

Documentation for a function.

Controls the whole pedaling-process.

Evaluates next pedal-angle according to current pedal-angle and (global variable). Uses to compute joint-velocities for every joint-angle for every transition between two. trajectory points.

Use Threads to simultaneously publish and control joint-angles.

Computes joint-angle-error and adjusts error-factors for every joint to optimize ideal joint-velocity for further transitions.

Simplified Pseudo-Code:

while bike_velocity = 0:

```
for joint in joints:
    publish(0)
    sleep()
```

current_pedal_angle = get_current_pedal_angle(left_foot_position)

next_pedal_angle = current_pedal_angle + (2pi / number_circulation_points)

for joint in joints:

```
next_joint_angle = interpolation_function(next_pedal_angle)
Thread.publish_velocity(joint_name, current_joint_angle, next_joint_angle, ↴end_time)
```

for Thread in created_threads:

```
Thread.join
```

for joint in joints:

```
update_error_factor()
```

main()

Documentation for a function.

Initializes the Control-Node for Pedaling and starts Pedaling-Algorithm.

Variables

```
bool pedal_simulation_left_leg_experimental.PRINT_DEBUG = True
float pedal_simulation_left_leg_experimental.SIMULATION_FACTOR = 100.0
int pedal_simulation_left_leg_experimental.NUMBER_CIRCULATION_POINTS = 30
string pedal_simulation_left_leg_experimental.RECORDED_TRAJECTORY_FILENAME = "trajectory.ply"
float pedal_simulation_left_leg_experimental.JOINT_VELOCITY_FACTOR_SIMULATION = 0.008
float pedal_simulation_left_leg_experimental.PEDAL_POSITION_ERROR_TOLERANCE = 0.02
float pedal_simulation_left_leg_experimental.JOINT_TRAJECTORY_ERROR_TOLERANCE = 0.02
int pedal_simulation_left_leg_experimental.CONTROLLER_FREQUENCY = 100
float pedal_simulation_left_leg_experimental.MIN_JOINT_VEL = -500.0
float pedal_simulation_left_leg_experimental.MAX_JOINT_VEL = 500.0
float pedal_simulation_left_leg_experimental.RADIUS_BACK_TIRE = 0.294398
```

```
float pedal_simulation_left_leg_experimental.RADIUS_GEAR_CLUSTER = 0.06
float pedal_simulation_left_leg_experimental.RADIUS_FRONT_CHAIN_RING = 0.075
float pedal_simulation_left_leg_experimental.BIKE_VELOCITY = 0.0
float pedal_simulation_left_leg_experimental.PEDAL_SINGLE_ROTATION_DURATION = 0.0
float pedal_simulation_left_leg_experimental.TRAJECTORY_POINT_DURATION = 0.0
list pedal_simulation_left_leg_experimental.x_pedal_record = []
list pedal_simulation_left_leg_experimental.y_pedal_record = []
string pedal_simulation_left_leg_experimental.ROS_JOINT_HIP_RIGHT = "joint_hip_right"
string pedal_simulation_left_leg_experimental.ROS_JOINT_KNEE_RIGHT = "joint_knee_right"
string pedal_simulation_left_leg_experimental.ROS_JOINT_ANKLE_RIGHT = "joint_foot_right"
string pedal_simulation_left_leg_experimental.ROS_JOINT_HIP_LEFT = "joint_hip_left"
string pedal_simulation_left_leg_experimental.ROS_JOINT_KNEE_LEFT = "joint_knee_left"
string pedal_simulation_left_leg_experimental.ROS_JOINT_ANKLE_LEFT = "joint_foot_left"
string pedal_simulation_left_leg_experimental.RIGHT_HIP_JOINT = "right_hip"
string pedal_simulation_left_leg_experimental.RIGHT_KNEE_JOINT = "right_knee"
string pedal_simulation_left_leg_experimental.RIGHT_ANKLE_JOINT = "right_ankle"
string pedal_simulation_left_leg_experimental.LEFT_HIP_JOINT = "left_hip"
string pedal_simulation_left_leg_experimental.LEFT_KNEE_JOINT = "left_knee"
string pedal_simulation_left_leg_experimental.LEFT_ANKLE_JOINT = "left_ankle"
pedal_simulation_left_leg_experimental.f_interpolated_hip_right = None
pedal_simulation_left_leg_experimental.f_interpolated_hip_left = None
pedal_simulation_left_leg_experimental.f_interpolated_knee_right = None
pedal_simulation_left_leg_experimental.f_interpolated_knee_left = None
pedal_simulation_left_leg_experimental.f_interpolated_ankle_right = None
pedal_simulation_left_leg_experimental.f_interpolated_ankle_left = None
pedal_simulation_left_leg_experimental.f_interpolated_pedal_angle = None
float pedal_simulation_left_leg_experimental.velocity_error_factor_hip = 1.0
float pedal_simulation_left_leg_experimental.velocity_error_factor_knee = 1.0
float pedal_simulation_left_leg_experimental.velocity_error_factor_ankle = 1.0
int pedal_simulation_left_leg_experimental.velocity_error_counter = 0
pedal_simulation_left_leg_experimental.ros_right_hip_publisher = rospy.Publisher('/joint/right_hip')
pedal_simulation_left_leg_experimental.ros_right_knee_publisher = rospy.Publisher('/joint/right_knee')
pedal_simulation_left_leg_experimental.ros_right_ankle_publisher = rospy.Publisher('/joint/right_ankle')
pedal_simulation_left_leg_experimental.ros_left_hip_publisher = rospy.Publisher('/joint/left_hip')
pedal_simulation_left_leg_experimental.ros_left_knee_publisher = rospy.Publisher('/joint/left_knee')
pedal_simulation_left_leg_experimental.ros_left_ankle_publisher = rospy.Publisher('/joint/left_ankle')
```

```

float pedal_simulation_left_leg_experimental.PEDAL_CENTER_OFFSET_X = 0.00027829138673
float pedal_simulation_left_leg_experimental.PEDAL_CENTER_OFFSET_Y = -0.0351316495558
float pedal_simulation_left_leg_experimental.PEDAL_CENTER_OFFSET_Z = 0.00100933134810
float pedal_simulation_left_leg_experimental.OLD_X_OFFSET = 0.7163902600571725 + 0.23
float pedal_simulation_left_leg_experimental.OLD_Y_OFFSET = -0.010388552466272516 + 0
float pedal_simulation_left_leg_experimental.OLD_Z_OFFSET = 0.2164376942146126 - 0.20
float pedal_simulation_left_leg_experimental.NEW_X_OFFSET = -0.23003546880974085 + (-)
float pedal_simulation_left_leg_experimental.NEW_Y_OFFSET = -0.010388308215364166 + (0
float pedal_simulation_left_leg_experimental.NEW_Z_OFFSET = -0.2052706960113988 + (0.
float pedal_simulation_left_leg_experimental.DIFF_X_OFFSET = NEW_X_OFFSET - OLD_X_OFFSET
float pedal_simulation_left_leg_experimental.DIFF_Y_OFFSET = NEW_Y_OFFSET - OLD_Y_OFFSET
float pedal_simulation_left_leg_experimental.DIFF_Z_OFFSET = NEW_Z_OFFSET - OLD_Z_OFFSET
list pedal_simulation_left_leg_experimental._jointsList= [ LEFT_HIP_JOINT, LEFT_KNEE_
dictionary pedal_simulation_left_leg_experimental._parametersRightHip= { "param_p"
dictionary pedal_simulation_left_leg_experimental._parametersRightKnee= { "param_p"
dictionary pedal_simulation_left_leg_experimental._parametersRightAnkle= { "param_p"
dictionary pedal_simulation_left_leg_experimental._parametersLeftHip= { "param_p"
dictionary pedal_simulation_left_leg_experimental._parametersLeftKnee= { "param_p"
dictionary pedal_simulation_left_leg_experimental._parametersLeftAnkle= { "param_p"
dictionary pedal_simulation_left_leg_experimental._jointsControlData= { RIGHT_HIP_
dictionary pedal_simulation_left_leg_experimental.joint_status_data= { RIGHT_HIP_JO
int pedal_simulation_left_leg_experimental.number_imported_trajectory_points = -1
int pedal_simulation_left_leg_experimental.trajectoryStartingPoint = 0
list pedal_simulation_left_leg_experimental.pedalTrajectoryRight = []
list pedal_simulation_left_leg_experimental.pedalAngleTrajectoryLeft = []
list pedal_simulation_left_leg_experimental.pedalTrajectoryLeft = []
list pedal_simulation_left_leg_experimental.hipTrajectoryRight = []
list pedal_simulation_left_leg_experimental.kneeTrajectoryRight = []
list pedal_simulation_left_leg_experimental.ankleTrajectoryRight = []
list pedal_simulation_left_leg_experimental.hipTrajectoryLeft = []
list pedal_simulation_left_leg_experimental.kneeTrajectoryLeft = []
list pedal_simulation_left_leg_experimental.ankleTrajectoryLeft = []
namespace pedal_simulation_left_leg_fk_pos

```

Functions

joint_state_callback (*joint_data joint_data*)

Documentation for a function.

This function collects the current status of the joint-angles and saves them in the global dictionary “joint_status_data”.

import_joint_trajectory_record()

Documentation for a function.

Collects and saves all joint- and pedal-angles from the pre-captured trajectory from the (global variable).

get_joint_position (*jointName jointName*)

Documentation for a function.

Return current joint-angle of .

get_joint_velocity (*jointName jointName*)

Documentation for a function.

Return current joint-velocity of .

get_position (*endeffector endeffector, frame frame*)

Documentation for a function.

Return the position of the of the correspondent .

set_joint_controller_parameters (*proportionalVal proportionalVal, derivativeVal derivativeVal*)

Documentation for a function.

Sets Kp of joint-controller to Sets Kd of joint-controller to

get_position_left_foot()

Documentation for a function.

Return the position of the left foot of Roboy.

get_position_left_foot_with_coord_trans()

get_position_right_foot()

Documentation for a function.

Return the position of the right foot of Roboy.

get_distance (*point1 point1, point2 point2*)

Documentation for a function.

Return the distance between two points where points are a list of two coordinates.

check_output_limits (*inputVal inputVal*)

Documentation for a function.

Checks if is inside possible range of joint-angle velocities. If not, returns max-velocity if too high or min-velocity if to low instead of .

compute_velocity (*joint_name joint_name, next_joint_angle next_joint_angle, current_joint_angle current_joint_angle, end_time end_time*)

Documentation for a function.

Returns ideal joint-velocity for according to and joint-angle-difference between and :

ideal_velocity = joint_angle_difference / (end_time - current_time)

get_joint_angle (*joint_name joint_name, pedal_angle pedal_angle*)

Documentation for a function.

Evaluate and return joint-angle of correspondent to using the interpolated function:

The functions can be used by calling “<function_name>(<pedal_angle>)” ==> returns <joint_angle>

interpolate_functions ()

Documentation for a function.

Initializing interpolated functions for joint-angles using pre-captured set points with pedal-angle as input and joint-angle as output:

The functions can be used by calling “<function_name>(<pedal_angle>)” ==> returns <joint_angle>

evaluate_current_pedal_angle (*current_point current_point*)

Documentation for a function.

Evaluating the current pedal-angle according to the current position of the left foot . Using trigonometric functions for the evaluation of the angle.

publish_velocity (*joint_name joint_name, next_joint_angle next_joint_angle, current_joint_angle current_joint_angle, end_time end_time*)

Documentation for a function.

For joint :

- Evaluate ideal velocity in rad/s according to joint-angle-difference and end-time of transition
- Multiply value with (global variable) to receive velocity in rad/s
- Multiply value with (global variable) to slow down simulation time.
- Multiply value with (global variable) of correspondent joint to erase joint-error
- Publish velocity to joint-controller and sleep until end-time of transition

update_velocity (*velocity_Twist velocity_Twist*)

Documentation for a function.

Updates the global variables , and TRAJECTORY_POINT_DURATION when a bike-velocity gets published to the topic “cmd_vel”.

get_angle_difference (*angle_1 angle_1, angle_2 angle_2*)

Documentation for a function.

Returns the absolute difference of two angles within the interval [0;2pi]

control_pedaling()

Documentation for a function.

Controls the whole pedaling-process.

Evaluates next pedal-angle according to current pedal-angle and (global variable). Uses to compute joint-velocities for every joint-angle for every transition between two. trajectory points.

Use Threads to simultaneously publish and control joint-angles.

Computes joint-angle-error and adjusts error-factors for every joint to optimize ideal joint-velocity for further transitions.

Simplified Pseudo-Code:

while bike_velocity = 0:

```

for joint in joints:

    publish(0)

    sleep()

current_pedal_angle = get_current_pedal_angle(left_foot_position)
next_pedal_angle = current_pedal_angle + (2pi / number_circulation_points)
for joint in joints:

    next_joint_angle = interpolation_function(next_pedal_angle)

    Thread.publish_velocity(joint_name, current_joint_angle, next_joint_angle, ↴
        end_time)

```

for Thread in created_threads:

```
Thread.join
```

for joint in joints:

```
update_error_factor()
```

main()

Documentation for a function.

Initializes the Control-Node for Pedaling and starts Pedaling-Algorithm.

Variables

```

bool pedal_simulation_left_leg_fk_pos.PRINT_DEBUG = True
float pedal_simulation_left_leg_fk_pos.SIMULATION_FACTOR = 100.0
int pedal_simulation_left_leg_fk_pos.NUMBER_CIRCULATION_POINTS = 30
string pedal_simulation_left_leg_fk_pos.RECORDED_TRAJECTORY_FILENAME = "trajectory_pe
float pedal_simulation_left_leg_fk_pos.JOINT_VELOCITY_FACTOR_SIMULATION = 0.008
float pedal_simulation_left_leg_fk_pos.PEDAL_POSITION_ERROR_TOLERANCE = 0.02
float pedal_simulation_left_leg_fk_pos.JOINT_TRAJECTORY_ERROR_TOLERANCE = 0.02
int pedal_simulation_left_leg_fk_pos.CONTROLLER_FREQUENCY = 100
float pedal_simulation_left_leg_fk_pos.MIN_JOINT_VEL = -10.0
float pedal_simulation_left_leg_fk_pos.MAX_JOINT_VEL = 10.0
float pedal_simulation_left_leg_fk_pos.RADIUS_BACK_TIRE = 0.294398
float pedal_simulation_left_leg_fk_pos.RADIUS_GEAR_CLUSTER = 0.06
float pedal_simulation_left_leg_fk_pos.RADIUS_FRONT_CHAIN_RING = 0.075
float pedal_simulation_left_leg_fk_pos.OLD_X_OFFSET = 0.7163902600571725 + 0.23003546
float pedal_simulation_left_leg_fk_pos.OLD_Y_OFFSET = -0.010388552466272516 + 0.01038
float pedal_simulation_left_leg_fk_pos.OLD_Z_OFFSET = 0.2164376942146126 - 0.20527069

```

```

float pedal_simulation_left_leg_fk_pos.NEW_X_OFFSET = -0.23003546880974085 + (-0.7163
float pedal_simulation_left_leg_fk_pos.NEW_Y_OFFSET = -0.010388308215364166 + (0.0103
float pedal_simulation_left_leg_fk_pos.NEW_Z_OFFSET = -0.2052706960113988 + (0.216437
float pedal_simulation_left_leg_fk_pos.DIFF_X_OFFSET = NEW_X_OFFSET - OLD_X_OFFSET
float pedal_simulation_left_leg_fk_pos.DIFF_Y_OFFSET = NEW_Y_OFFSET - OLD_Y_OFFSET
float pedal_simulation_left_leg_fk_pos.DIFF_Z_OFFSET = NEW_Z_OFFSET - OLD_Z_OFFSET
float pedal_simulation_left_leg_fk_pos.BIKE_VELOCITY = 0.0
float pedal_simulation_left_leg_fk_pos.PEDAL_SINGLE_ROTATION_DURATION = 20.0
float pedal_simulation_left_leg_fk_pos.TRAJECTORY_POINT_DURATION = 0.0
list pedal_simulation_left_leg_fk_pos.x_pedal_record = []
list pedal_simulation_left_leg_fk_pos.y_pedal_record = []
string pedal_simulation_left_leg_fk_pos.ROS_JOINT_HIP_RIGHT = "joint_hip_right"
string pedal_simulation_left_leg_fk_pos.ROS_JOINT_KNEE_RIGHT = "joint_knee_right"
string pedal_simulation_left_leg_fk_pos.ROS_JOINT_ANKLE_RIGHT = "joint_foot_right"
string pedal_simulation_left_leg_fk_pos.ROS_JOINT_HIP_LEFT = "joint_hip_left"
string pedal_simulation_left_leg_fk_pos.ROS_JOINT_KNEE_LEFT = "joint_knee_left"
string pedal_simulation_left_leg_fk_pos.ROS_JOINT_ANKLE_LEFT = "joint_foot_left"
string pedal_simulation_left_leg_fk_pos.RIGHT_HIP_JOINT = "right_hip"
string pedal_simulation_left_leg_fk_pos.RIGHT_KNEE_JOINT = "right_knee"
string pedal_simulation_left_leg_fk_pos.RIGHT_ANKLE_JOINT = "right_ankle"
string pedal_simulation_left_leg_fk_pos.LEFT_HIP_JOINT = "left_hip"
string pedal_simulation_left_leg_fk_pos.LEFT_KNEE_JOINT = "left_knee"
string pedal_simulation_left_leg_fk_pos.LEFT_ANKLE_JOINT = "left_ankle"
pedal_simulation_left_leg_fk_pos.f_interpolated_hip_right = None
pedal_simulation_left_leg_fk_pos.f_interpolated_hip_left = None
pedal_simulation_left_leg_fk_pos.f_interpolated_knee_right = None
pedal_simulation_left_leg_fk_pos.f_interpolated_knee_left = None
pedal_simulation_left_leg_fk_pos.f_interpolated_ankle_right = None
pedal_simulation_left_leg_fk_pos.f_interpolated_ankle_left = None
pedal_simulation_left_leg_fk_pos.f_interpolated_pedal_angle = None
float pedal_simulation_left_leg_fk_pos.velocity_error_factor_hip = 1.0
float pedal_simulation_left_leg_fk_pos.velocity_error_factor_knee = 1.0
float pedal_simulation_left_leg_fk_pos.velocity_error_factor_ankle = 1.0
int pedal_simulation_left_leg_fk_pos.velocity_error_counter = 0
pedal_simulation_left_leg_fk_pos.ros_right_hip_publisher = rospy.Publisher('/joint_hi
pedal_simulation_left_leg_fk_pos.ros_right_knee_publisher = rospy.Publisher('/joint_k

```

```

pedal_simulation_left_leg_fk_pos.ros_right_ankle_publisher = rospy.Publisher('/joint_right_ankle', Float64)
pedal_simulation_left_leg_fk_pos.ros_left_hip_publisher = rospy.Publisher('/joint_left_hip', Float64)
pedal_simulation_left_leg_fk_pos.ros_left_knee_publisher = rospy.Publisher('/joint_left_knee', Float64)
pedal_simulation_left_leg_fk_pos.ros_left_ankle_publisher = rospy.Publisher('/joint_left_ankle', Float64)
float pedal_simulation_left_leg_fk_pos.PEDAL_CENTER_OFFSET_X = 0.0002782913867391912
float pedal_simulation_left_leg_fk_pos.PEDAL_CENTER_OFFSET_Y = -0.035131649555820536
float pedal_simulation_left_leg_fk_pos.PEDAL_CENTER_OFFSET_Z = 0.0010093313481022886
list pedal_simulation_left_leg_fk_pos._jointsList= [ LEFT_HIP_JOINT, LEFT_KNEE_JOINT, LEFT_ANKLE_JOINT]
dictionary pedal_simulation_left_leg_fk_pos._parametersRightHip= { "param_p": 1500}
dictionary pedal_simulation_left_leg_fk_pos._parametersRightKnee= { "param_p": 2000}
dictionary pedal_simulation_left_leg_fk_pos._parametersRightAnkle= { "param_p": 1000}
dictionary pedal_simulation_left_leg_fk_pos._parametersLeftHip= { "param_p": 1500}
dictionary pedal_simulation_left_leg_fk_pos._parametersLeftKnee= { "param_p": 2000}
dictionary pedal_simulation_left_leg_fk_pos._parametersLeftAnkle= { "param_p": 1000}
dictionary pedal_simulation_left_leg_fk_pos._jointsControlData= { RIGHT_HIP_JOINT: 1500, RIGHT_KNEE_JOINT: 2000, RIGHT_ANKLE_JOINT: 1000}
dictionary pedal_simulation_left_leg_fk_pos.joint_status_data= { RIGHT_HIP_JOINT: 0, RIGHT_KNEE_JOINT: 0, RIGHT_ANKLE_JOINT: 0}
int pedal_simulation_left_leg_fk_pos.number_imported_trajectory_points = -1
int pedal_simulation_left_leg_fk_pos.trajectoryStartingPoint = 0
list pedal_simulation_left_leg_fk_pos.pedalTrajectoryRight = []
list pedal_simulation_left_leg_fk_pos.pedalAngleTrajectoryLeft = []
list pedal_simulation_left_leg_fk_pos.pedalTrajectoryLeft = []
list pedal_simulation_left_leg_fk_pos.hipTrajectoryRight = []
list pedal_simulation_left_leg_fk_pos.kneeTrajectoryRight = []
list pedal_simulation_left_leg_fk_pos.ankleTrajectoryRight = []
list pedal_simulation_left_leg_fk_pos.hipTrajectoryLeft = []
list pedal_simulation_left_leg_fk_pos.kneeTrajectoryLeft = []
list pedal_simulation_left_leg_fk_pos.ankleTrajectoryLeft = []

namespace pedaling
Documentation for this module.


```

Control of Roboys' hip, knees and feet for pedaling. In order to reach the requested bike-velocity, we compute correspondent angular-velocity for the pedals. The circulation is ideally divided into trajectory points represented by angles within the circulation circle (pedal-angle). With angle-difference between two points and angular-velocity we use the correspondent transition time to control the joints in order to create a pedaling motion for Roboy.

For every joint, we use cubic spline interpolation of pre-captured set points with pedal_angle as input to receive continuous function to be able to get the corresponding joint-angle for every pedal-angle. This enables to use joint-angle-difference between two trajectory-points and transition time to compute and apply velocity-control to the joint-angles to create pedaling-motion

In order to decrease and hopefully erase velocity-error, we multiply the computed (ideal) velocity with an error-factor which is computed and dependent on the velocity-error of previous transitions and measured by pedal-angle-error

Test-script for testing the accuracy of a requested velocity and the transition-time (acceleration) between two different velocities, which is only important for testing in reality, because there is no transition-time between different velocities in simulation.

and determine the time-steps in seconds for the measurement of velocity and determine the size of a step between two different velocities in m/s

```
namespace qpOASES
namespace roboython
```

Functions

```
compute_leg_length(hip_angle hip_angle, knee_angle knee_angle, ankle_angle ankle_angle)
get_pedal_position_x(pedal_angle pedal_angle)
get_pedal_position_y(pedal_angle pedal_angle)
compute_distance(x1 x1, y1 y1, x2 x2, y2 y2)
```

Variables

```
int roboython.corner_angle =  math.pi/2
float roboython.thigh_along =  309.75
float roboython.thigh_across =  7.46
float roboython.leg_along =  347.50
float roboython.leg_across =  7.0
float roboython.foot_along =  110.0
float roboython.foot_across =  47.0
float roboython.pedal_offset =  11.88
float roboython.pedal_radius =  169.24
roboython.maximum_length =  compute_leg_length(0, 0, -(math.pi/4))
roboython.minimum_length =  compute_leg_length(math.pi/2, 2*math.pi/3, (math.pi/4))
roboython.length_difference =  maximum_length - minimum_length
list roboython.candidate_x_list = []
list roboython.candidate_y_list = []
list roboython.confirmed_hip_positions =  [[]]
list roboython.confirmed_x_positions =  []
list roboython.confirmed_y_positions =  []
int roboython.N_ANGLES_CHECKED =  36
int roboython.discarded =  0
```

```

roboython.pedal_x =  get_pedal_position_x(pedal_angle_iter*math.pi*2/N_ANGLES_CHECKED)
roboython.pedal_y =  get_pedal_position_y(pedal_angle_iter * math.pi * 2 / N_ANGLES_CHECKED)
roboython.this_distance =  compute_distance(pedal_x, pedal_y, candidate_x, candidate_y)

namespace state_machine

```

Functions

```

importJointTrajectoryRecord()
    UTILITY FUNCTIONS ###.

importJointPIDParameters()
setJointVelocity(jointName jointName, jointVel jointVel)
getJointVelocity(jointName jointName)
getJointPosition(jointName jointName)
getPedalPosition()
getDistance(point1 point1, point2 point2)
setPedalSingleRotationDuration(new_duration_seconds new_duration_seconds)
setTrajectoryPointDuration()
interpolateTrajectoryPoints(jointName jointName, value1 value1, value2 value2, startTime
                             startTime, currTime currTime, endTime endTime)
FSM()
computeVelocitySetpoint(jointName jointName, currPos currPos, currTime currTime, goalPos
                        goalPos)
    CONTROL FUNCTIONS ###.

main()
    MAIN ###.

```

Variables

```

string state_machine.CONTROL_PARAMETERS_FILENAME = "control_parameters_ddr.json"
MODULE PARAMETERS ###.

string state_machine.RECORDED_TRAJECTORY_FILENAME = "recorded_trajectory_ddr.json"
int state_machine.PEDAL_POSITION_ERROR_TOLERANCE = 10
int state_machine.PEDAL_SINGLE_ROTATION_DURATION = 10
int state_machine.TRAJECTORY_POINT_DURATION = 0
int state_machine.CONTROLLER_FREQUENCY = 20
float state_machine.TESTING_VELOCITY1 = 0.0
GLOBAL VARIABLES ###.

string state_machine.RIGHT_HIP_JOINT = "right_hip"
string state_machine.RIGHT_KNEE_JOINT = "right_knee"
string state_machine.RIGHT_ANKLE_JOINT = "right_ankle"

```

```

string state_machine.LEFT_HIP_JOINT = "left_hip"
string state_machine.LEFT_KNEE_JOINT = "left_knee"
string state_machine.LEFT_ANKLE_JOINT = "left_ankle"

list state_machine._jointsList = [RIGHT_HIP_JOINT, RIGHT_KNEE_JOINT, RIGHT_ANKLE_JOINT]

dictionary state_machine._parametersRightHip= { "param_p": 1.0, "par
dictionary state_machine._parametersRightKnee= { "param_p": 1.0, "par
dictionary state_machine._parametersRightAnkle= { "param_p": 1.0, "pa
dictionary state_machine._parametersLeftHip= { "param_p": 1.0, "par
dictionary state_machine._parametersLeftKnee= { "param_p": 1.0, "par
dictionary state_machine._parametersLeftAnkle= { "param_p": 1.0, "pa
dictionary state_machine._jointsControlData= { RIGHT_HIP_JOINT: _parametersRight

int state_machine._numTrajectoryPoints = 0
int state_machine._trajectoryStartingPoint = 0
list state_machine._pedalTrajectory = []
list state_machine._hipTrajectory = []
list state_machine._kneeTrajectory = []
list state_machine._ankleTrajectory = []

string state_machine.INIT = "INIT"
STATE MACHINE ###.

string state_machine.PEDAL = "PEDAL"
string state_machine.UPDATE_PARAMETERS = "UPDATE_PARAMETERS"

namespace std

namespace steering
Documentation for this module.

Control of Roboys' shoulders, elbows and wrists for steering. In order to reach the requested steering-angle we target intermediate points between the current and the requested steering-angle to ensure Roboys' hands are following the captured steering-trajectory.

In order to target a point on the steering-trajectory for the hands, we use an interpolation-function for the joint angles with steering-angle as input that uses precomputed set-points of all joint-angles according to a certain steering-angle.

Test-script for testing the transition-time between two different-steering-angles. Accuracy-measurement is not important as we are using position-control for the joint-angles and assume they are working.

determines the amount of steps for measurement between min and max angle. The program saves all transition-times between two angles going from min to max and from max to min anngle and saves them in two separate lists.

namespace steering_capture_multiple_trajectories

```

Functions

```
setJointControllerParameters (proportionalVal proportionalVal, derivativeVal derivativeVal)
    UTILITY FUNCTIONS ###.

computeSteeringAngles ()
computeHandTrajectories ()
getPositionLeftHand ()
getPositionRightHand ()
jointStateCallback (joint_data joint_data)
inverse_kinematics_client (endeffector endeffector, frame frame, x x, y y, z z, roll roll, pitch
    pitch, yaw yaw)
main ()
    MAIN ###.
```

Variables

```
int steering_capture_multiple_trajectories.MAX_TURNING_ANGLE =  math.pi / 15
FUNCTION PARAMETERS ###.

int steering_capture_multiple_trajectories.NUM_STEERING_ANGLES =  61
int steering_capture_multiple_trajectories.POINT_MULTIPLICITY =  50
string steering_capture_multiple_trajectories.JSON_FILENAME =  "multiple_steering_traj"
float steering_capture_multiple_trajectories.JOINT_ANGLE_TOLERANCE_FK =  0.01
string steering_capture_multiple_trajectories.ENDEFFECTOR_RIGHT =  "right_hand"
string steering_capture_multiple_trajectories.FRAME_RIGHT =  "right_hand"
string steering_capture_multiple_trajectories.ENDEFFECTOR_LEFT =  "left_hand"
string steering_capture_multiple_trajectories.FRAME_LEFT =  "left_hand"
int steering_capture_multiple_trajectories.BIKE_OFFSET_X =  0
MEASURED PARAMETERS ###.

int steering_capture_multiple_trajectories.BIKE_OFFSET_Y =  0
int steering_capture_multiple_trajectories.BIKE_OFFSET_Z =  0
float steering_capture_multiple_trajectories.RIKSHAW_TURN_JOINT_X_OFFSET =  0.71639026
float steering_capture_multiple_trajectories.RIKSHAW_TURN_JOINT_Y_OFFSET =  -0.0103885
float steering_capture_multiple_trajectories.RIKSHAW_TURN_JOINT_Z_OFFSET =  0.21643769
int steering_capture_multiple_trajectories.YAW_RIGHT_HAND_OFFSET =  math.pi / 2 + math
int steering_capture_multiple_trajectories.YAW_LEFT_HAND_OFFSET =  3 * math.pi / 2 + math
float steering_capture_multiple_trajectories.HANDLEBAR_X_OFFSET =  0.728713
float steering_capture_multiple_trajectories.HANDLEBAR_Z_OFFSET =  0.719269
float steering_capture_multiple_trajectories.HAND_Y_OFFSET =  0.2
list steering_capture_multiple_trajectories._steeringAngles = []
GLOBAL VARIABLES ###.
```

```

list steering_capture_multiple_trajectories._rightHandTrajectory = []
list steering_capture_multiple_trajectories._leftHandTrajectory = []
list steering_capture_multiple_trajectories._centerHandlebarTrajectory = []
string steering_capture_multiple_trajectories.JOINT_SHOULDER_AXIS0_RIGHT = "right_shoulder_axis0"
string steering_capture_multiple_trajectories.JOINT_SHOULDER_AXIS1_RIGHT = "right_shoulder_axis1"
string steering_capture_multiple_trajectories.JOINT_SHOULDER_AXIS2_RIGHT = "right_shoulder_axis2"
string steering_capture_multiple_trajectories.JOINT_SHOULDER_AXIS0_LEFT = "left_shoulder_axis0"
string steering_capture_multiple_trajectories.JOINT_SHOULDER_AXIS1_LEFT = "left_shoulder_axis1"
string steering_capture_multiple_trajectories.JOINT_SHOULDER_AXIS2_LEFT = "left_shoulder_axis2"
string steering_capture_multiple_trajectories.JOINT_ELBOW_ROT0_RIGHT = "elbow_right_rotation"
string steering_capture_multiple_trajectories.JOINT_ELBOW_ROT1_RIGHT = "elbow_right_rotation"
string steering_capture_multiple_trajectories.JOINT_ELBOW_ROT0_LEFT = "elbow_left_rotation"
string steering_capture_multiple_trajectories.JOINT_ELBOW_ROT1_LEFT = "elbow_left_rotation"
string steering_capture_multiple_trajectories.JOINT_WRIST_0_RIGHT = "right_wrist_0"
string steering_capture_multiple_trajectories.JOINT_WRIST_1_RIGHT = "right_wrist_1"
string steering_capture_multiple_trajectories.JOINT_WRIST_0_LEFT = "left_wrist_0"
string steering_capture_multiple_trajectories.JOINT_WRIST_1_LEFT = "left_wrist_1"
list steering_capture_multiple_trajectories.JOINT_LIST= [JOINT_SHOULDER_AXIS0_RIGHT,
dictionary steering_capture_multiple_trajectories._jointsStatusData
namespace steering_capture_trajectory

```

Functions

```

computeSteeringAngles()
    UTILITY FUNCTIONS ###.

computeHandTrajectories()
getPositionLeftHand()
getPositionRightHand()
setJointControllerParameters (proportionalVal proportionalVal, derivativeVal derivativeVal)
jointStateCallback (joint_data joint_data)
inverse_kinematics_client (endeffector endeffector, frame frame, x x, y y, z z, roll roll, pitch
pitch, yaw yaw)
main()
    MAIN ###.

```

Variables

```

int steering_capture_trajectory.MAX_TURNING_ANGLE =  math.pi / 15
FUNCTION PARAMETERS ###.

int steering_capture_trajectory.NUM_STEERING_ANGLES =  61

float steering_capture_trajectory.RIKSHAW_TURN_JOINT_X_OFFSET =  0.7163902600571725 + 0
float steering_capture_trajectory.RIKSHAW_TURN_JOINT_Y_OFFSET =  -0.010388552466272516
float steering_capture_trajectory.RIKSHAW_TURN_JOINT_Z_OFFSET =  0.2164376942146126 - 0
int steering_capture_trajectory.YAW_RIGHT_HAND_OFFSET =  math.pi / 2 + math.pi
int steering_capture_trajectory.YAW_LEFT_HAND_OFFSET =  3 * math.pi / 2 + math.pi
float steering_capture_trajectory.HANDLEBAR_X_OFFSET =  0.728713
float steering_capture_trajectory.HANDLEBAR_Z_OFFSET =  0.719269
float steering_capture_trajectory.HAND_Y_OFFSET =  0.2
string steering_capture_trajectory.JSON_FILENAME =  "steering_trajectory.json"
float steering_capture_trajectory.JOINT_ANGLE_TOLERANCE_FK =  0.01
string steering_capture_trajectory.ENDEFFECTOR_RIGHT =  "right_hand"
string steering_capture_trajectory.FRAME_RIGHT =  "right_hand"
string steering_capture_trajectory.ENDEFFECTOR_LEFT =  "left_hand"
string steering_capture_trajectory.FRAME_LEFT =  "left_hand"
int steering_capture_trajectory.BIKE_OFFSET_X =  0
MEASURED PARAMETERS ###.

int steering_capture_trajectory.BIKE_OFFSET_Y =  0
int steering_capture_trajectory.BIKE_OFFSET_Z =  0
list steering_capture_trajectory._steeringAngles =  []
GLOBAL VARIABLES ###.

list steering_capture_trajectory._rightHandTrajectory =  []
list steering_capture_trajectory._leftHandTrajectory =  []
list steering_capture_trajectory._centerHandlebarTrajectory =  []
string steering_capture_trajectory.JOINT_SHOULDER_AXIS0_RIGHT =  "right_shoulder_axis0"
string steering_capture_trajectory.JOINT_SHOULDER_AXIS1_RIGHT =  "right_shoulder_axis1"
string steering_capture_trajectory.JOINT_SHOULDER_AXIS2_RIGHT =  "right_shoulder_axis2"
string steering_capture_trajectory.JOINT_SHOULDER_AXIS0_LEFT =  "left_shoulder_axis0"
string steering_capture_trajectory.JOINT_SHOULDER_AXIS1_LEFT =  "left_shoulder_axis1"
string steering_capture_trajectory.JOINT_SHOULDER_AXIS2_LEFT =  "left_shoulder_axis2"
string steering_capture_trajectory.JOINT_ELBOW_ROT0_RIGHT =  "elbow_right_rot0"
string steering_capture_trajectory.JOINT_ELBOW_ROT1_RIGHT =  "elbow_right_rot1"
string steering_capture_trajectory.JOINT_ELBOW_ROT0_LEFT =  "elbow_left_rot0"
string steering_capture_trajectory.JOINT_ELBOW_ROT1_LEFT =  "elbow_left_rot1"

```

```

string steering_capture_trajectory.JOINT_WRIST_0_RIGHT = "right_wrist_0"
string steering_capture_trajectory.JOINT_WRIST_1_RIGHT = "right_wrist_1"
string steering_capture_trajectory.JOINT_WRIST_0_LEFT = "left_wrist_0"
string steering_capture_trajectory.JOINT_WRIST_1_LEFT = "left_wrist_1"
list steering_capture_trajectory.JOINT_LIST= [JOINT_SHOULDER_AXIS0_RIGHT, JOINT_SHOULDER_AXIS1_RIGHT, JOINT_SHOULDER_AXIS2_RIGHT, JOINT_ELBOW_ROT0_RIGHT, JOINT_ELBOW_ROT1_RIGHT, JOINT_WRIST_0_RIGHT, JOINT_WRIST_1_RIGHT, JOINT_SHOULDER_AXIS0_LEFT, JOINT_SHOULDER_AXIS1_LEFT, JOINT_SHOULDER_AXIS2_LEFT, JOINT_ELBOW_ROT0_LEFT, JOINT_ELBOW_ROT1_LEFT, JOINT_WRIST_0_LEFT, JOINT_WRIST_1_LEFT]
dictionary steering_capture_trajectory._jointsStatusData
namespace steering_interpolate_and_print

```

Functions

```

importJointTrajectoryRecord()
    UTILITY FUNCTIONS ###.

interpolateAllJointPositions()
printInterpolatedFunctions()

main()
    MAIN ###.

```

Variables

```

string steering_interpolate_and_print.RECORDED_TRAJECTORY_FILENAME = "steering_trajectory"
MODULE PARAMETERS ###.

bool steering_interpolate_and_print.PRINT_DEBUG = True
string steering_interpolate_and_print.JOINT_SHOULDER_AXIS0_RIGHT = "right_shoulder_axis0"
GLOBAL VARIABLES ###.

string steering_interpolate_and_print.JOINT_SHOULDER_AXIS1_RIGHT = "right_shoulder_axis1"
string steering_interpolate_and_print.JOINT_SHOULDER_AXIS2_RIGHT = "right_shoulder_axis2"
string steering_interpolate_and_print.JOINT_SHOULDER_AXIS0_LEFT = "left_shoulder_axis0"
string steering_interpolate_and_print.JOINT_SHOULDER_AXIS1_LEFT = "left_shoulder_axis1"
string steering_interpolate_and_print.JOINT_SHOULDER_AXIS2_LEFT = "left_shoulder_axis2"
string steering_interpolate_and_print.JOINT_ELBOW_ROT0_RIGHT = "elbow_right_rot0"
string steering_interpolate_and_print.JOINT_ELBOW_ROT1_RIGHT = "elbow_right_rot1"
string steering_interpolate_and_print.JOINT_ELBOW_ROT0_LEFT = "elbow_left_rot0"
string steering_interpolate_and_print.JOINT_ELBOW_ROT1_LEFT = "elbow_left_rot1"
string steering_interpolate_and_print.JOINT_WRIST_0_RIGHT = "right_wrist_0"
string steering_interpolate_and_print.JOINT_WRIST_1_RIGHT = "right_wrist_1"
string steering_interpolate_and_print.JOINT_WRIST_0_LEFT = "left_wrist_0"
string steering_interpolate_and_print.JOINT_WRIST_1_LEFT = "left_wrist_1"
int steering_interpolate_and_print._numTrajectoryPoints = 0
list steering_interpolate_and_print._trajectorySteering = []

```

```

list steering_interpolate_and_print._trajectoryShoulder0Right = []
list steering_interpolate_and_print._trajectoryShoulder1Right = []
list steering_interpolate_and_print._trajectoryShoulder2Right = []
list steering_interpolate_and_print._trajectoryShoulder0Left = []
list steering_interpolate_and_print._trajectoryShoulder1Left = []
list steering_interpolate_and_print._trajectoryShoulder2Left = []
list steering_interpolate_and_print._trajectoryElbow0Right = []
list steering_interpolate_and_print._trajectoryElbow1Right = []
list steering_interpolate_and_print._trajectoryElbow0Left = []
list steering_interpolate_and_print._trajectoryElbow1Left = []
list steering_interpolate_and_print._trajectoryWrist0Right = []
list steering_interpolate_and_print._trajectoryWrist1Right = []
list steering_interpolate_and_print._trajectoryWrist0Left = []
list steering_interpolate_and_print._trajectoryWrist1Left = []
steering_interpolate_and_print._interpolatedShoulder0Right = None
steering_interpolate_and_print._interpolatedShoulder1Right = None
steering_interpolate_and_print._interpolatedShoulder2Right = None
steering_interpolate_and_print._interpolatedShoulder0Left = None
steering_interpolate_and_print._interpolatedShoulder1Left = None
steering_interpolate_and_print._interpolatedShoulder2Left = None
steering_interpolate_and_print._interpolatedElbow0Right = None
steering_interpolate_and_print._interpolatedElbow1Right = None
steering_interpolate_and_print._interpolatedElbow0Left = None
steering_interpolate_and_print._interpolatedElbow1Left = None
steering_interpolate_and_print._interpolatedWrist0Right = None
steering_interpolate_and_print._interpolatedWrist1Right = None
steering_interpolate_and_print._interpolatedWrist0Left = None
steering_interpolate_and_print._interpolatedWrist1Left = None
namespace steering_interpolate_multiple_trajectories_and_print

```

Functions

```

importJointTrajectoryRecord()
    UTILITY FUNCTIONS ###.

regressAllJointPositions (order order)
printRegressedFunctions()
printAllTrajectories()

```

```
saveRegressionToFile (filename filename, order order)
main()
MAIN ###.
```

Variables

```
string steering_interpolate_multiple_trajectories_and_print.RECORDED_TRAJECTORY_FILENAME =
MODULE PARAMETERS ###.

bool steering_interpolate_multiple_trajectories_and_print.PRINT_DEBUG = True
int steering_interpolate_multiple_trajectories_and_print.MAX_TURNING_ANGLE = math.pi
string steering_interpolate_multiple_trajectories_and_print.JOINT_SHOULDER_AXIS0_RIGHT =
GLOBAL VARIABLES ###.

string steering_interpolate_multiple_trajectories_and_print.JOINT_SHOULDER_AXIS1_RIGHT
string steering_interpolate_multiple_trajectories_and_print.JOINT_SHOULDER_AXIS2_RIGHT
string steering_interpolate_multiple_trajectories_and_print.JOINT_SHOULDER_AXIS0_LEFT =
string steering_interpolate_multiple_trajectories_and_print.JOINT_SHOULDER_AXIS1_LEFT =
string steering_interpolate_multiple_trajectories_and_print.JOINT_SHOULDER_AXIS2_LEFT =
string steering_interpolate_multiple_trajectories_and_print.JOINT_ELBOW_ROT0_RIGHT =
string steering_interpolate_multiple_trajectories_and_print.JOINT_ELBOW_ROT1_RIGHT =
string steering_interpolate_multiple_trajectories_and_print.JOINT_ELBOW_ROT0_LEFT = "r"
string steering_interpolate_multiple_trajectories_and_print.JOINT_ELBOW_ROT1_LEFT = "l"
string steering_interpolate_multiple_trajectories_and_print.JOINT_WRIST_0_RIGHT = "ri"
string steering_interpolate_multiple_trajectories_and_print.JOINT_WRIST_1_RIGHT = "ri"
string steering_interpolate_multiple_trajectories_and_print.JOINT_WRIST_0_LEFT = "lef"
string steering_interpolate_multiple_trajectories_and_print.JOINT_WRIST_1_LEFT = "lef"
int steering_interpolate_multiple_trajectories_and_print._numTrajectoryPoints = 0
list steering_interpolate_multiple_trajectories_and_print._trajectorySteering = []
list steering_interpolate_multiple_trajectories_and_print._trajectoryShoulder0Right =
list steering_interpolate_multiple_trajectories_and_print._trajectoryShoulder1Right =
list steering_interpolate_multiple_trajectories_and_print._trajectoryShoulder2Right =
list steering_interpolate_multiple_trajectories_and_print._trajectoryShoulder0Left =
list steering_interpolate_multiple_trajectories_and_print._trajectoryShoulder1Left =
list steering_interpolate_multiple_trajectories_and_print._trajectoryShoulder2Left =
list steering_interpolate_multiple_trajectories_and_print._trajectoryElbow0Right = []
list steering_interpolate_multiple_trajectories_and_print._trajectoryElbow1Right = []
list steering_interpolate_multiple_trajectories_and_print._trajectoryElbow0Left = []
list steering_interpolate_multiple_trajectories_and_print._trajectoryElbow1Left = []
list steering_interpolate_multiple_trajectories_and_print._trajectoryWrist0Right = []
```

```

list steering_interpolate_multiple_trajectories_and_print._trajectoryWrist1Right = []
list steering_interpolate_multiple_trajectories_and_print._trajectoryWrist0Left = []
list steering_interpolate_multiple_trajectories_and_print._trajectoryWrist1Left = []
steering_interpolate_multiple_trajectories_and_print._regressedShoulder0Right = None
steering_interpolate_multiple_trajectories_and_print._regressedShoulder1Right = None
steering_interpolate_multiple_trajectories_and_print._regressedShoulder2Right = None
steering_interpolate_multiple_trajectories_and_print._regressedShoulder0Left = None
steering_interpolate_multiple_trajectories_and_print._regressedShoulder1Left = None
steering_interpolate_multiple_trajectories_and_print._regressedShoulder2Left = None
steering_interpolate_multiple_trajectories_and_print._regressedElbow0Right = None
steering_interpolate_multiple_trajectories_and_print._regressedElbow1Right = None
steering_interpolate_multiple_trajectories_and_print._regressedElbow0Left = None
steering_interpolate_multiple_trajectories_and_print._regressedElbow1Left = None
steering_interpolate_multiple_trajectories_and_print._regressedWrist0Right = None
steering_interpolate_multiple_trajectories_and_print._regressedWrist1Right = None
steering_interpolate_multiple_trajectories_and_print._regressedWrist0Left = None
steering_interpolate_multiple_trajectories_and_print._regressedWrist1Left = None
namespace steering_response_test

```

Functions

import_joint_trajectory_record()

Documentation for a function.

Collects and saves all joint- and steering-angles from the pre-captured trajectory from the (global variable).

regress_joint_positions_from_file (filename filename)

Documentation for a function.

Initializes the interpolation-functions for every joint-angle using regression. The input value of the function is a steering angle and the output value of the function is the correspondent joint angle.

The functions can be used by calling “<function_name>(<steering_angle>)” ==> returns <joint_angle>

joint_state_callback (joint_data joint_data)

Documentation for a function.

This function collects the current status of the joint-angles and saves them in the global dictionary “_jointStatusData”.

check_joint_angle (joint_name joint_name, steering_angle steering_angle)

Documentation for a function.

Checks if joint has reached the joint-angle within error-tolerance corresponding to the steering angle and returns if so or if has been reached.

steering_angle_reached (steering_angle steering_angle)

Documentation for a function.

Checks if a steering-angle has been reached with checking if all joint-angles have reached the corresponding joint-angles

steering_test (pub pub)

Documentation for a function.

Program for testing the transition-time between two different steering-angles. Saves measurements in lists and displays them using pyplot, or just the average values for all steps in

main()

Documentation for a function.

Initializes the Test-Node for the steering-test

Variables

```
bool steering_response_test.PRINT_DEBUG = False
list steering_response_test.STEPS_DISTRIBUTION_TEST = [2, 4, 6, 8]
bool steering_response_test.SHOW_AVERAGE = True
float steering_response_test.UPDATE_FREQUENCY = 0.01
int steering_response_test.ERROR_TOLERANCE = np.pi/36
int steering_response_test.INITIAL_STARTING_TIME = 10
int steering_response_test.MAX_TRANSITION_TIME = 5
string steering_response_test.JOINT_SHOULDER_AXIS0_RIGHT = "right_shoulder_axis0"
string steering_response_test.JOINT_SHOULDER_AXIS1_RIGHT = "right_shoulder_axis1"
string steering_response_test.JOINT_SHOULDER_AXIS2_RIGHT = "right_shoulder_axis2"
string steering_response_test.JOINT_SHOULDER_AXIS0_LEFT = "left_shoulder_axis0"
string steering_response_test.JOINT_SHOULDER_AXIS1_LEFT = "left_shoulder_axis1"
string steering_response_test.JOINT_SHOULDER_AXIS2_LEFT = "left_shoulder_axis2"
string steering_response_test.JOINT_ELBOW_ROT0_RIGHT = "elbow_right_rot0"
string steering_response_test.JOINT_ELBOW_ROT1_RIGHT = "elbow_right_rot1"
string steering_response_test.JOINT_ELBOW_ROT0_LEFT = "elbow_left_rot0"
string steering_response_test.JOINT_ELBOW_ROT1_LEFT = "elbow_left_rot1"
string steering_response_test.JOINT_WRIST_0_RIGHT = "right_wrist_0"
string steering_response_test.JOINT_WRIST_1_RIGHT = "right_wrist_1"
string steering_response_test.JOINT_WRIST_0_LEFT = "left_wrist_0"
string steering_response_test.JOINT_WRIST_1_LEFT = "left_wrist_1"
dictionary steering_response_test.joint_status_data= { JOINT_SHOULDER_AXIS0_LEFT: None,
JOINT_SHOULDER_AXIS1_LEFT: None, JOINT_SHOULDER_AXIS2_LEFT: None, JOINT_ELBOW_ROT0_LEFT: None, JOINT_ELBOW_ROT1_LEFT: None, JOINT_WRIST_0_LEFT: None, JOINT_WRIST_1_LEFT: None, JOINT_SHOULDER_AXIS0_RIGHT: None, JOINT_SHOULDER_AXIS1_RIGHT: None, JOINT_SHOULDER_AXIS2_RIGHT: None, JOINT_ELBOW_ROT0_RIGHT: None, JOINT_ELBOW_ROT1_RIGHT: None, JOINT_WRIST_0_RIGHT: None, JOINT_WRIST_1_RIGHT: None}
list steering_response_test._joints_list= [JOINT_SHOULDER_AXIS0_RIGHT, JOINT_SHOULDER_AXIS1_RIGHT, JOINT_SHOULDER_AXIS2_RIGHT, JOINT_ELBOW_ROT0_RIGHT, JOINT_ELBOW_ROT1_RIGHT, JOINT_WRIST_0_RIGHT, JOINT_WRIST_1_RIGHT, JOINT_SHOULDER_AXIS0_LEFT, JOINT_SHOULDER_AXIS1_LEFT, JOINT_SHOULDER_AXIS2_LEFT, JOINT_ELBOW_ROT0_LEFT, JOINT_ELBOW_ROT1_LEFT, JOINT_WRIST_0_LEFT, JOINT_WRIST_1_LEFT]
steering_response_test.ros_right_shoulder_axis0_pub = rospy.Publisher('/right_shoulder_axis0_pub', Int32, queue_size=10)
steering_response_test.ros_right_shoulder_axis1_pub = rospy.Publisher('/right_shoulder_axis1_pub', Int32, queue_size=10)
steering_response_test.ros_right_shoulder_axis2_pub = rospy.Publisher('/right_shoulder_axis2_pub', Int32, queue_size=10)
steering_response_test.ros_elbow_right_pub = rospy.Publisher('/elbow_right_pub', Int32, queue_size=10)
steering_response_test.ros_elbow_left_pub = rospy.Publisher('/elbow_left_pub', Int32, queue_size=10)
steering_response_test.ros_wrist_right_pub = rospy.Publisher('/wrist_right_pub', Int32, queue_size=10)
steering_response_test.ros_wrist_left_pub = rospy.Publisher('/wrist_left_pub', Int32, queue_size=10)
```

```
steering_response_test._ros_left_shoulder_axis0_pub = rospy.Publisher('/left_shoulder_axis0')
steering_response_test._ros_left_shoulder_axis1_pub = rospy.Publisher('/left_shoulder_axis1')
steering_response_test._ros_left_shoulder_axis2_pub = rospy.Publisher('/left_shoulder_axis2')
steering_response_test._ros_elbow_right_rot0_pub = rospy.Publisher('/elbow_right_rot0')
steering_response_test._ros_elbow_right_rot1_pub = rospy.Publisher('/elbow_right_rot1')
steering_response_test._ros_elbow_left_rot0_pub = rospy.Publisher('/elbow_left_rot0')
steering_response_test._ros_elbow_left_rot1_pub = rospy.Publisher('/elbow_left_rot1')
steering_response_test._ros_right_wrist_0_pub = rospy.Publisher('/right_wrist_0')
steering_response_test._ros_right_wrist_1_pub = rospy.Publisher('/right_wrist_1')
steering_response_test._ros_left_wrist_0_pub = rospy.Publisher('/left_wrist_0')
steering_response_test._ros_left_wrist_1_pub = rospy.Publisher('/left_wrist_1')
int steering_response_test._numTrajectoryPoints = 0
list steering_response_test._trajectorySteering = []
list steering_response_test._trajectoryShoulder0Right = []
list steering_response_test._trajectoryShoulder1Right = []
list steering_response_test._trajectoryShoulder2Right = []
list steering_response_test._trajectoryShoulder0Left = []
list steering_response_test._trajectoryShoulder1Left = []
list steering_response_test._trajectoryShoulder2Left = []
list steering_response_test._trajectoryElbow0Right = []
list steering_response_test._trajectoryElbow1Right = []
list steering_response_test._trajectoryElbow0Left = []
list steering_response_test._trajectoryElbow1Left = []
list steering_response_test._trajectoryWrist0Right = []
list steering_response_test._trajectoryWrist1Right = []
list steering_response_test._trajectoryWrist0Left = []
list steering_response_test._trajectoryWrist1Left = []
steering_response_test._interpolatedShoulder0Right = None
steering_response_test._interpolatedShoulder1Right = None
steering_response_test._interpolatedShoulder2Right = None
steering_response_test._interpolatedShoulder0Left = None
steering_response_test._interpolatedShoulder1Left = None
steering_response_test._interpolatedShoulder2Left = None
steering_response_test._interpolatedElbow0Right = None
steering_response_test._interpolatedElbow1Right = None
steering_response_test._interpolatedElbow0Left = None
```

```

steering_response_test._interpolatedElbow1Left = None
steering_response_test._interpolatedWrist0Right = None
steering_response_test._interpolatedWrist1Right = None
steering_response_test._interpolatedWrist0Left = None
steering_response_test._interpolatedWrist1Left = None
steering_response_test._regressedShoulder0Right = None
steering_response_test._regressedShoulder1Right = None
steering_response_test._regressedShoulder2Right = None
steering_response_test._regressedShoulder0Left = None
steering_response_test._regressedShoulder1Left = None
steering_response_test._regressedShoulder2Left = None
steering_response_test._regressedElbow0Right = None
steering_response_test._regressedElbow1Right = None
steering_response_test._regressedElbow0Left = None
steering_response_test._regressedElbow1Left = None
steering_response_test._regressedWrist0Right = None
steering_response_test._regressedWrist1Right = None
steering_response_test._regressedWrist0Left = None
steering_response_test._regressedWrist1Left = None
string steering_response_test.RECORDED_TRAJECTORY_FILENAME = "trajectory_steering/ste
namespace steering_simulation

```

Functions

joint_state_callback (joint_data joint_data)

Documentation for a function.

This function collects the current status of the joint-angles and saves them in the global dictionary “_jointStatusData”.

get_joint_position (joint_name joint_name)

Documentation for a function.

Returns current position of joint-angle . .

regress_joint_positions_from_file (filename filename)

Documentation for a function.

Initializes the interpolation-functions for every joint-angle using regression. The input value of the function is a steering angle and the output value of the function is the correspondent joint angle.

The functions can be used by calling “<function_name>(<steering_angle>)” ==> returns <joint_angle>

import_joint_trajectory_record()

Documentation for a function.

Collects and saves all joint- and steering-angles from the pre-captured trajectory from the (global variable).

interpolate_joint_angles()

Documentation for a function.

Initializes the interpolation-functions for every joint-angle using cubic spline interpolation. The input value of the function is a steering angle and the output value of the function the correspondent joint angle.

The functions can be used by calling “<function_name>(<steering_angle>)” ==> returns <joint_angle>

get_angle_difference(angle_1 angle_1, angle_2 angle_2)

Documentation for a function.

Returns the absolute difference of two angles within the interval [0;2pi]

set_joint_controller_parameters(proportional_value proportional_value, derivative_value derivative_value)

Documentation for a function.

Sets Kp of joint-controller to Sets Kd of joint-controller to

update_steering_angle(steering_angle_F32 steering_angle_F32)

Documentation for a function.

Updates the global variable when another node publishes a new requested steering_angle to the topic “cmd_steering_angle_rickshaw”.

check_steering_angle_range(steering_angle steering_angle)

Documentation for a function.

Checks if the parameter is within the range of reachable steering-angles of Roboy.

publish_joint_angle(joint_name joint_name, steering_angle steering_angle)

Documentation for a function.

Evaluates the correspondent joint-angle of to given using the interpolation-function of

Publishes the computed value to the correspondent ros-topic of to apply position control.

Waits until the joint_angle has reached requested joint_angle within error tolerance.

steering_control()

Documentation for a function.

Controls the whole steering-process. Evaluates the target_steering_angles between requested_steering_angle and current_steering_angle and creates a Thread for every joint-angle with which is responsible to apply correspondent joint-angle given current target_steering_angle.

Simplified Pseudo-code:

while requested_steering_angle = current_steering_angle:

sleep()

if angle_difference(requested_steering_angle, current_steering_angle) > max_angle_change

target_steering_angle = current_steering_angle + max_angle_change

else:

target_steering_angle = requested_steering_angle

for joint in joint_list:

Thread.publish_joint_angle(joint_name, target_joint_angle)

for Thread in created_threads:

```
Thread.join
```

current_steering_angle = target_steering_angle

main()

Documentation for a function.

Initializes the Control-Node for Steering and starts Steering-Algorithm.

Variables

```
bool steering_simulation.PRINT_DEBUG = True
string steering_simulation.RECORDED_TRAJECTORY_FILENAME = "trajectory_steering/steering"
float steering_simulation.JOINT_TARGET_ERROR_TOLERANCE = 0.01
float steering_simulation.UPDATE_FREQUENCY = 0.001
int steering_simulation.MAX_ANGLE_CHANGE = np.pi / 72
float steering_simulation.STEP_TRANSITION_TIME = 2.5
string steering_simulation.JOINT_SHOULDER_AXIS0_RIGHT = "right_shoulder_axis0"
string steering_simulation.JOINT_SHOULDER_AXIS1_RIGHT = "right_shoulder_axis1"
string steering_simulation.JOINT_SHOULDER_AXIS2_RIGHT = "right_shoulder_axis2"
string steering_simulation.JOINT_SHOULDER_AXIS0_LEFT = "left_shoulder_axis0"
string steering_simulation.JOINT_SHOULDER_AXIS1_LEFT = "left_shoulder_axis1"
string steering_simulation.JOINT_SHOULDER_AXIS2_LEFT = "left_shoulder_axis2"
string steering_simulation.JOINT_ELBOW_RIGHT = "elbow_right"
string steering_simulation.JOINT_ELBOW_LEFT = "elbow_left"
string steering_simulation.JOINT_WRIST_RIGHT_SPHERE_AXIS0 = "wrist_right_sphere_axis0"
string steering_simulation.JOINT_WRIST_RIGHT_SPHERE_AXIS1 = "wrist_right_sphere_axis1"
string steering_simulation.JOINT_WRIST_RIGHT_SPHERE_AXIS2 = "wrist_right_sphere_axis2"
string steering_simulation.JOINT_WRIST_LEFT_SPHERE_AXIS0 = "wrist_left_sphere_axis0"
string steering_simulation.JOINT_WRIST_LEFT_SPHERE_AXIS1 = "wrist_left_sphere_axis1"
string steering_simulation.JOINT_WRIST_LEFT_SPHERE_AXIS2 = "wrist_left_sphere_axis2"
string steering_simulation.JOINT_BIKE_FRONT = "joint_front"
list steering_simulation._joints_list= [JOINT_SHOULDER_AXIS0_RIGHT, JOINT_SHOULDER_AXI
int steering_simulation._numTrajectoryPoints = 0
list steering_simulation._trajectorySteering = []
list steering_simulation._trajectoryShoulder0Right = []
list steering_simulation._trajectoryShoulder1Right = []
list steering_simulation._trajectoryShoulder2Right = []
list steering_simulation._trajectoryShoulder0Left = []
```

```
list steering_simulation._trajectoryShoulder1Left = []
list steering_simulation._trajectoryShoulder2Left = []
list steering_simulation._trajectoryElbowRight = []
list steering_simulation._trajectoryElbowLeft = []
list steering_simulation._trajectoryWrist0Right = []
list steering_simulation._trajectoryWrist1Right = []
list steering_simulation._trajectoryWrist2Right = []
list steering_simulation._trajectoryWrist0Left = []
list steering_simulation._trajectoryWrist1Left = []
list steering_simulation._trajectoryWrist2Left = []
steering_simulation._interpolatedShoulder0Right = None
steering_simulation._interpolatedShoulder1Right = None
steering_simulation._interpolatedShoulder2Right = None
steering_simulation._interpolatedShoulder0Left = None
steering_simulation._interpolatedShoulder1Left = None
steering_simulation._interpolatedShoulder2Left = None
steering_simulation._interpolatedElbowRight = None
steering_simulation._interpolatedElbowLeft = None
steering_simulation._interpolatedWrist0Right = None
steering_simulation._interpolatedWrist1Right = None
steering_simulation._interpolatedWrist2Right = None
steering_simulation._interpolatedWrist0Left = None
steering_simulation._interpolatedWrist1Left = None
steering_simulation._interpolatedWrist2Left = None
steering_simulation._regressedShoulder0Right = None
steering_simulation._regressedShoulder1Right = None
steering_simulation._regressedShoulder2Right = None
steering_simulation._regressedShoulder0Left = None
steering_simulation._regressedShoulder1Left = None
steering_simulation._regressedShoulder2Left = None
steering_simulation._regressedElbowRight = None
steering_simulation._regressedElbowLeft = None
steering_simulation._regressedWrist0Right = None
steering_simulation._regressedWrist1Right = None
steering_simulation._regressedWrist2Right = None
steering_simulation._regressedWrist0Left = None
```

```

steering_simulation._regressedWrist1Left = None
steering_simulation._regressedWrist2Left = None
dictionary steering_simulation._jointsStatusData
steering_simulation.ros_right_shoulder_axis0_pub= rospy.Publisher('/right_shoulder_ax
steering_simulation.ros_right_shoulder_axis1_pub= rospy.Publisher('/right_shoulder_ax
steering_simulation.ros_right_shoulder_axis2_pub= rospy.Publisher('/right_shoulder_ax
steering_simulation.ros_left_shoulder_axis0_pub = rospy.Publisher('/left_shoulder_axi
steering_simulation.ros_left_shoulder_axis1_pub = rospy.Publisher('/left_shoulder_axi
steering_simulation.ros_left_shoulder_axis2_pub = rospy.Publisher('/left_shoulder_axi
steering_simulation.ros_elbow_right_pub = rospy.Publisher('/elbow_right/elbow_right/targ
steering_simulation.ros_elbow_left_pub = rospy.Publisher('/elbow_left/elbow_left/targ
steering_simulation.ros_right_wrist_0_pub = rospy.Publisher('/wrist_right_sphere_axis
steering_simulation.ros_right_wrist_1_pub = rospy.Publisher('/wrist_right_sphere_axis
steering_simulation.ros_right_wrist_2_pub = rospy.Publisher('/wrist_right_sphere_axis
steering_simulation.ros_left_wrist_0_pub = rospy.Publisher('/wrist_left_sphere_axis0/
steering_simulation.ros_left_wrist_1_pub = rospy.Publisher('/wrist_left_sphere_axis1/
steering_simulation.ros_left_wrist_2_pub = rospy.Publisher('/wrist_left_sphere_axis2/
steering_simulation.ros_bike_front_pub = rospy.Publisher('/joint_front/joint_front/targ
steering_simulation.ros_log_error_pub = rospy.Publisher('chatter', String, queue_size=10
int steering_simulation.requested_steering_angle = 0
bool steering_simulation.angle_change_successful = True
namespace steering_simulation_old_hand

```

Functions

joint_state_callback (joint_data joint_data)

Documentation for a function.

This function collects the current status of the joint-angles and saves them in the global dictionary “_jointStatusData”.

get_joint_position (joint_name joint_name)

Documentation for a function.

Returns current position of joint-angle ..

regress_joint_positions_from_file (filename filename)

Documentation for a function.

Initializes the interpolation-functions for every joint-angle using regression. The input value of the function is a steering angle and the output value of the function is the correspondent joint angle.

The functions can be used by calling “<function_name>(<steering_angle>)” ==> returns <joint_angle>

```
import_joint_trajectory_record()
Documentation for a function.

Collects and saves all joint- and steering-angles from the pre-captured trajectory from the (global variable).

interpolate_joint_angles()
Documentation for a function.

Initializes the interpolation-functions for every joint-angle using cubic spline interpolation. The input value of the function is a steering angle and the output value of the function the correspondent joint angle.

The functions can be used by calling "<function_name>(<steering_angle>)" ==> returns <joint_angle>

get_angle_difference(angle_1 angle_1, angle_2 angle_2)
Documentation for a function.

Returns the absolute difference of two angles within the interval [0;2pi]

set_joint_controller_parameters(proportional_value proportional_value, derivative_value derivative_value)
Documentation for a function.

Sets Kp of joint-controller to Sets Kd of joint-controller to

update_steering_angle(steering_angle_F32 steering_angle_F32)
Documentation for a function.

Updates the global variable when another node publishes a new requested steering_angle to the topic "cmd_steering_angle_rickshaw".

check_steering_angle_range(steering_angle steering_angle)
Documentation for a function.

Checks if the parameter is within the range of reachable steering-angles of Roboy.

publish_joint_angle(joint_name joint_name, steering_angle steering_angle)
Documentation for a function.

Evaluates the correspondent joint-angle of to given using the interpolation-function of

Publishes the computed value to the correspondent ros-topic of to apply position control.

Waits until the joint_angle has reached requested joint_angle within error tolerance.

steering_control()
Documentation for a function.

Controls the whole steering-process. Evaluates the target_steering_angles between requested_steering_angle and current_steering_angle and creates a Thread for every joint-angle with which is responsible to apply correspondent joint-angle given current target_steering_angle.

Simplified Pseudo-code:

while requested_steering_angle = current_steering_angle:
    sleep()

    if angle_difference(requested_steering_angle, current_steering_angle) > max_angle_change
        target_steering_angle = current_steering_angle + max_angle_change

    else:
        target_steering_angle = requested_steering_angle
```

for joint in joint_list:

```
Thread.publish_joint_angle(joint_name, target_joint_angle)
```

for Thread in created_threads:

```
Thread.join
```

current_steering_angle = target_steering_angle

main()

Documentation for a function.

Initializes the Control-Node for Steering and starts Steering-Algorithm.

Variables

```
bool steering_simulation_old_hand.PRINT_DEBUG = True
string steering_simulation_old_hand.RECORDED_TRAJECTORY_FILENAME = "trajectory_steerin
float steering_simulation_old_hand.JOINT_TARGET_ERROR_TOLERANCE = 0.01
float steering_simulation_old_hand.UPDATE_FREQUENCY = 0.001
int steering_simulation_old_hand.MAX_ANGLE_CHANGE = np.pi / 72
float steering_simulation_old_hand.STEP_TRANSITION_TIME = 2.5
string steering_simulation_old_hand.JOINT_SHOULDER_AXIS0_RIGHT = "right_shoulder_axis0"
string steering_simulation_old_hand.JOINT_SHOULDER_AXIS1_RIGHT = "right_shoulder_axis1"
string steering_simulation_old_hand.JOINT_SHOULDER_AXIS2_RIGHT = "right_shoulder_axis2"
string steering_simulation_old_hand.JOINT_SHOULDER_AXIS0_LEFT = "left_shoulder_axis0"
string steering_simulation_old_hand.JOINT_SHOULDER_AXIS1_LEFT = "left_shoulder_axis1"
string steering_simulation_old_hand.JOINT_SHOULDER_AXIS2_LEFT = "left_shoulder_axis2"
string steering_simulation_old_hand.JOINT_ELBOW_ROT0_RIGHT = "elbow_right_rot0"
string steering_simulation_old_hand.JOINT_ELBOW_ROT1_RIGHT = "elbow_right_rot1"
string steering_simulation_old_hand.JOINT_ELBOW_ROT0_LEFT = "elbow_left_rot0"
string steering_simulation_old_hand.JOINT_ELBOW_ROT1_LEFT = "elbow_left_rot1"
string steering_simulation_old_hand.JOINT_WRIST_0_RIGHT = "right_wrist_0"
string steering_simulation_old_hand.JOINT_WRIST_1_RIGHT = "right_wrist_1"
string steering_simulation_old_hand.JOINT_WRIST_0_LEFT = "left_wrist_0"
string steering_simulation_old_hand.JOINT_WRIST_1_LEFT = "left_wrist_1"
string steering_simulation_old_hand.JOINTBIKE_FRONT = "joint_front"
list steering_simulation_old_hand._joints_list= [JOINT_SHOULDER_AXIS0_RIGHT, JOINT_SH
int steering_simulation_old_hand._numTrajectoryPoints = 0
list steering_simulation_old_hand._trajectorySteering = []
list steering_simulation_old_hand._trajectoryShoulder0Right = []
```

```
list steering_simulation_old_hand._trajectoryShoulder1Right = []
list steering_simulation_old_hand._trajectoryShoulder2Right = []
list steering_simulation_old_hand._trajectoryShoulder0Left = []
list steering_simulation_old_hand._trajectoryShoulder1Left = []
list steering_simulation_old_hand._trajectoryShoulder2Left = []
list steering_simulation_old_hand._trajectoryElbow0Right = []
list steering_simulation_old_hand._trajectoryElbow1Right = []
list steering_simulation_old_hand._trajectoryElbow0Left = []
list steering_simulation_old_hand._trajectoryElbow1Left = []
list steering_simulation_old_hand._trajectoryWrist0Right = []
list steering_simulation_old_hand._trajectoryWrist1Right = []
list steering_simulation_old_hand._trajectoryWrist0Left = []
list steering_simulation_old_hand._trajectoryWrist1Left = []
steering_simulation_old_hand._interpolatedShoulder0Right = None
steering_simulation_old_hand._interpolatedShoulder1Right = None
steering_simulation_old_hand._interpolatedShoulder2Right = None
steering_simulation_old_hand._interpolatedShoulder0Left = None
steering_simulation_old_hand._interpolatedShoulder1Left = None
steering_simulation_old_hand._interpolatedShoulder2Left = None
steering_simulation_old_hand._interpolatedElbow0Right = None
steering_simulation_old_hand._interpolatedElbow1Right = None
steering_simulation_old_hand._interpolatedElbow0Left = None
steering_simulation_old_hand._interpolatedElbow1Left = None
steering_simulation_old_hand._interpolatedWrist0Right = None
steering_simulation_old_hand._interpolatedWrist1Right = None
steering_simulation_old_hand._interpolatedWrist0Left = None
steering_simulation_old_hand._interpolatedWrist1Left = None
steering_simulation_old_hand._regressedShoulder0Right = None
steering_simulation_old_hand._regressedShoulder1Right = None
steering_simulation_old_hand._regressedShoulder2Right = None
steering_simulation_old_hand._regressedShoulder0Left = None
steering_simulation_old_hand._regressedShoulder1Left = None
steering_simulation_old_hand._regressedShoulder2Left = None
steering_simulation_old_hand._regressedElbow0Right = None
steering_simulation_old_hand._regressedElbow1Right = None
steering_simulation_old_hand._regressedElbow0Left = None
```

```

steering_simulation_old_hand._regressedElbow1Left = None
steering_simulation_old_hand._regressedWrist0Right = None
steering_simulation_old_hand._regressedWrist1Right = None
steering_simulation_old_hand._regressedWrist0Left = None
steering_simulation_old_hand._regressedWrist1Left = None
dictionary steering_simulation_old_hand._jointsStatusData
steering_simulation_old_hand.ros_right_shoulder_axis0_pub= rospy.Publisher('/right_shoulder_axis0')
steering_simulation_old_hand.ros_right_shoulder_axis1_pub= rospy.Publisher('/right_shoulder_axis1')
steering_simulation_old_hand.ros_right_shoulder_axis2_pub= rospy.Publisher('/right_shoulder_axis2')
steering_simulation_old_hand.ros_left_shoulder_axis0_pub = rospy.Publisher('/left_shoulder_axis0')
steering_simulation_old_hand.ros_left_shoulder_axis1_pub = rospy.Publisher('/left_shoulder_axis1')
steering_simulation_old_hand.ros_left_shoulder_axis2_pub = rospy.Publisher('/left_shoulder_axis2')
steering_simulation_old_hand.ros_elbow_right_rot0_pub = rospy.Publisher('/elbow_right_axis0')
steering_simulation_old_hand.ros_elbow_right_rot1_pub = rospy.Publisher('/elbow_right_axis1')
steering_simulation_old_hand.ros_elbow_left_rot0_pub = rospy.Publisher('/elbow_left_axis0')
steering_simulation_old_hand.ros_elbow_left_rot1_pub = rospy.Publisher('/elbow_left_axis1')
steering_simulation_old_hand.ros_right_wrist_0_pub = rospy.Publisher('/right_wrist_0_axis0')
steering_simulation_old_hand.ros_right_wrist_1_pub = rospy.Publisher('/right_wrist_1_axis0')
steering_simulation_old_hand.ros_left_wrist_0_pub = rospy.Publisher('/left_wrist_0_axis0')
steering_simulation_old_hand.ros_left_wrist_1_pub = rospy.Publisher('/left_wrist_1_axis0')
steering_simulation_old_hand.ros_bike_front_pub = rospy.Publisher('/joint_front/joint')
steering_simulation_old_hand.ros_log_error_pub = rospy.Publisher('chatter', String, queue_size=10)
int steering_simulation_old_hand.requested_steering_angle = 0
bool steering_simulation_old_hand.angle_change_successful = True
namespace steering_trajectory_following_test

```

Functions

```

regressFunctionsFromFile (filename_coefficients filename_coefficients)
    UTILITY FUNCTIONS ###.

setJointControllerParameters (proportionalVal proportionalVal, derivativeVal derivativeVal)
computeSteeringAngles ()
computeHandTrajectories ()
getPositionLeftHand ()
getPositionRightHand ()
jointStateCallback (joint_data joint_data)

```

```

recordActualHandTrajectories (ros_right_shoulder0_publisher,
    ros_right_shoulder0_publisher,
    ros_right_shoulder1_publisher,
    ros_right_shoulder1_publisher,
    ros_right_shoulder2_publisher
    ros_right_shoulder2_publisher, ros_right_elbow0_publisher
    ros_right_elbow0_publisher, ros_right_elbow1_publisher
    ros_right_elbow1_publisher, ros_right_wrist0_publisher
    ros_right_wrist0_publisher, ros_right_wrist1_publisher
    ros_left_shoulder0_publisher, ros_left_shoulder1_publisher
    ros_left_shoulder2_publisher, ros_left_elbow0_publisher
    ros_left_elbow0_publisher, ros_left_elbow1_publisher
    ros_left_elbow1_publisher, ros_left_wrist0_publisher
    ros_left_wrist0_publisher, ros_left_wrist1_publisher
    ros_left_wrist1_publisher)

printPlannedActualHandTrajectories()

main()
    MAIN ###.

```

Variables

```

int steering_trajectory_following_test.MAX_TURNING_ANGLE =  math.pi/15
MODULE PARAMETERS ###.

int steering_trajectory_following_test.NUM_STEERING_ANGLES =  61
float steering_trajectory_following_test.JOINT_ANGLE_TOLERANCE_FK =  0.01
string steering_trajectory_following_test.ENDEFFECTOR_RIGHT =  "right_hand"
string steering_trajectory_following_test.FRAME_RIGHT =  "right_hand"
string steering_trajectory_following_test.ENDEFFECTOR_LEFT =  "left_hand"
string steering_trajectory_following_test.FRAME_LEFT =  "left_hand"
int steering_trajectory_following_test.BIKE_OFFSET_X =  0
MEASURED PARAMETERS ###.

int steering_trajectory_following_test.BIKE_OFFSET_Y =  0
int steering_trajectory_following_test.BIKE_OFFSET_Z =  0
float steering_trajectory_following_test.RIKSHAW_TURN_JOINT_X_OFFSET =  0.716390260057
float steering_trajectory_following_test.RIKSHAW_TURN_JOINT_Y_OFFSET =  -0.01038855246
float steering_trajectory_following_test.RIKSHAW_TURN_JOINT_Z_OFFSET =  0.216437694214
int steering_trajectory_following_test.YAW_RIGHT_HAND_OFFSET =  math.pi / 2 + math.pi
int steering_trajectory_following_test.YAW_LEFT_HAND_OFFSET =  3 * math.pi / 2 + math.pi
float steering_trajectory_following_test.HANDLEBAR_X_OFFSET =  0.728713
float steering_trajectory_following_test.HANDLEBAR_Z_OFFSET =  0.719269
float steering_trajectory_following_test.HAND_Y_OFFSET =  0.2

```

```

list steering_trajectory_following_test._steeringAngles = []
GLOBAL VARIABLES ###.

list steering_trajectory_following_test._rightHandTrajectoryPlanned = []
list steering_trajectory_following_test._leftHandTrajectoryPlanned = []
list steering_trajectory_following_test._centerHandlebarTrajectoryPlanned = []
list steering_trajectory_following_test._rightHandTrajectoryActual = []
list steering_trajectory_following_test._leftHandTrajectoryActual = []
string steering_trajectory_following_test.JOINT_SHOULDER_AXIS0_RIGHT = "right_shoulder"
string steering_trajectory_following_test.JOINT_SHOULDER_AXIS1_RIGHT = "right_shoulder"
string steering_trajectory_following_test.JOINT_SHOULDER_AXIS2_RIGHT = "right_shoulder"
string steering_trajectory_following_test.JOINT_SHOULDER_AXIS0_LEFT = "left_shoulder"
string steering_trajectory_following_test.JOINT_SHOULDER_AXIS1_LEFT = "left_shoulder"
string steering_trajectory_following_test.JOINT_SHOULDER_AXIS2_LEFT = "left_shoulder"
string steering_trajectory_following_test.JOINT_ELBOW_ROT0_RIGHT = "elbow_right_rot0"
string steering_trajectory_following_test.JOINT_ELBOW_ROT1_RIGHT = "elbow_right_rot1"
string steering_trajectory_following_test.JOINT_ELBOW_ROT0_LEFT = "elbow_left_rot0"
string steering_trajectory_following_test.JOINT_ELBOW_ROT1_LEFT = "elbow_left_rot1"
string steering_trajectory_following_test.JOINT_WRIST_0_RIGHT = "right_wrist_0"
string steering_trajectory_following_test.JOINT_WRIST_1_RIGHT = "right_wrist_1"
string steering_trajectory_following_test.JOINT_WRIST_0_LEFT = "left_wrist_0"
string steering_trajectory_following_test.JOINT_WRIST_1_LEFT = "left_wrist_1"
list steering_trajectory_following_test.JOINT_LIST = [JOINT_SHOULDER_AXIS0_RIGHT, JOINT_SHOULDER_AXIS1_RIGHT, JOINT_SHOULDER_AXIS2_RIGHT, JOINT_ELBOW_ROT0_RIGHT, JOINT_ELBOW_ROT1_RIGHT, JOINT_WRIST_0_RIGHT, JOINT_WRIST_1_RIGHT, JOINT_SHOULDER_AXIS0_LEFT, JOINT_SHOULDER_AXIS1_LEFT, JOINT_SHOULDER_AXIS2_LEFT, JOINT_ELBOW_ROT0_LEFT, JOINT_ELBOW_ROT1_LEFT, JOINT_WRIST_0_LEFT, JOINT_WRIST_1_LEFT]
steering_trajectory_following_test._regressedShoulder0Right = None
steering_trajectory_following_test._regressedShoulder1Right = None
steering_trajectory_following_test._regressedShoulder2Right = None
steering_trajectory_following_test._regressedShoulder0Left = None
steering_trajectory_following_test._regressedShoulder1Left = None
steering_trajectory_following_test._regressedShoulder2Left = None
steering_trajectory_following_test._regressedElbow0Right = None
steering_trajectory_following_test._regressedElbow1Right = None
steering_trajectory_following_test._regressedElbow0Left = None
steering_trajectory_following_test._regressedElbow1Left = None
steering_trajectory_following_test._regressedWrist0Right = None
steering_trajectory_following_test._regressedWrist1Right = None
steering_trajectory_following_test._regressedWrist0Left = None
steering_trajectory_following_test._regressedWrist1Left = None

```

```
dictionary steering_trajectory_following_test._jointsStatusData
namespace velocity_test
```

Functions

get_twist (*velocity velocity*)

Documentation for a function.

Return a Twist-msg with the linear velocity #velocity

get_position_left_foot ()

Documentation for a function.

Return the position of the left foot of Roboy.

get_position_right_foot ()

Documentation for a function.

Return the position of the right foot of Roboy.

evaluate_current_pedal_angle (*current_point current_point*)

Documentation for a function.

Evaluating the current pedal-angle according to the current position of the left foot . Using trigonometric functions for the evaluation of the angle.

get_angle_difference (*angle_1 angle_1, angle_2 angle_2*)

Documentation for a function.

Returns the absolute difference of two angles within the interval [0;2pi]

evaluate_error (*velocity velocity, leg leg*)

Documentation for a function.

Evaluate the angle-error for velocity after seconds

simulation_test (*pub pub*)

Documentation for a function.

Test program for evaluating the accuracy of velocity. Saves ten error-results for every target velocity and determines average error and max error for every velocity and displays them using pyplot.

velocity_reached (*velocity velocity*)

Documentation for a function.

Returns if has been reached within the error-tolerance

reality_test_acceleration (*pub pub*)

Documentation for a function.

Test program for evaluating the acceleration time (time needed to change between two velocities).

Uses to determine the difference between two different velocities and measures the time needed to change between the two velocities. Displays all acceleration times using pyplot.

main ()

Documentation for a function.

Initializes the Test-Node for the velocity-tests

Variables

```

float velocity_test.TIME_STEP_SIMULATION = 0.5
float velocity_test.TIME_STEP_REALITY = 0.5
float velocity_test.VELOCITY_STEP_SIMULATION = 0.1
list velocity_test.VELOCITY_STEPS_REALITY = [0.1, 0.2, 0.5]
int velocity_test.ERROR_TOLERANCE_REALITY = 2*np.pi / 720
int velocity_test.MAX_VELOCITY = 5
float velocity_test.PEDAL_CENTER_OFFSET_X = 0.20421
float velocity_test.PEDAL_CENTER_OFFSET_Y = -0.00062
float velocity_test.PEDAL_CENTER_OFFSET_Z = 0.2101
float velocity_test.RADIUS_BACK_TIRE = 0.294398
float velocity_test.RADIUS_GEAR_CLUSTER = 0.06
float velocity_test.RADIUS_FRONT_CHAIN_RING = 0.075
string velocity_test.ROS_JOINT_HIP_RIGHT = "joint_hip_right"
string velocity_test.ROS_JOINT_KNEE_RIGHT = "joint_knee_right"
string velocity_test.ROS_JOINT_ANKLE_RIGHT = "joint_foot_right"
string velocity_test.ROS_JOINT_HIP_LEFT = "joint_hip_left"
string velocity_test.ROS_JOINT_KNEE_LEFT = "joint_knee_left"
string velocity_test.ROS_JOINT_ANKLE_LEFT = "joint_foot_left"
string velocity_test.RIGHT_HIP_JOINT = "right_hip"
string velocity_test.RIGHT_KNEE_JOINT = "right_knee"
string velocity_test.RIGHT_ANKLE_JOINT = "right_ankle"
string velocity_test.LEFT_HIP_JOINT = "left_hip"
string velocity_test.LEFT_KNEE_JOINT = "left_knee"
string velocity_test.LEFT_ANKLE_JOINT = "left_ankle"
dictionary velocity_test.joint_status_data= {      RIGHT_HIP_JOINT: { "Pos": 0.0
namespace visualization_msgs

file cardsflow_rviz.hpp
#include <QPainter>#include <QCheckBox>#include <QPushButton>#include <QLineEdit>#include
<QSlider>#include <QVBoxLayout>#include <QHBoxLayout>#include <QLabel>#include
<QTableWidget>#include <QComboBox>#include <QTimer>#include <QScrollArea>#include
<QListWidget>#include <QStyledItemDelegate>#include <ros/ros.h>#include <tf/tf.h>#include
<tf/transform_listener.h>#include <tf/transform_broadcaster.h>#include <tf/conversions/tf_eigen.h>#include
<Eigen/Core>#include <Eigen/Dense>#include <rviz/panel.h>#include <pluginlib/class_loader.h>#include
<pluginlib/class_list_macros.h>#include <common_utilities/rviz_visualization.hpp>#include
<geometry_msgs/PoseStamped.h>#include <roboy_simulation_msgs/Tendon.h>#include
<moveit_msgs/DisplayRobotState.h>#include <roboy_simulation_msgs/JointState.h>#include
<map>#include <thread>

```

```

file cardsflow_rviz.cpp
#include "include/cardsflow_rviz/cardsflow_rviz.hpp"

file measureExecutionTime.hpp
#include <string>#include <chrono>#include <boost/shared_ptr.hpp>#include <fstream>

```

Typedefs

```

using Clock = std::chrono::steady_clock

typedef boost::shared_ptr<MeasureExecutionTime> MeasureExecutionTimePtr

file MotorConfig.hpp
#include <ros/ros.h>#include <map>#include <yaml-cpp/yaml.h>#include <fstream>#include
<sys/types.h>#include <sys/stat.h>#include <unistd.h>#include <common_utilities/CommonDefinitions.h>

file rviz_visualization.hpp
#include <ros/ros.h>#include <ros/package.h>#include <visualization_msgs/Marker.h>#include <visu-
alization_msgs/MarkerArray.h>#include <Eigen/Core>#include <Eigen/Dense>#include <tf/tf.h>#include
<tf/transform_listener.h>#include <tf/transform_broadcaster.h>#include <tf/conversions/tf_eigen.h>#include
<interactive_markers/menu_handler.h>#include <interactive_markers/interactive_marker_server.h>#include
<geometry_msgs/Pose.h>#include <string>#include <sys/stat.h>

file UDP_Socket.hpp
#include <stdlib.h>#include <unistd.h>#include <errno.h>#include <string.h>#include
<sys/types.h>#include <sys/socket.h>#include <netinet/in.h>#include <arpa/inet.h>#include
<netdb.h>#include <string>#include <ifaddrs.h>#include <stdio.h>#include <time.h>#include <bit-
set>#include <iostream>#include <boost/shared_ptr.hpp>#include <vector>#include <ros/ros.h>

```

Defines

```

MAXBUFSIZE

BYTE_TO_BINARY_PATTERN

BYTE_TO_BINARY (byte)

BROADCAST_PORT

pack754_32 (f)
pack754_64 (f)
unpack754_32 (i)
unpack754_64 (i)

```

Typedefs

```

typedef boost::shared_ptr<UDPSocket> UDPSocketPtr

```

Functions

```

uint64_t pack754 (long double f, unsigned bits, unsigned expbits)
long double unpack754 (uint64_t i, unsigned bits, unsigned expbits)

```

```

file MotorConfig.cpp
    #include "common_utilities/MotorConfig.hpp"

file rfid_unlocker.cpp
    #include "common_utilities/UDPSocket.hpp" #include <chrono>

```

Functions

```
int main (int argc, char *argv[])
```

Variables

```

const char* key= "The path of the righteous man is beset on all sides by the inequities
uint8_t user[4] = {0xBF, , , }

```

```

file ROS_MASTER_URI_broadcaster.cpp
    #include <ros/ros.h> #include "common_utilities/UDPSocket.hpp"

```

Functions

```
int main (int argc, char *argv[])
```

Variables

```

const char* key= "The path of the righteous man is beset on all sides by the inequities

```

```

file ROS_MASTER_URI_receiver.cpp
    #include <ros/ros.h> #include <common_utilities/UDPSocket.hpp>

```

Functions

```
int main (int argc, char *argv[])
```

Variables

```

const char* key= "The path of the righteous man is beset on all sides by the inequities

```

```

file rviz_visualization.cpp
    #include "common_utilities/rviz_visualization.hpp"

```

```

file UDPSocket.cpp
    #include <ifaddrs.h> #include "common_utilities/UDPSocket.hpp"

```

Functions

```

uint64_t pack754 (long double f, unsigned bits, unsigned expbits)
long double unpack754 (uint64_t i, unsigned bits, unsigned expbits)

```

```

file cable.hpp
    #include <Eigen/Core> #include <Eigen/Dense> #include <vector>

```

```

file cardsflow_command_interface.hpp
#include <cassert>#include <string>#include <hardware_interface/internal/hardware_resource_manager.h>#include
“kindyn/controller/cardsflow_state_interface.hpp”#include <Eigen/Core>#include <Eigen/Dense>

file cardsflow_state_interface.hpp
#include <hardware_interface/internal/hardware_resource_manager.h>#include <cassert>#include
<string>#include <Eigen/Core>#include <Eigen/Dense>

file EigenExtension.hpp
#include <iostream>#include <Eigen/Dense>#include <Eigen/Geometry>#include <Eigen/SVD>

file robot.hpp
#include <ros/ros.h>#include <Eigen/Core>#include <Eigen/Dense>#include <iDyn-
Tree/Model/FreeFloatingState.h>#include <iDynTree/KinDynComputations.h>#include <iDyn-
Tree/ModelIO/ModelLoader.h>#include <iDynTree/Core/EigenHelpers.h>#include <iDyn-
Tree/InverseKinematics.h>#include “tinyxml.h”#include “kindyn/cable.hpp”#include “kin-
dyn/EigenExtension.hpp”#include “kindyn/controller/cardsflow_state_interface.hpp”#include “kin-
dyn/controller/cardsflow_command_interface.hpp”#include <actionlib/server/simple_action_server.h>#include
<geometry_msgs/PoseStamped.h>#include <geometry_msgs/Vector3.h>#include
<std_msgs/Float32.h>#include <sensor_msgs/JointState.h>#include <roboy_simulation_msgs/Tendon.h>#include
<roboy_simulation_msgs/ControllerType.h>#include <roboy_simulation_msgs/JointState.h>#include
<roboy_middleware_msgs/ForwardKinematics.h>#include <roboy_middleware_msgs/InverseKinematics.h>#include
<roboy_middleware_msgs/InverseKinematicsMultipleFrames.h>#include <roboy_middleware_msgs/MotorCommand.h>#includ
<roboy_middleware_msgs/MotorStatus.h>#include <roboy_control_msgs/MoveEndEffectorAction.h>#include
<tf/tf.h>#include <tf/transform_broadcaster.h>#include <tf/transform_listener.h>#include
<tf/conversions/tf_eigen.h>#include <eigen_conversions/eigen_msg.h>#include
<qpOASES.hpp>#include <controller_manager/controller_manager.h>#include <con-
troller_manager_msgs/LoadController.h>#include <hardware_interface/joint_state_interface.h>#include
<hardware_interface/joint_command_interface.h>#include <hardware_interface/robot_hw.h>#include
<boost/numeric/odeint.hpp>#include <common_utilities/rviz_visualization.hpp>#include <visualiza-
tion_msgs/InteractiveMarkerFeedback.h>#include <thread>

```

Typedefs

typedef boost::shared_ptr<cardsflow::kindyn::Robot> **RobotPtr**

```

file vrpuppet.hpp
#include <ros/ros.h>#include <Eigen/Core>#include <Eigen/Dense>#include <iDyn-
Tree/Model/FreeFloatingState.h>#include <iDynTree/KinDynComputations.h>#include <iDyn-
Tree/ModelIO/ModelLoader.h>#include <iDynTree/Core/EigenHelpers.h>#include <iDyn-
Tree/InverseKinematics.h>#include “tinyxml.h”#include “kindyn/cable.hpp”#include “kin-
dyn/EigenExtension.hpp”#include “kindyn/controller/cardsflow_state_interface.hpp”#include “kin-
dyn/controller/cardsflow_command_interface.hpp”#include <actionlib/server/simple_action_server.h>#include
<geometry_msgs/PoseStamped.h>#include <geometry_msgs/Vector3.h>#include
<std_msgs/Float32.h>#include <sensor_msgs/JointState.h>#include <roboy_simulation_msgs/Tendon.h>#include
<roboy_simulation_msgs/ControllerType.h>#include <roboy_simulation_msgs/JointState.h>#include
<roboy_middleware_msgs/ForwardKinematics.h>#include <roboy_middleware_msgs/InverseKinematics.h>#include
<roboy_middleware_msgs/InverseKinematicsMultipleFrames.h>#include <roboy_middleware_msgs/MotorCommand.h>#includ
<roboy_middleware_msgs/MotorStatus.h>#include <roboy_control_msgs/MoveEndEffectorAction.h>#include
<tf/tf.h>#include <tf/transform_broadcaster.h>#include <tf/transform_listener.h>#include
<tf/conversions/tf_eigen.h>#include <eigen_conversions/eigen_msg.h>#include
<qpOASES.hpp>#include <controller_manager/controller_manager.h>#include <con-
troller_manager_msgs/LoadController.h>#include <hardware_interface/joint_state_interface.h>#include
<hardware_interface/joint_command_interface.h>#include <hardware_interface/robot_hw.h>#include

```

```
<boost/numeric/odeint.hpp>#include      <common_utilities/rviz_visualization.hpp>#include      <visualization_msgs/InteractiveMarkerFeedback.h>#include <thread>
```

Typedefs

```
typedef boost::shared_ptr<cardsflow::vrpuppet::Robot> RobotPtr
```

```
file cableLengthController.cpp
#include <type_traits>#include <controller_interface/controller.h>#include <hardware_interface/joint_command_interface.h>#include <pluginlib/class_list_macros.h>#include "kindyn/robot.hpp"#include "kindyn/controller/cardsflow_state_interface.hpp"#include <roboy_simulation_msgs/ControllerType.h>#include <std_msgs/Float32.h>#include <roboy_control_msgs/SetControllerParameters.h>
```

Functions

```
PLUGINLIB_EXPORT_CLASS (CableLengthController, controller_interface::ControllerBase)
```

```
file cableLengthVelocityController.cpp
#include <type_traits>#include <controller_interface/controller.h>#include <hardware_interface/joint_command_interface.h>#include <pluginlib/class_list_macros.h>#include "kindyn/robot.hpp"#include "kindyn/controller/cardsflow_state_interface.hpp"#include <roboy_simulation_msgs/ControllerType.h>#include <std_msgs/Float32.h>#include <roboy_control_msgs/SetControllerParameters.h>
```

Functions

```
PLUGINLIB_EXPORT_CLASS (CableLengthVelocityController, controller_interface::ControllerBase)
```

```
file cardsflow_command_interface.cpp
#include "kindyn/controller/cardsflow_command_interface.hpp"
```

```
file cardsflow_state_interface.cpp
#include "kindyn/controller/cardsflow_state_interface.hpp"
```

```
file forcePositionController.cpp
#include <type_traits>#include <controller_interface/controller.h>#include <hardware_interface/joint_command_interface.h>#include <pluginlib/class_list_macros.h>#include "kindyn/robot.hpp"#include "kindyn/controller/cardsflow_state_interface.hpp"#include <roboy_simulation_msgs/ControllerType.h>#include <std_msgs/Float32.h>#include <roboy_control_msgs/SetControllerParameters.h>
```

Functions

```
PLUGINLIB_EXPORT_CLASS (ForcePositionController, controller_interface::ControllerBase)
```

```
file torquePositionController.cpp
#include <type_traits>#include <controller_interface/controller.h>#include <hardware_interface/joint_command_interface.h>#include <pluginlib/class_list_macros.h>#include "kindyn/robot.hpp"#include "kindyn/controller/cardsflow_command_interface.hpp"#include <roboy_simulation_msgs/ControllerType.h>#include <std_msgs/Float32.h>#include <roboy_control_msgs/SetControllerParameters.h>
```

Functions

```
PLUGINLIB_EXPORT_CLASS (TorquePositionController, controller_interface::ControllerBase)

file EigenExtension.cpp
    #include "kindyn/EigenExtension.hpp"

file pedal_simulation.py
file pedal_simulation_interpolation_cubic_derivative.py
file pedal_simulation_interpolation_linear_trajectory_points.py
file pedal_simulation_left_leg_experimental.py
file pedal_simulation_left_leg_fk_pos.py
file finals_simulation_pedaling.py
file joint_angle_velocity_factor_test.py
file velocity_test.py
file capture_pedal_trajectory_left_leg_only.py
file capture_pedal_trajectory.py
file README.md

file robot.cpp
    #include "kindyn/robot.hpp"

file msj_platform.cpp
    #include "kindyn/robot.hpp" #include <thread> #include <roboy_middleware_msgs/MotorCommand.h> #include
    <roboy_simulation_msgs/GymStep.h> #include <roboy_simulation_msgs/GymReset.h> #include <common_utilities/CommonDefinitions.h>
```

Defines

```
NUMBER_OF_MOTORS
SPINDLERADIUS
msjMeterPerEncoderTick (encoderTicks)
msjEncoderTicksPerMeter (meter)
```

Functions

```
void update (controller_manager::ControllerManager *cm)
    controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main (int argc, char *argv[])
```

```
file rickshaw_pedaling.cpp
    #include "kindyn/robot.hpp" #include <thread> #include <roboy_middleware_msgs/MotorCommand.h> #include
    <roboy_middleware_msgs/ControlMode.h> #include <common_utilities/CommonDefinitions.h> #include
    <roboy_control_msgs/SetControllerParameters.h>
```

Functions

```
void update (controller_manager::ControllerManager *cm)
    controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main (int argc, char *argv[])
```

file rikshaw.cpp

```
#include "kindyn/robot.hpp">#include <thread>#include <roboy_middleware_msgs/MotorCommand.h>#include
<roboy_middleware_msgs/ControlMode.h>#include      <common_utilities/CommonDefinitions.h>#include
<roboy_control_msgs/SetControllerParameters.h>
```

Functions

```
void update (controller_manager::ControllerManager *cm)
    controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main (int argc, char *argv[])
```

file rikshaw_new_hands.cpp

```
#include      "kindyn/robot.hpp"#include      <thread>#include      <std_msgs/Float32.h>#include
<roboy_middleware_msgs/MotorCommand.h>#include  <roboy_middleware_msgs/MotorConfig.h>#include
<roboy_middleware_msgs/MotorStatus.h>#include   <roboy_middleware_msgs/ControlMode.h>#include
<common_utilities/CommonDefinitions.h>#include <roboy_control_msgs/SetControllerParameters.h>
```

Functions

```
void update (controller_manager::ControllerManager *cm)
    controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main (int argc, char *argv[])
```

file robot_configuration_estimator.cpp

```
#include <Eigen/Core>#include <Eigen/Dense>#include <unsupported/Eigen/NonLinearOptimization>#include
<unsupported/Eigen/NumericalDiff>#include      <iostream>#include      "kindyn/robot.hpp"#include
<std_msgs/Float32.h>#include      <controller_manager_msgs/LoadController.h>#include      <con-
troller_manager_msgs/SwitchController.h>#include <tf/transform_broadcaster.h>
```

Defines

```
NUMBER_OF_MOTORS  
SPINDLERADIUS  
msjMeterPerEncoderTick (encoderTicks)  
msjEncoderTicksPerMeter (meter)
```

Functions

```
void update (controller_manager::ControllerManager *cm)  
controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main ()
```

file roboy2.cpp

```
#include "kindyn/vrpuppet.hpp">#include <thread>#include <roboy middleware_msgs/MotorCommand.h>#include  
<roboy middleware_msgs/ControlMode.h>#include <roboy middleware_msgs/MotorConfigService.h>#include  
<common_utilities/CommonDefinitions.h>#include <roboy_control_msgs/SetControllerParameters.h>#include  
<std_srvs/Empty.h>
```

Functions

```
int main (int argc, char *argv[])
```

file roboy_arena_maschine.cpp

```
#include "kindyn/robot.hpp">#include <thread>#include <roboy middleware_msgs/MotorCommand.h>
```

Functions

```
void update (controller_manager::ControllerManager *cm)  
controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main (int argc, char *argv[])
```

file roboy_head.cpp

```
#include "kindyn/robot.hpp">#include <thread>#include <std_msgs/Float32.h>#include  
<roboy middleware_msgs/MotorCommand.h>#include <roboy middleware_msgs/MotorConfig.h>#include  
<roboy middleware_msgs/MotorConfigService.h>#include <roboy middleware_msgs/MotorStatus.h>#include  
<roboy middleware_msgs/ControlMode.h>#include <common_utilities/CommonDefinitions.h>#include  
<roboy control_msgs/SetControllerParameters.h>
```

Functions

```
void update (controller_manager::ControllerManager *cm)
    controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main (int argc, char *argv[])
```

file roboy_icecream.cpp

```
#include "kindyn/vrpuppet.hpp">#include <thread>#include <roboy_middleware_msgs/MotorCommand.h>#include
<roboy_middleware_msgs/ControlMode.h>#include <roboy_middleware_msgs/MotorConfigService.h>#include
<common_utilities/CommonDefinitions.h>#include <roboy_control_msgs/SetControllerParameters.h>#include
<std_srvs/Empty.h>
```

Functions

```
int main (int argc, char *argv[])
```

file roboy_upper_body.cpp

```
#include "kindyn/robot.hpp">#include <thread>#include <roboy_middleware_msgs/MotorCommand.h>#include
<roboy_middleware_msgs/ControlMode.h>#include <common_utilities/CommonDefinitions.h>#include
<roboy_control_msgs/SetControllerParameters.h>
```

Functions

```
void update (controller_manager::ControllerManager *cm)
    controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main (int argc, char *argv[])
```

file roboy_xylophone.cpp

```
#include "kindyn/robot.hpp">#include <thread>#include <roboy_middleware_msgs/MotorCommand.h>#include
<common_utilities/CommonDefinitions.h>
```

Functions

```
void update (controller_manager::ControllerManager *cm)
    controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main (int argc, char *argv[])
```

```
file shoulder_testbed.cpp
#include "kindyn/robot.hpp">#include <thread>#include <roboy_middleware_msgs/MotorCommand.h>#include
<common_utilities/CommonDefinitions.h>
```

Defines

NUMBER_OF_MOTORS

Functions

```
void update(controller_manager::ControllerManager *cm)
controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main(int argc, char *argv[])
```

```
file test_robot.cpp
```

```
#include "kindyn/robot.hpp">#include <thread>
```

Functions

```
void update(controller_manager::ControllerManager *cm)
```

```
int main(int argc, char *argv[])
```

```
file theClaw.cpp
```

```
#include "kindyn/robot.hpp">#include <thread>#include <roboy_middleware_msgs/MotorCommand.h>
```

Defines

SPINDLERADIUS

FS5103R_MAX_SPEED

FS5103R_FULL_SPEED_BACKWARDS

FS5103R_STOP

FS5103R_FULL_SPEED_FORWARDS

Functions

```
void update(controller_manager::ControllerManager *cm)
controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main(int argc, char *argv[])
```

```
file VRpuppet.cpp
#include "kindyn/robot.hpp">#include <thread>#include <roboy_middleware_msgs/MotorCommand.h>#include
<roboy_middleware_msgs/ControlMode.h>#include <common_utilities/CommonDefinitions.h>#include
<roboy_control_msgs/SetControllerParameters.h>
```

Functions

```
void update (controller_manager::ControllerManager *cm)
controller manager update thread.
```

Here you can define how fast your controllers should run

Parameters

- cm: pointer to the controller manager

```
int main (int argc, char *argv[])
```

```
file vrpuppet.cpp
#include "kindyn/vrpuppet.hpp"
```

```
file yatr.cpp
#include "kindyn/robot.hpp">#include <thread>
```

Functions

```
void update (controller_manager::ControllerManager *cm)
```

```
int main (int argc, char *argv[])
```

```
file steering_simulation_old_hand.py
```

```
file steering_simulation.py
```

```
file steering_response_test.py
```

```
file steering_trajectory_following_test.py
```

```
file compute_steering_path.py
```

```
file steering_capture_multiple_trajectories.py
```

```
file steering_capture_trajectory.py
```

```
file steering_interpolate_and_print.py
```

```
file steering_interpolate_multiple_trajectories_and_print.py
```

```
file new_hand_steering_capture_trajectory.py
```

```
file interpolation.py
```

```
file kp_kp.py
```

```
file roboython.py
```

```
file state_machine.py
```

```
file test_idyntree.cpp
```

```
#include <ros/ros.h>#include <cstdlib>#include <Eigen/Core>#include <iDyn-
Tree/Model/FreeFloatingState.h>#include <iDynTree/KinDynComputations.h>#include <iDyn-
Tree/ModelIO/ModelLoader.h>#include <iDynTree/Core/EigenHelpers.h>#include <iDyn-
Tree/InverseKinematics.h>
```

Functions

```
int main (int argc, char *argv[])
```

page md__home_docs_checkouts_readthedocs.org_user_builds_cardsflow_checkouts_latest_kindyn_s
This folder contains the control files for CARDSFlow robots.

Doxygen documentation is found in documentation/html/index.html.

Before the Python scripts related to the Rickshaw can be run, the Rickshaw robot must be launched. This can at the time of writing be done with:

```
\ roslaunch kindyn robot.launch robot_name:=rikshaw
start_controllers:='joint_hip_left joint_hip_right joint_wheel_right
joint_wheel_back joint_pedal spine_joint joint_wheel_left joint_front
joint_pedal_right joint_pedal_left elbow_right_rot1 joint_foot_left
joint_knee_right joint_knee_left joint_foot_right left_shoulder_axis0
left_shoulder_axis1 left_shoulder_axis2 elbow_left_rot1 elbow_left_rot0
left_wrist_0 left_wrist_1 right_shoulder_axis0 right_shoulder_axis2
right_shoulder_axis1 elbow_right_rot0 right_wrist_0 right_wrist_1
head_axis0 head_axis1 head_axis2'
```

```
#roslaunch kindyn robot.launch robot_name:=rikshaw start_controllers:='spine_joint sphere_head_axis0
sphere_head_axis1 sphere_head_axis2 joint_hip_left joint_knee_left joint_foot_left joint_hip_right
joint_knee_right joint_foot_right left_shoulder_axis0 left_shoulder_axis1 left_shoulder_axis2
elbow_left wrist_left_sphere_axis0 wrist_left_sphere_axis1 wrist_left_sphere_axis2 right_shoulder_axis0
right_shoulder_axis1 right_shoulder_axis2 elbow_right wrist_right_sphere_axis0 wrist_right_sphere_axis1
wrist_right_sphere_axis2 little_right_joint0 ring_right_joint0 middle_right_joint0 index_right_joint0
thumb_right_joint0 little_right_joint1 ring_right_joint1 middle_right_joint1 index_right_joint1
thumb_right_joint1 little_right_joint2 ring_right_joint2 middle_right_joint2 index_right_joint2
thumb_right_joint2 little_left_joint0 ring_left_joint0 middle_left_joint0 index_left_joint0 thumb_left_joint0
little_left_joint1 ring_left_joint1 middle_left_joint1 index_left_joint1 thumb_left_joint1 little_left_joint2
ring_left_joint2 middle_left_joint2 index_left_joint2 thumb_left_joint2 joint_wheel_left joint_wheel_right
joint_front joint_wheel_back joint_pedal joint_pedal_right joint_pedal_left'
```

```
#roslaunch kindyn robot.launch robot_name:=rikshaw start_controllers:='joint_hip_left joint_knee_left
joint_foot_left joint_hip_right joint_knee_right joint_foot_right left_shoulder_axis0 left_shoulder_axis1
left_shoulder_axis2 elbow_left wrist_left_sphere_axis0 right_shoulder_axis0 right_shoulder_axis1
right_shoulder_axis2 elbow_right wrist_right_sphere_axis0 joint_front joint_pedal joint_pedal_right
joint_pedal_left'
```

Below is a content description of each subfolder:

controller \ This folder contains myo-muscle control files.

images \ This folder contains graphs and images relevant to steering and pedaling control of Roboy.

pedaling \ This folder contains files relevant to Roboy pedaling the rickshaw.

robots \ This folder contains the CARDSFlow implementation of each robot.

steering \ This folder contains files relevant to Roboy steering the rickshaw.

utilities \ This folder contains files used in the Rickshaw project.

Todo: \ Add usage information? \ Add description of files inside folders \ Add prerequisites \ Add installation guide

```
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/cardsflow_rv
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/cardsflow_rv
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/common_utili
```

```
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/common_utili
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/include
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/cardsf
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/packag
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/servic
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/structu
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/structu
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/structu
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/structu
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/include
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/include
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/cardsflow_rv
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/include
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/include
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/packag
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/packag
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/structu
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/structu
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/src/structu
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/include
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/include
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/include
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/include
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/include
dir /home/docs/checkouts/readthedocs.org/user_builds/cardsflow/checkouts/latest/kindyn/include
```


INDEX

B

BROADCAST_PORT (*C macro*), 140
BYTE_TO_BINARY (*C macro*), 140
BYTE_TO_BINARY_PATTERN (*C macro*), 140

C

CableLengthController (*C++ class*), 27
CableLengthController::CableLengthController (*C++ function*), 27
CableLengthController::controller_parameter (*C++ member*), 28
CableLengthController::controller_state (*C++ member*), 28
CableLengthController::init (*C++ function*), 27
CableLengthController::joint (*C++ member*), 28
CableLengthController::joint_command (*C++ member*), 28
CableLengthController::joint_index (*C++ member*), 28
CableLengthController::joint_name (*C++ member*), 28
CableLengthController::JointPositionCommand (*C++ function*), 28
CableLengthController::Kd (*C++ member*), 28
CableLengthController::Kp (*C++ member*), 28
CableLengthController::last_update (*C++ member*), 28
CableLengthController::nh (*C++ member*), 28
CableLengthController::p_error_last (*C++ member*), 28
CableLengthController::setControllerParameters (*C++ function*), 28
CableLengthController::spinner (*C++ member*), 28
CableLengthController::starting (*C++ function*), 27
CableLengthController::stopping (*C++ function*), 28
CableLengthController::update (*C++ function*), 27
CableLengthVelocityController (*C++ class*), 28
CableLengthVelocityController::CableLengthVelocityController (*C++ function*), 29
CableLengthVelocityController::controller_parameter (*C++ member*), 30
CableLengthVelocityController::controller_state (*C++ member*), 30
CableLengthVelocityController::init (*C++ function*), 29
CableLengthVelocityController::joint (*C++ member*), 30
CableLengthVelocityController::joint_command (*C++ member*), 30
CableLengthVelocityController::joint_index (*C++ member*), 30
CableLengthVelocityController::joint_name (*C++ member*), 30
CableLengthVelocityController::JointVelocityCommand (*C++ function*), 29
CableLengthVelocityController::Kd (*C++ member*), 30
CableLengthVelocityController::Kp (*C++ member*), 30
CableLengthVelocityController::last_update (*C++ member*), 30
CableLengthVelocityController::nh (*C++ member*), 30
CableLengthVelocityController::p_error_last (*C++ member*), 30
CableLengthVelocityController::setControllerParameters (*C++ function*), 29
CableLengthVelocityController::spinner (*C++ member*), 30
CableLengthVelocityController::starting (*C++ function*), 29
CableLengthVelocityController::stopping (*C++ function*), 29
CableLengthVelocityController::update (*C++ function*), 29
capture_pedal_trajectory (*built-in class*), 80
capture_pedal_trajectory.getPedalPositions ()

```

(built-in function), 80
capture_pedal_trajectory.getPositionLeftFoot() (C++ member), 27
(built-in function), 80
cardsflow::kindyn::Cable::name (C++ member), 27
capture_pedal_trajectory.getPositionRightFoot() (C++ member), 27
(built-in function), 80
cardsflow::kindyn::Cable::viaPoints (C++ member), 27
capture_pedal_trajectory.inverse_kinematics (cardsflow::kindyn::Robot::A (C++ member)), 57
(built-in function), 80
capture_pedal_trajectory.inverse_kinematics (cardsflow::kindyn::Robot::baseVel (C++ member)), 57
(built-in function), 80
capture_pedal_trajectory.jointStateCallback (cardsflow::kindyn::Robot::baseVel (C++ member)), 55
capture_pedal_trajectory.main() (built-in function), 80
cardsflow::kindyn::Robot::bias (C++ member), 56
capture_pedal_trajectory.plotEverything (cardsflow::kindyn::Robot::cable_forces (C++ member)), 55
capture_pedal_trajectory.plotPedalTrajectory (cardsflow::kindyn::Robot::cable_length_controller (C++ member)), 56
capture_pedal_trajectory.setJointController (cardsflow::kindyn::Robot::cables (C++ member)), 56
capture_pedal_trajectory_left_leg_only (cardsflow::kindyn::Robot::cardsflow_command_interface (C++ class)), 81
capture_pedal_trajectory_left_leg_only.getPedalBasis (cardsflow::kindyn::Robot::CG (C++ member)), 57
capture_pedal_trajectory_left_leg_only.getPedalBasis (C++ member), 57
capture_pedal_trajectory_left_leg_only.getPedalControllerType (Robot::controller_type (C++ member)), 55
capture_pedal_trajectory_left_leg_only.getPedalControllerTypeSub (Robot::controller_type_sub (C++ member)), 59
capture_pedal_trajectory_left_leg_only.inverseKinematics (Robot::endeffector_dof_offset (C++ member)), 54
capture_pedal_trajectory_left_leg_only.inverseKinematics (Robot::endeffector_number_of_dofs (C++ member)), 54
capture_pedal_trajectory_left_leg_only.joinStateCallback (Robot::endeffector_number_of_dofs (C++ member)), 54
capture_pedal_trajectory_left_leg_only.manifest (Robot::endeffectors (C++ member)), 54
capture_pedal_trajectory_left_leg_only.manifest (Robot::external_robot_target (C++ member)), 57
capture_pedal_trajectory_left_leg_only.penetrationWhisker (Robot::f_max (C++ member)), 57
capture_pedal_trajectory_left_leg_only.penetrationWhisker (Robot::f_min (C++ member)), 57
capture_pedal_trajectory_left_leg_only.searchForInitialParametersFirstTimeSolving (C++ member), 57
CARDSflow (C++ type), 83
cardsflow (C++ type), 83
CARDSflow::cable_length_controller (C++ enumerator), 83
CARDSflow::ControllerType (C++ enum), 83
CARDSflow::force_position_controller (C++ enumerator), 83
cardsflow::kindyn (C++ type), 83
cardsflow::kindyn::Cable (C++ class), 27
cardsflow::kindyn::Cable::name (C++ member), 27
cardsflow::kindyn::Robot::first_update (C++ member), 57
cardsflow::kindyn::Robot::fk_srv (C++ member), 60
cardsflow::kindyn::Robot::floating_base_sub (C++ member), 60
cardsflow::kindyn::Robot::fmt (C++ member), 57
cardsflow::kindyn::Robot::FOpt (C++ mem-
```

ber), 57
`cardsflow::kindyn::Robot::force_position` (C++ member), 56
`cardsflow::kindyn::Robot::frame_transform` (C++ member), 55
`cardsflow::kindyn::Robot::g` (C++ member), 57
`cardsflow::kindyn::Robot::H` (C++ member), 57
`cardsflow::kindyn::Robot::iDynTreeRobotState` (C++ class), 41
`cardsflow::kindyn::Robot::iDynTreeRobotStatefbawek` (C++ member), 41
`cardsflow::kindyn::Robot::iDynTreeRobotStatefgyowikyndyn` (C++ member), 41
`cardsflow::kindyn::Robot::iDynTreeRobotStatefjowntRosdyn` (C++ member), 41
`cardsflow::kindyn::Robot::iDynTreeRobotStatefjowntWekdyn` (C++ member), 41
`cardsflow::kindyn::Robot::iDynTreeRobotStatefrewizk` (C++ function), 41
`cardsflow::kindyn::Robot::iDynTreeRobotStatefrowidk` (C++ member), 41
`cardsflow::kindyn::Robot::ik` (C++ member), 60
`cardsflow::kindyn::Robot::ik_base_link` (C++ member), 60
`cardsflow::kindyn::Robot::ik_models` (C++ member), 60
`cardsflow::kindyn::Robot::ik_srv` (C++ member), 60
`cardsflow::kindyn::Robot::ik_two_frames_s` (C++ member), 60
`cardsflow::kindyn::Robot::integration_timer` (C++ member), 57
`cardsflow::kindyn::Robot::interactive_mach` (C++ member), 60
`cardsflow::kindyn::Robot::joint_axis` (C++ member), 56
`cardsflow::kindyn::Robot::joint_command_cat` (C++ member), 57
`cardsflow::kindyn::Robot::joint_command_pab` (C++ member), 56
`cardsflow::kindyn::Robot::joint_index` (C++ member), 56
`cardsflow::kindyn::Robot::joint_names` (C++ member), 56
`cardsflow::kindyn::Robot::joint_state` (C++ member), 57
`cardsflow::kindyn::Robot::joint_state_inter` (C++ member), 57
`cardsflow::kindyn::Robot::joint_state_pub` (C++ member), 59
`cardsflow::kindyn::Robot::joint_state_sub` (C++ member), 59
`cardsflow::kindyn::Robot::joint_state_target_pub` (C++ member), 59
`cardsflow::kindyn::Robot::kinDynComp` (C++ member), 60
`cardsflow::kindyn::Robot::kinDynCompTarget` (C++ member), 60
`cardsflow::kindyn::Robot::L` (C++ member), 56
`cardsflow::kindyn::Robot::l` (C++ member), 55
`cardsflow::kindyn::Robot::l_int` (C++ member), 55
`cardsflow::kindyn::Robot::L_t` (C++ member), 56
`cardsflow::kindyn::Robot::l_target` (C++ member), 55
`cardsflow::kindyn::Robot::last_visualization` (C++ member), 57
`cardsflow::kindyn::Robot::lb` (C++ member), 57
`cardsflow::kindyn::Robot::ld` (C++ member), 55
`cardsflow::kindyn::Robot::link_index` (C++ member), 56
`cardsflow::kindyn::Robot::link_names` (C++ member), 56
`cardsflow::kindyn::Robot::link_to_link_transform` (C++ member), 59
`cardsflow::kindyn::Robot::link_to_world_transform` (C++ member), 55
`cardsflow::kindyn::Robot::M` (C++ member), 55
`cardsflow::kindyn::Robot::Mass` (C++ member), 56
`cardsflow::kindyn::Robot::motor_state` (C++ member), 57
`cardsflow::kindyn::Robot::moveEndEffector_as` (C++ member), 60
`cardsflow::kindyn::Robot::nh` (C++ member), 59
`cardsflow::kindyn::Robot::number_of_cables` (C++ member), 55
`cardsflow::kindyn::Robot::number_of_dofs` (C++ member), 54
`cardsflow::kindyn::Robot::number_of_joints` (C++ member), 54
`cardsflow::kindyn::Robot::number_of_links` (C++ member), 55
`cardsflow::kindyn::Robot::nWSR` (C++ member), 59

ber), 57
`cardsflow::kindyn::Robot::P` (*C++ member*), 56
`cardsflow::kindyn::Robot::q` (*C++ member*), 55
`cardsflow::kindyn::Robot::q_max` (*C++ member*), 55
`cardsflow::kindyn::Robot::q_min` (*C++ member*), 55
`cardsflow::kindyn::Robot::q_target` (*C++ member*), 55
`cardsflow::kindyn::Robot::q_target_prev` (*C++ member*), 55
`cardsflow::kindyn::Robot::qd` (*C++ member*), 55
`cardsflow::kindyn::Robot::qd_target` (*C++ member*), 55
`cardsflow::kindyn::Robot::qd_target_prev` (*C++ member*), 55
`cardsflow::kindyn::Robot::qdd` (*C++ member*), 55
`cardsflow::kindyn::Robot::qdd_force_control` (*C++ member*), 56
`cardsflow::kindyn::Robot::qdd_target` (*C++ member*), 55
`cardsflow::kindyn::Robot::qdd_target_prev` (*C++ member*), 55
`cardsflow::kindyn::Robot::qdd_torque_control` (*C++ member*), 56
`cardsflow::kindyn::Robot::qp_print_level` (*C++ member*), 57
`cardsflow::kindyn::Robot::qp_solver` (*C++ member*), 57
`cardsflow::kindyn::Robot::read` (*C++ function*), 54
`cardsflow::kindyn::Robot::robot_state_pub` (*C++ member*), 59
`cardsflow::kindyn::Robot::robot_state_target_pub` (*C++ member*), 59
`cardsflow::kindyn::Robot::robotstate` (*C++ member*), 60
`cardsflow::kindyn::Robot::S` (*C++ member*), 56
`cardsflow::kindyn::Robot::segments` (*C++ member*), 56
`cardsflow::kindyn::Robot::spinner` (*C++ member*), 59
`cardsflow::kindyn::Robot::state_type` (*C++ type*), 56
`cardsflow::kindyn::Robot::tendon_state_pub` (*C++ member*), 59
`cardsflow::kindyn::Robot::tendon_state_target_pub` (*C++ member*), 59
`cardsflow::kindyn::Robot::torque_position_controller` (*C++ member*), 56
`cardsflow::kindyn::Robot::torques` (*C++ member*), 55
`cardsflow::kindyn::Robot::ub` (*C++ member*), 57
`cardsflow::kindyn::Robot::v` (*C++ member*), 56
`cardsflow::kindyn::Robot::w` (*C++ member*), 56
`cardsflow::kindyn::Robot::world_H_base` (*C++ member*), 55
`cardsflow::kindyn::Robot::world_to_link_transform` (*C++ member*), 55
`cardsflow::kindyn::Robot::write` (*C++ function*), 54
`cardsflow::kindyn::ViaPoint` (*C++ class*), 78
`cardsflow::kindyn::ViaPoint::fixed_to_world` (*C++ member*), 79
`cardsflow::kindyn::ViaPoint::global_coordinates` (*C++ member*), 79
`cardsflow::kindyn::ViaPoint::link_index` (*C++ member*), 79
`cardsflow::kindyn::ViaPoint::link_name` (*C++ member*), 79
`cardsflow::kindyn::ViaPoint::local_coordinates` (*C++ member*), 79
`cardsflow::kindyn::ViaPoint::ViaPoint` (*C++ function*), 78
`cardsflow::kindyn::ViaPointPtr` (*C++ type*), 83
`CARDSflow::torque_position_controller` (*C++ enumerator*), 83
`cardsflow::vrpuppet` (*C++ type*), 83
`cardsflow::vrpuppet::Robot` (*C++ class*), 47
`cardsflow::vrpuppet::Robot::~Robot` (*C++ function*), 47
`cardsflow::vrpuppet::Robot::A` (*C++ member*), 50
`cardsflow::vrpuppet::Robot::b` (*C++ member*), 51
`cardsflow::vrpuppet::Robot::baseVel` (*C++ member*), 48
`cardsflow::vrpuppet::Robot::bias` (*C++ member*), 50
`cardsflow::vrpuppet::Robot::cable_forces` (*C++ member*), 49
`cardsflow::vrpuppet::Robot::cable_length_controller` (*C++ member*), 50
`cardsflow::vrpuppet::Robot::cables` (*C++ member*), 50
`cardsflow::vrpuppet::Robot::cardsflow_command_inter` (*C++ member*), 51
`cardsflow::vrpuppet::Robot::cardsflow_joint_states` (*C++ member*), 53

cardsflow::vrpuppet::Robot::cardsflow_statedsflowfae

(C++ member), 51
cardsflow::vrpuppet::Robot::CG (*C++ mem-
ber*), 48
cardsflow::vrpuppet::Robot::controller_type

(C++ member), 50
cardsflow::vrpuppet::Robot::controller_type

(C++ member), 53
cardsflow::vrpuppet::Robot::endeffector_dafdsflow::vrpuppet::Robot::ik (*C++ mem-
ber*), 48
cardsflow::vrpuppet::Robot::endeffector_daddxflow::vrpuppet::Robot::ik_base_link
(C++ member), 48
cardsflow::vrpuppet::Robot::endeffector_nameflow::vfpuppet::Robot::ik_models
(C++ member), 48
cardsflow::vrpuppet::Robot::endeffectorscardsflow::vrpuppet::Robot::ik_srv (*C++
member*), 48
cardsflow::vrpuppet::Robot::external_robotardstflow::vrpuppet::Robot::ik_two_frames_srv
(C++ member), 49
cardsflow::vrpuppet::Robot::f_max (*C++
member*), 50
cardsflow::vrpuppet::Robot::f_min (*C++
member*), 50
cardsflow::vrpuppet::Robot::first_time_scardsflow::vrpuppet::Robot::integration_time
(C++ member), 50
cardsflow::vrpuppet::Robot::first_updatecardsflow::vrpuppet::Robot::interactive_marker_sub
(C++ member), 51
cardsflow::vrpuppet::Robot::fk_srv (*C++
member*), 53
cardsflow::vrpuppet::Robot::floating_baseasdbflow::vrpuppet::Robot::InverseKinematicsMultipl
(C++ member), 53
cardsflow::vrpuppet::Robot::FloatingBasecardsflow::vrpuppet::Robot::InverseKinematicsService
(C++ function), 52
cardsflow::vrpuppet::Robot::fmt (*C++
member*), 51
cardsflow::vrpuppet::Robot::FOpt (*C++
member*), 51
cardsflow::vrpuppet::Robot::force_positionardstflow::vrpappete::Robot::joint_command_pub
(C++ member), 50
cardsflow::vrpuppet::Robot::ForwardKinemaardsseowicervpuppet::Robot::joint_index
(C++ function), 51
cardsflow::vrpuppet::Robot::frame_transfoamdsflow::vrpuppet::Robot::joint_names
(C++ member), 48
cardsflow::vrpuppet::Robot::g (*C++ mem-
ber*), 50
cardsflow::vrpuppet::Robot::gravity
(C++ member), 48
cardsflow::vrpuppet::Robot::H (*C++ mem-
ber*), 50
cardsflow::vrpuppet::Robot::iDynTreeRobotardstflow::vrpuppet::Robot::joint_state_sub
(C++ class), 40
cardsflow::vrpuppet::Robot::iDynTreeRobotardstflowbaseVpuppet::Robot::joint_state_target_pub
(C++ member), 41
cardsflow::vrpuppet::Robot::iDynTreeRobotardstflowgravipypuppet::Robot::joint_target_sub
(C++ member), 41
cardsflow::vrpuppet::Robot::ik_base_link
(C++ member), 53
cardsflow::vrpuppet::Robot::ik_models
(C++ member), 53
cardsflow::vrpuppet::Robot::ik_srv
(C++ member), 53
cardsflow::vrpuppet::Robot::joint_axis
(C++ member), 50
cardsflow::vrpuppet::Robot::joint_command_interface
(C++ member), 51
cardsflow::vrpuppet::Robot::joint_index
(C++ member), 50
cardsflow::vrpuppet::Robot::joint_names
(C++ member), 50
cardsflow::vrpuppet::Robot::joint_state
(C++ member), 50
cardsflow::vrpuppet::Robot::joint_state_interface
(C++ member), 51
cardsflow::vrpuppet::Robot::joint_state_pub
(C++ member), 53
cardsflow::vrpuppet::Robot::joint_state_sub
(C++ member), 53
cardsflow::vrpuppet::Robot::joint_state_target_pub
(C++ member), 53
cardsflow::vrpuppet::Robot::joint_target_sub
(C++ member), 53

cardsflow::vrpuppet::Robot::JointState
(C++ function), 52

cardsflow::vrpuppet::Robot::kinDynComp
(C++ member), 48

cardsflow::vrpuppet::Robot::kinDynCompTarget
(C++ member), 48

cardsflow::vrpuppet::Robot::L (C++ member), 49

cardsflow::vrpuppet::Robot::l (C++ member), 49

cardsflow::vrpuppet::Robot::l_int (C++ member), 49

cardsflow::vrpuppet::Robot::L_t (C++ member), 49

cardsflow::vrpuppet::Robot::l_target (C++ member), 49

cardsflow::vrpuppet::Robot::last_visualization
(C++ member), 51

cardsflow::vrpuppet::Robot::lb (C++ member), 50

cardsflow::vrpuppet::Robot::Ld (C++ member), 49

cardsflow::vrpuppet::Robot::ld (C++ member), 49

cardsflow::vrpuppet::Robot::link_index (C++ member), 50

cardsflow::vrpuppet::Robot::link_names (C++ member), 50

cardsflow::vrpuppet::Robot::link_to_link
(C++ member), 52

cardsflow::vrpuppet::Robot::link_to_world
(C++ member), 48

cardsflow::vrpuppet::Robot::M (C++ member), 48

cardsflow::vrpuppet::Robot::Mass (C++ member), 50

cardsflow::vrpuppet::Robot::motor_state
(C++ member), 50

cardsflow::vrpuppet::Robot::MoveEndEffect
(C++ function), 51

cardsflow::vrpuppet::Robot::moveEndEffect
(C++ member), 53

cardsflow::vrpuppet::Robot::nh (C++ member), 52

cardsflow::vrpuppet::Robot::number_of_cabs
(C++ member), 48

cardsflow::vrpuppet::Robot::number_of_dof
(C++ member), 48

cardsflow::vrpuppet::Robot::number_of_jobs
(C++ member), 48

cardsflow::vrpuppet::Robot::number_of_links
(C++ member), 48

cardsflow::vrpuppet::Robot::nWSR (C++ member), 50

cardsflow::vrpuppet::Robot::P (C++ member), 49

cardsflow::vrpuppet::Robot::parseViapoints
(C++ function), 51

cardsflow::vrpuppet::Robot::q (C++ member), 48

cardsflow::vrpuppet::Robot::q_max (C++ member), 48

cardsflow::vrpuppet::Robot::q_min (C++ member), 48

cardsflow::vrpuppet::Robot::q_target
(C++ member), 49

cardsflow::vrpuppet::Robot::q_target_prev
(C++ member), 49

cardsflow::vrpuppet::Robot::qd (C++ member), 48

cardsflow::vrpuppet::Robot::qd_target
(C++ member), 49

cardsflow::vrpuppet::Robot::qd_target_prev
(C++ member), 49

cardsflow::vrpuppet::Robot::qdd (C++ member), 48

cardsflow::vrpuppet::Robot::qdd_force_control
(C++ member), 50

cardsflow::vrpuppet::Robot::qdd_target
(C++ member), 49

cardsflow::vrpuppet::Robot::qdd_target_prev
(C++ member), 49

cardsflow::vrpuppet::Robot::qdd_torque_control
(C++ member), 50

cardsflow::vrpuppet::Robot::qp_print_level
(C++ member), 50

cardsflow::vrpuppet::Robot::qp_solver
(C++ member), 50

cardsflow::vrpuppet::Robot::read (C++ function), 47

cardsflow::vrpuppet::Robot::resolve_function
(C++ function), 52

cardsflow::vrpuppet::Robot::Robot (C++ function), 47

cardsflow::vrpuppet::Robot::robot_state_pub
(C++ member), 53

cardsflow::vrpuppet::Robot::robot_state_target_pub
(C++ member), 53

cardsflow::vrpuppet::Robot::robotstate
(C++ member), 53

cardsflow::vrpuppet::Robot::S (C++ member), 49

cardsflow::vrpuppet::Robot::segments
(C++ member), 49

cardsflow::vrpuppet::Robot::simulated
(C++ member), 49

cardsflow::vrpuppet::Robot::spinner
(C++ member), 52

cardsflow::vrpuppet::Robot::state_type 34
 (C++ type), 49
 cardsflow::vrpuppet::Robot::tendon_state_pub member, 34
 (C++ member), 53
 cardsflow::vrpuppet::Robot::tendon_stateCardsflowRviz::RobotStateTarget (C++
 (C++ member), 53
 cardsflow::vrpuppet::Robot::torque_positCardsflowRviz::RobotState (C++ function), 33
 (C++ member), 50
 cardsflow::vrpuppet::Robot::torques CardsflowRviz::RobotStateTarget (C++
 (C++ member), 49
 cardsflow::vrpuppet::Robot::ub (C++ mem-
 ber), 51
 cardsflow::vrpuppet::Robot::update (C++
 function), 47
 cardsflow::vrpuppet::Robot::V (C++ mem-
 ber), 49
 cardsflow::vrpuppet::Robot::W (C++ mem-
 ber), 49
 cardsflow::vrpuppet::Robot::world_H_base
 (C++ member), 48
 cardsflow::vrpuppet::Robot::world_to_link_trans-
 fermember), 35
 cardsflow::vrpuppet::Robot::write (C++
 function), 48
 CardsflowRviz (C++ class), 32
 CardsflowRviz::~CardsflowRviz (C++ func-
 tion), 32
 CardsflowRviz::cable_thickness (C++ mem-
 ber), 35
 CardsflowRviz::CardsflowRviz (C++ func-
 tion), 32
 CardsflowRviz::joint_axis (C++ member), 34
 CardsflowRviz::joint_axis_target (C++
 member), 34
 CardsflowRviz::joint_origin (C++ member),
 34
 CardsflowRviz::joint_origin_target (C++
 member), 34
 CardsflowRviz::joint_state (C++ member),
 34
 CardsflowRviz::joint_state_target (C++
 member), 34
 CardsflowRviz::JointState (C++ function), 34
 CardsflowRviz::JointStateTarget (C++
 function), 34
 CardsflowRviz::load (C++ function), 32
 CardsflowRviz::mesh_transparency (C++
 member), 35
 CardsflowRviz::model_name (C++ member), 35
 CardsflowRviz::nh (C++ member), 34
 CardsflowRviz::pose (C++ member), 34
 CardsflowRviz::pose_target (C++ member),
 34
 CardsflowRviz::robot_state (C++ member),
 34
 CardsflowRviz::robot_state_target (C++
 member), 34
 CardsflowRviz::show_collision (C++ func-
 tion), 32
 CardsflowRviz::show_collision_button
 (C++ member), 35
 CardsflowRviz::show_force (C++ function), 32
 CardsflowRviz::show_force_button (C++
 member), 35
 CardsflowRviz::show_mesh (C++ function), 32
 CardsflowRviz::show_mesh_button (C++
 member), 35
 CardsflowRviz::show_target (C++ function),
 32
 CardsflowRviz::show_target_button (C++
 member), 35
 CardsflowRviz::show_tendon (C++ function),
 32
 CardsflowRviz::show_tendon_button (C++
 member), 35
 CardsflowRviz::show_tendon_length (C++
 function), 32
 CardsflowRviz::show_tendon_length_button
 (C++ member), 35
 CardsflowRviz::show_torque (C++ function),
 32
 CardsflowRviz::show_torque_button (C++
 member), 35
 CardsflowRviz::spinner (C++ member), 34
 CardsflowRviz::Tendon (C++ class), 72
 CardsflowRviz::tendon (C++ member), 34
 CardsflowRviz::Tendon::force (C++ mem-
 ber), 73
 CardsflowRviz::Tendon::l (C++ member), 73
 CardsflowRviz::Tendon::ld (C++ member), 73
 CardsflowRviz::Tendon::viaPoints (C++
 member), 73
 CardsflowRviz::tendon_length_text_size
 (C++ member), 35
 CardsflowRviz::tendon_state (C++ member),
 34
 CardsflowRviz::tendon_state_target (C++
 member), 34
 CardsflowRviz::tendon_target (C++ mem-
 ber), 34
 CardsflowRviz::TendonState (C++ function),
 33
 CardsflowRviz::TendonStateTarget (C++
 function), 33

CardsflowRviz::tf_broadcaster (*C++ member*), 34
 CardsflowRviz::tf_listener (*C++ member*), 34
 CardsflowRviz::torque (*C++ member*), 34
 CardsflowRviz::torque_target (*C++ member*), 34
 CardsflowRviz::visualize_collisions (*C++ member*), 34
 CardsflowRviz::visualize_force (*C++ member*), 35
 CardsflowRviz::visualize_force_target (*C++ member*), 35
 CardsflowRviz::visualize_pose (*C++ member*), 34
 CardsflowRviz::visualize_targets (*C++ member*), 35
 CardsflowRviz::visualize_tendon (*C++ member*), 35
 CardsflowRviz::visualize_tendon_length (*C++ member*), 35
 CardsflowRviz::visualize_tendon_length_target (*C++ member*), 35
 CardsflowRviz::visualize_tendon_target (*C++ member*), 35
 CardsflowRviz::visualize_torque (*C++ member*), 35
 CardsflowRviz::visualize_torque_target (*C++ member*), 35
 CardsflowRviz::visualizeCollision (*C++ function*), 32
 CardsflowRviz::visualizeCollisionSignal (*C++ function*), 33
 CardsflowRviz::visualizePose (*C++ function*), 32
 CardsflowRviz::visualizePoseSignal (*C++ function*), 33
 CardsflowRviz::visualizePoseTarget (*C++ function*), 32
 CardsflowRviz::visualizePoseTargetSignal (*C++ function*), 33
 CardsflowRviz::visualizeTargetSignal (*C++ function*), 33
 CardsflowRviz::visualizeTendon (*C++ function*), 33
 CardsflowRviz::visualizeTendonSignal (*C++ function*), 33
 CardsflowRviz::visualizeTendonTarget (*C++ function*), 33
 CardsflowRviz::visualizeTendonTargetSignal (*C++ function*), 33
 CardsflowRviz::visualizeTorque (*C++ function*), 33
 CardsflowRviz::visualizeTorqueSignal (*C++ function*), 33

CardsflowRviz::visualizeTorqueTarget (*C++ function*), 33
 CardsflowRviz::visualizeTorqueTargetSignal (*C++ function*), 33
 Clock (*C++ type*), 140
 COLOR (*C++ class*), 37
 COLOR::a (*C++ member*), 37
 COLOR::b (*C++ member*), 37
 COLOR::COLOR (*C++ function*), 37
 COLOR::g (*C++ member*), 37
 COLOR::r (*C++ member*), 37
 COLOR::randColor (*C++ function*), 37
 compute_steering_path (*built-in class*), 83
 compute_steering_path.computeHandTrajectories ()
 (*built-in function*), 83
 compute_steering_path.computeSteeringAngles ()
 (*built-in function*), 83
 compute_steering_path.main () (*built-in function*), 83

E

Eigen (*C++ type*), 84
 EigenExtension (*C++ type*), 84
 EigenExtension::ComputeRotationMatrix
 (*C++ function*), 85
 EigenExtension::ComputeRotationMatrixDeriv
 (*C++ function*), 85
 EigenExtension::ComputeRotationMatrixDoubleDeriv
 (*C++ function*), 85
 EigenExtension::CubicSplineInterpolate
 (*C++ function*), 85
 EigenExtension::GetCubicSplineCoefficients
 (*C++ function*), 84
 EigenExtension::GetLinearSplineCoefficients
 (*C++ function*), 84
 EigenExtension::GetQuinticSplineCoefficients
 (*C++ function*), 84
 EigenExtension::LinearSplineInterpolate
 (*C++ function*), 85
 EigenExtension::Pinv (*C++ function*), 85
 EigenExtension::QuinticSplineInterpolate
 (*C++ function*), 85
 EigenExtension::SkewSymmetric (*C++ function*), 84
 EigenExtension::SkewSymmetric2 (*C++ function*), 84
 EigenRobotAcceleration (*C++ class*), 37
 EigenRobotAcceleration::baseAcc (*C++ member*), 37
 EigenRobotAcceleration::jointAcc (*C++ member*), 37
 EigenRobotAcceleration::random (*C++ function*), 37

EigenRobotAcceleration::resize (*C++ function*), 37
 EigenRobotState (*C++ class*), 37
 EigenRobotState::baseVel (*C++ member*), 38
 EigenRobotState::gravity (*C++ member*), 38
 EigenRobotState::jointPos (*C++ member*), 38
 EigenRobotState::jointVel (*C++ member*), 38
 EigenRobotState::random (*C++ function*), 38
 EigenRobotState::resize (*C++ function*), 38
 EigenRobotState::world_H_base (*C++ member*), 38

F

finals_simulation_pedaling (*built-in class*), 85
 finals_simulation_pedaling.check_output_ForcePositionController::joint_command
 (*built-in function*), 86
 finals_simulation_pedaling.check_pedal_aForcePositionController::joint_index
 (*built-in function*), 86
 finals_simulation_pedaling.compute_velocity_ForcePositionController::joint_name
 (*built-in function*), 86
 finals_simulation_pedaling.control_pedal_ForcePositionController::JointPositionCommand
 (*built-in function*), 87
 finals_simulation_pedaling.evaluate_current_ForcePositionController::Kd (*C++ member*),
 39
 finals_simulation_pedaling.get_angle_difference_ForcePositionController::Kp (*C++ member*),
 39
 finals_simulation_pedaling.get_distance(ForcePositionController::nh (*C++ member*),
 39
 finals_simulation_pedaling.get_joint_angle_ForcePositionController::p_error_prev
 (*built-in function*), 86
 finals_simulation_pedaling.get_joint_pos_ForcePositionController::q_target (*C++ member*), 39
 finals_simulation_pedaling.get_joint_velocity_ForcePositionController::setControllerParameters
 (*built-in function*), 85
 finals_simulation_pedaling.get_position(ForcePositionController::spinner (*C++ member*), 39
 (*built-in function*), 86
 finals_simulation_pedaling.get_position_ForcePositionController::starting (*C++ function*), 38
 finals_simulation_pedaling.get_position_ForcePositionController::stopping (*C++ function*), 39
 finals_simulation_pedaling.import_joint_ForcePositionController::update (*C++ function*), 38
 finals_simulation_pedaling.interpolate_fFS5103R_FULL_SPEED_BACKWARDS (*C macro*), 148
 (*built-in function*), 86
 FS5103R_FULL_SPEED_FORWARDS (*C macro*), 148
 finals_simulation_pedaling.joint_state_cFS5103R_MAX_SPEED (*C macro*), 148
 (*built-in function*), 85
 finals_simulation_pedaling.main () (*built-in function*), 88
 finals_simulation_pedaling.plot_measuredFunctor::Functor (*C++ class*), 40
 (*built-in function*), 85
 FunctorsAtCompileTime (*C++ enum*), 40
 finals_simulation_pedaling.publish_velocity() ator, 40
 (*built-in function*), 86
 Functor::InputType (*C++ type*), 40
 Functor::JacobianType (*C++ type*), 40

F
 Functor::m_inputs (*C++ member*), 40
 Functor::m_values (*C++ member*), 40
 Functor::Scalar (*C++ type*), 40
 Functor::values (*C++ function*), 40
 Functor::ValuesAtCompileTime (*C++ enumerator*), 40
 Functor::ValueType (*C++ type*), 40
 Functor::[anonymous] (*C++ enum*), 40

H
 hardware_interface (*C++ type*), 90
 hardware_interface::CardsflowCommandInterface (*C++ class*), 30
 hardware_interface::CardsflowHandle (*C++ class*), 30
 hardware_interface::CardsflowHandle::CardsflowHandle (*C++ function*), 30
 hardware_interface::CardsflowHandle::getJointPositionCommand (*C++ function*), 31
 hardware_interface::CardsflowHandle::getJointVelocityCommand (*C++ function*), 31
 hardware_interface::CardsflowHandle::getJointTorqueCommand (*C++ function*), 31
 hardware_interface::CardsflowHandle::joint_position_command (*C++ class*), 37
 hardware_interface::CardsflowHandle::joint_torque_cmd (*C++ member*), 31
 hardware_interface::CardsflowHandle::joinDynTreeRobotAcceleration (*C++ class*), 40
 hardware_interface::CardsflowHandle::joinDynTreeRobotAcceleration::baseAcc (*C++ member*), 40
 hardware_interface::CardsflowHandle::motorDynTreeRobotAcceleration::jointAcc (*C++ member*), 40
 hardware_interface::CardsflowHandle::setDynTreeRobotAcceleration::resize (*C++ function*), 40
 hardware_interface::CardsflowHandle::setDynTreeRobotCommand (*C++ class*), 41
 hardware_interface::CardsflowHandle::setJointVelocityCommand (*C++ function*), 31
 hardware_interface::CardsflowHandle::setMotorCommand (*C++ function*), 31
 hardware_interface::CardsflowStateHandle (*C++ class*), 35
 hardware_interface::CardsflowStateHandle::acc_command (*C++ member*), 41
 hardware_interface::CardsflowStateHandle::baseVel (*C++ member*), 41
 hardware_interface::CardsflowStateHandle::jointVelocityCommand (*C++ member*), 41
 hardware_interface::CardsflowStateHandle::world_H_base (*C++ member*), 41
 hardware_interface::CardsflowStateHandle::CG_interpolation (*built-in class*), 90
 hardware_interface::CardsflowStateHandle::getJointAngleIndexImportJointTrajectoryRecord () (*built-in function*), 90
 hardware_interface::CardsflowStateHandle::getCG (*C++ function*), 36
 hardware_interface::CardsflowStateHandle::jointAngleIndexVelocity_factor_test (*built-in class*), 91

J

K

`kp_kp` (*built-in class*), 94
`kp_kp.main()` (*built-in function*), 94
`kp_kp.setJointControllerParameters()`
 (*built-in function*), 94

M

`main` (*C++ function*), 141, 144–150
`MAXBUFSIZE` (*C macro*), 140
`MeasureExecutionTime` (*C++ class*), 41
`MeasureExecutionTime`::`~MeasureExecutionTime`
 (*C++ function*), 42
`MeasureExecutionTime`::`log_file` (*C++ member*), 42

N

`new_hand_steering_capture_trajectory`
(built-in class), 95

pedal_simulation_interpolation_linear_trapezoidal_simpler::experimental.main()
 (built-in function), 103
 (built-in function), 107
 pedal_simulation_interpolation_linear_trapezoidal_simpler::experimental.publish_velocity()
 (built-in function), 103
 (built-in function), 106
 pedal_simulation_interpolation_linear_trapezoidal_simpler::experimental.set_joint_angles()
 (built-in function), 103
 (built-in function), 105
 pedal_simulation_interpolation_linear_trapezoidal_simpler::experimental.update_velocity()
 (built-in function), 103
 (built-in function), 106
 pedal_simulation_interpolation_linear_trapezoidal_simpler::experimental(built-in class)
 (built-in function), 103
 (class), 109
 pedal_simulation_interpolation_linear_trapezoidal_simpler::experimental::kp_limit()
 (built-in function), 103
 (built-in function), 110
 pedal_simulation_interpolation_linear_trapezoidal_simpler::experimental::kp_stage_kl()
 (built-in function), 103
 (built-in function), 110
 pedal_simulation_interpolation_linear_trapezoidal_simpler::experimental::leg_fk_pos.control_pedaling()
 (built-in function), 103
 (built-in function), 111
 pedal_simulation_interpolation_linear_trapezoidal_simpler::experimental::kp_stage_kr_pos.current_parameters()
 (built-in function), 103
 (built-in function), 111
 pedal_simulation_interpolation_linear_trapezoidal_simpler::experimental::kp_stage_kr_pos.different()
 (built-in function), 103
 (built-in function), 111
 pedal_simulation_interpolation_linear_trapezoidal_simpler::experimental::kp_stage_kr_pos.duration()
 (built-in function), 103
 (built-in function), 110
 pedal_simulation_left_leg_experimental.pedal_simulation_left_leg_fk_pos.get_joint_angle()
 (built-in class), 105
 (built-in function), 110
 pedal_simulation_left_leg_experimental.cpedal_left_leg_fk_pos.get_joint_position()
 (built-in function), 105
 (built-in function), 110
 pedal_simulation_left_leg_experimental.cpedal_left_leg_fk_pos.get_joint_velocity()
 (built-in function), 106
 (built-in function), 110
 pedal_simulation_left_leg_experimental.cpedal_left_leg_fk_pos.get_position()
 (built-in function), 106
 (built-in function), 110
 pedal_simulation_left_leg_experimental.epedal_left_leg_fk_pos.get_position_left()
 (built-in function), 106
 (built-in function), 110
 pedal_simulation_left_leg_experimental.gpedal_left_leg_fk_pos.get_position_left()
 (built-in function), 106
 (built-in function), 110
 pedal_simulation_left_leg_experimental.gpedal_right_leg_fk_pos.get_position_right()
 (built-in function), 105
 (built-in function), 110
 pedal_simulation_left_leg_experimental.gpedal_left_leg_fk_pos.import_joint_trajectory()
 (built-in function), 106
 (built-in function), 110
 pedal_simulation_left_leg_experimental.gpedal_left_leg_fk_pos.interpolate_function()
 (built-in function), 105
 (built-in function), 111
 pedal_simulation_left_leg_experimental.gpedal_left_leg_fk_pos.joint_state_callback()
 (built-in function), 105
 (built-in function), 110
 pedal_simulation_left_leg_experimental.gpedal_left_leg_fk_pos.main()
 (built-in function), 105
 (built-in function), 112
 pedal_simulation_left_leg_experimental.gpedal_left_leg_fk_pos.publish_velocity()
 (built-in function), 105
 (built-in function), 111
 pedal_simulation_left_leg_experimental.gpedal_right_leg_fk_pos.set_joint_controller()
 (built-in function), 105
 (built-in function), 110
 pedal_simulation_left_leg_experimental.import_trajectory_leg_fk_pos.update_velocity()
 (built-in function), 105
 (built-in function), 111
 pedal_simulation_left_leg_experimental.interpolate(built-in class), 114
 (built-in function), 106
 PLUGINLIB_EXPORT_CLASS (C++ function), 143,
 pedal_simulation_left_leg_experimental.joint_state_callback()
 (built-in function), 105

Qqpoases (*C++ type*), 115**R**

Rickshaw_pedaling (*C++ class*), 44
 Rickshaw_pedaling::endeffector_jointnames (*C++ member*), 45
 Rickshaw_pedaling::endeffectors (*C++ member*), 45
 Rickshaw_pedaling::external_robot_state (*C++ member*), 45
 Rickshaw_pedaling::motor_command (*C++ member*), 45
 Rickshaw_pedaling::motor_config (*C++ member*), 45
 Rickshaw_pedaling::motor_control_mode (*C++ member*), 45
 Rickshaw_pedaling::nh (*C++ member*), 45
 Rickshaw_pedaling::read (*C++ function*), 44
 Rickshaw_pedaling::Rickshaw_pedaling (*C++ function*), 44
 Rickshaw_pedaling::sphere_left_axis0_params (*C++ member*), 45
 Rickshaw_pedaling::sphere_left_axis1_params (*C++ member*), 45
 Rickshaw_pedaling::sphere_left_axis2_params (*C++ member*), 45
 Rickshaw_pedaling::write (*C++ function*), 44
 Rikshaw (*C++ class*), 45
 Rikshaw::elbow_left_rot0 (*C++ member*), 46
 Rikshaw::elbow_left_rot1 (*C++ member*), 46
 Rikshaw::elbow_right_rot0 (*C++ member*), 47
 Rikshaw::elbow_right_rot1 (*C++ member*), 47
 Rikshaw::endeffector_jointnames (*C++ member*), 46
 Rikshaw::endeffectors (*C++ member*), 46
 Rikshaw::err_x (*C++ member*), 47
 Rikshaw::error_y (*C++ member*), 47
 Rikshaw::external_robot_state (*C++ member*), 46
 Rikshaw::joint_foot_left (*C++ member*), 46
 Rikshaw::joint_foot_right (*C++ member*), 46
 Rikshaw::joint_hip_left (*C++ member*), 46
 Rikshaw::joint_hip_right (*C++ member*), 46
 Rikshaw::joint_knee_left (*C++ member*), 46
 Rikshaw::joint_knee_right (*C++ member*), 46
 Rikshaw::left_shoulder_axis0 (*C++ member*), 46
 Rikshaw::left_shoulder_axis1 (*C++ member*), 46
 Rikshaw::left_shoulder_axis2 (*C++ member*), 46
 Rikshaw::left_wrist_0 (*C++ member*), 46
 Rikshaw::left_wrist_1 (*C++ member*), 46
 Rikshaw::motor_command (*C++ member*), 46
 Rikshaw::motor_config (*C++ member*), 46, 47
 Rikshaw::motor_control_mode (*C++ member*), 46
 Rikshaw::motor_status (*C++ member*), 47
 Rikshaw::MotorStatus (*C++ function*), 45
 Rikshaw::nh (*C++ member*), 46
 Rikshaw::pitch (*C++ member*), 47
 Rikshaw::pitch_max (*C++ member*), 47
 Rikshaw::pitch_min (*C++ member*), 47
 Rikshaw::read (*C++ function*), 45
 Rikshaw::right_shoulder_axis0 (*C++ member*), 46
 Rikshaw::right_shoulder_axis1 (*C++ member*), 46
 Rikshaw::right_shoulder_axis2 (*C++ member*), 47
 Rikshaw::right_wrist_0 (*C++ member*), 47
 Rikshaw::right_wrist_1 (*C++ member*), 47
 Rikshaw::Rikshaw (*C++ function*), 45
 Rikshaw::roll (*C++ member*), 47
 Rikshaw::sphere_left_axis0_params (*C++ member*), 46
 Rikshaw::sphere_left_axis1_params (*C++ member*), 46
 Rikshaw::sphere_left_axis2_params (*C++ member*), 46
 Rikshaw::status_received (*C++ member*), 47
 Rikshaw::write (*C++ function*), 45, 46
 Rikshaw::yaw (*C++ member*), 47
 Rikshaw::yaw_max (*C++ member*), 47
 Rikshaw::yaw_min (*C++ member*), 47
 Robot (*C++ class*), 53
 Robot::~Robot (*C++ function*), 54
 Robot::controllerType (*C++ function*), 59
 Robot::external_robot_state (*C++ member*), 54
 Robot::FloatingBase (*C++ function*), 59
 Robot::forwardKinematics (*C++ function*), 54
 Robot::ForwardKinematicsService (*C++ function*), 58
 Robot::init (*C++ function*), 54
 Robot::InteractiveMarkerFeedback (*C++ function*), 58
 Robot::InverseKinematicsMultipleFramesService (*C++ function*), 58
 Robot::InverseKinematicsService (*C++ function*), 58
 Robot::JointState (*C++ function*), 58
 Robot::JointTarget (*C++ function*), 52
 Robot::MoveEndEffector (*C++ function*), 58
 Robot::nh (*C++ member*), 54
 Robot::parseViapoints (*C++ function*), 58
 Robot::read (*C++ function*), 53

Robot::resolve_function (*C++ function*), 59
 Robot::Robot (*C++ function*), 53, 54
 Robot::update (*C++ function*), 54
 Robot::update_P (*C++ function*), 59
 Robot::update_S (*C++ function*), 59
 Robot::update_V (*C++ function*), 59
 Robot::write (*C++ function*), 53
 RobotConfigurationEstimator (*C++ class*), 60
 RobotConfigurationEstimator::number_of_cRoboyHead (*C++ class*), 62
 RobotConfigurationEstimator::number_of_cRoboyHead (*C++ member*), 60
 RobotConfigurationEstimator::number_of_links (*C++ member*), 60
 RobotConfigurationEstimator::number_of_sRoboyHead::err_x (*C++ member*), 63
 RobotConfigurationEstimator::operator () (*C++ function*), 60
 RobotConfigurationEstimator::robot (*C++ member*), 60
 RobotConfigurationEstimator::RobotConfigRoboyHead::estimateCoordinates (*C++ function*), 62
 RobotPtr (*C++ type*), 142, 143
 Roboy2 (*C++ class*), 60
 Roboy2::body_parts (*C++ member*), 61
 Roboy2::bodyPartIDs (*C++ member*), 61
 Roboy2::displacement (*C++ member*), 61
 Roboy2::endeffector_jointnames (*C++ member*), 61
 Roboy2::init_mode (*C++ member*), 61
 Roboy2::init_pose (*C++ member*), 61
 Roboy2::init_setpoint (*C++ member*), 61
 Roboy2::initPose (*C++ function*), 61
 Roboy2::l_offset (*C++ member*), 61
 Roboy2::motor_command (*C++ member*), 61
 Roboy2::motor_config (*C++ member*), 61
 Roboy2::motor_control_mode (*C++ member*), 61
 Roboy2::motor_status_received (*C++ member*), 61
 Roboy2::motor_status_sub (*C++ member*), 61
 Roboy2::motor_type (*C++ member*), 61
 Roboy2::MotorStatus (*C++ function*), 61
 Roboy2::nh (*C++ member*), 61
 Roboy2::position (*C++ member*), 61
 Roboy2::read (*C++ function*), 61
 Roboy2::real_motor_ids (*C++ member*), 61
 Roboy2::Roboy2 (*C++ function*), 61
 Roboy2::sim_motor_ids (*C++ member*), 61
 Roboy2::spinner (*C++ member*), 61
 Roboy2::use_motor_config (*C++ member*), 61
 Roboy2::velocity (*C++ member*), 61
 Roboy2::write (*C++ function*), 61
 RoboyArcadeMaschine (*C++ class*), 62
 RoboyArcadeMaschine::external_robot_statRoboyIcecream (*C++ class*), 63
 RoboyArcadeMaschine::motor_command (*C++ member*), 62
 RoboyArcadeMaschine::nh (*C++ member*), 62
 RoboyArcadeMaschine::read (*C++ function*), 62
 RoboyArcadeMaschine::RoboyArcadeMaschine (*C++ function*), 62
 RoboyArcadeMaschine::write (*C++ function*), 62
 RoboyHead::endeffector_jointnames (*C++ member*), 63
 RoboyHead::endeffectors (*C++ member*), 63
 RoboyHead::err_x (*C++ member*), 63
 RoboyHead::error_y (*C++ member*), 63
 RoboyHead::external_robot_state (*C++ member*), 63
 RoboyHead::face_coordinates (*C++ member*), 63
 RoboyHead::estimateCoordinates (*C++ function*), 62
 RoboyHead::motor_command (*C++ member*), 63
 RoboyHead::motor_config (*C++ member*), 63
 RoboyHead::motor_control_mode (*C++ member*), 63
 RoboyHead::motor_status (*C++ member*), 63
 RoboyHead::MotorStatus (*C++ function*), 62
 RoboyHead::nh (*C++ member*), 63
 RoboyHead::pitch (*C++ member*), 63
 RoboyHead::pitch_max (*C++ member*), 63
 RoboyHead::pitch_min (*C++ member*), 63
 RoboyHead::read (*C++ function*), 62
 RoboyHead::RoboyHead (*C++ function*), 62
 RoboyHead::roll (*C++ member*), 63
 RoboyHead::sphere_head_axis0 (*C++ member*), 63
 RoboyHead::sphere_head_axis1 (*C++ member*), 63
 RoboyHead::sphere_head_axis2 (*C++ member*), 63
 RoboyHead::sphere_left_axis0_params (*C++ member*), 63
 RoboyHead::sphere_left_axis1_params (*C++ member*), 63
 RoboyHead::sphere_left_axis2_params (*C++ member*), 63
 RoboyHead::status_received (*C++ member*), 63
 RoboyHead::write (*C++ function*), 62
 RoboyHead::yaw (*C++ member*), 63
 RoboyHead::yaw_max (*C++ member*), 63
 RoboyHead::yaw_min (*C++ member*), 63
 RoboyIcecream (*C++ class*), 63
 RoboyIcecream::body_parts (*C++ member*), 64
 RoboyIcecream::bodyPartIDs (*C++ member*),

64
 RoboyIcecream::displacement (*C++ member*), 64
 RoboyIcecream::endeffector_jointnames (*C++ member*), 64
 RoboyIcecream::init_mode (*C++ member*), 64
 RoboyIcecream::init_pose (*C++ member*), 64
 RoboyIcecream::init_setpoint (*C++ member*), 64
 RoboyIcecream::initPose (*C++ function*), 64
 RoboyIcecream::l_offset (*C++ member*), 64
 RoboyIcecream::motor_command (*C++ member*), 64
 RoboyIcecream::motor_config (*C++ member*), 64
 RoboyIcecream::motor_control_mode (*C++ member*), 64
 RoboyIcecream::motor_status_received (*C++ member*), 64
 RoboyIcecream::motor_status_sub (*C++ member*), 64
 RoboyIcecream::motor_type (*C++ member*), 64
 RoboyIcecream::MotorStatus (*C++ function*), 64
 RoboyIcecream::nh (*C++ member*), 64
 RoboyIcecream::position (*C++ member*), 64
 RoboyIcecream::read (*C++ function*), 64
 RoboyIcecream::real_motor_ids (*C++ member*), 64
 RoboyIcecream::RoboyIcecream (*C++ function*), 64
 RoboyIcecream::sim_motor_ids (*C++ member*), 64
 RoboyIcecream::spinner (*C++ member*), 64
 RoboyIcecream::use_motor_config (*C++ member*), 64
 RoboyIcecream::velocity (*C++ member*), 64
 RoboyIcecream::write (*C++ function*), 64
 roboython (*built-in class*), 115
 roboython.compute_distance () (*built-in function*), 115
 roboython.compute_leg_length () (*built-in function*), 115
 roboython.get_pedal_position_x () (*built-in function*), 115
 roboython.get_pedal_position_y () (*built-in function*), 115
 RoboyUpperBody (*C++ class*), 65
 RoboyUpperBody::endeffector_jointnames (*C++ member*), 65
 RoboyUpperBody::endeffectors (*C++ member*), 65
 RoboyUpperBody::external_robot_state (*C++ member*), 65
 RoboyUpperBody::motor_command (*C++ member*), 65
 RoboyUpperBody::motor_config (*C++ member*), 65
 RoboyUpperBody::motor_control_mode (*C++ member*), 65
 RoboyUpperBody::nh (*C++ member*), 65
 RoboyUpperBody::read (*C++ function*), 65
 RoboyUpperBody::RoboyUpperBody (*C++ function*), 65
 RoboyUpperBody::sphere_left_axis0_params (*C++ member*), 65
 RoboyUpperBody::sphere_left_axis1_params (*C++ member*), 65
 RoboyUpperBody::sphere_left_axis2_params (*C++ member*), 65
 RoboyUpperBody::write (*C++ function*), 65
 RoboyXylophone (*C++ class*), 65
 RoboyXylophone::external_robot_state (*C++ member*), 66
 RoboyXylophone::l_offset (*C++ member*), 66
 RoboyXylophone::motor_command (*C++ member*), 66
 RoboyXylophone::nh (*C++ member*), 66
 RoboyXylophone::read (*C++ function*), 66
 RoboyXylophone::RoboyXylophone (*C++ function*), 66
 RoboyXylophone::write (*C++ function*), 66
 rviz_visualization (*C++ class*), 66
 rviz_visualization::~rviz_visualization (*C++ function*), 66
 rviz_visualization::broadcaster (*C++ member*), 72
 rviz_visualization::clearAll (*C++ function*), 70
 rviz_visualization::clearMarker (*C++ function*), 70
 rviz_visualization::convertEigenToGeometry (*C++ function*), 66
 rviz_visualization::convertGeometryToEigen (*C++ function*), 66
 rviz_visualization::first (*C++ member*), 72
 rviz_visualization::getLighthouseTransform (*C++ function*), 70, 71
 rviz_visualization::getTransform (*C++ function*), 70, 71
 rviz_visualization::initializeInteractiveMarkerServer (*C++ function*), 66
 rviz_visualization::interactive_marker_server (*C++ member*), 72
 rviz_visualization::listener (*C++ member*), 72
 rviz_visualization::make6DofMarker (*C++ function*), 66

rviz_visualization::makeBox (*C++ function*), 66
 rviz_visualization::makeBoxControl (*C++ function*), 66
 rviz_visualization::marker_array (*C++ member*), 72
 rviz_visualization::menu_handler (*C++ member*), 72
 rviz_visualization::nh (*C++ member*), 72
 rviz_visualization::number_of_markers_to_publish (*C++ member*), 71
 rviz_visualization::PoseMsgToTF (*C++ function*), 66
 rviz_visualization::processFeedback (*C++ function*), 71
 rviz_visualization::publish_as_marker_array (*C++ member*), 71
 rviz_visualization::publishCube (*C++ function*), 68
 rviz_visualization::publishCylinder (*C++ function*), 69
 rviz_visualization::publishMesh (*C++ function*), 66, 67
 rviz_visualization::publishRay (*C++ function*), 69
 rviz_visualization::publishSphere (*C++ function*), 67, 68
 rviz_visualization::publishText (*C++ function*), 69
 rviz_visualization::publishTransform (*C++ function*), 71
 rviz_visualization::rviz_visualization (*C++ function*), 66
 rviz_visualization::visualization_array (*C++ member*), 71
 rviz_visualization::visualization_pub (*C++ member*), 71

S

ShoulderTestbed (*C++ class*), 72
 ShoulderTestbed::external_robot_state (*C++ member*), 72
 ShoulderTestbed::Kp (*C++ member*), 72
 ShoulderTestbed::l_offset (*C++ member*), 72
 ShoulderTestbed::last_update (*C++ member*), 72
 ShoulderTestbed::motor_command (*C++ member*), 72
 ShoulderTestbed::nh (*C++ member*), 72
 ShoulderTestbed::read (*C++ function*), 72
 ShoulderTestbed::ShoulderTestbed (*C++ function*), 72
 ShoulderTestbed::winch_radius (*C++ member*), 72

ShoulderTestbed::write (*C++ function*), 72
 SPINDLERADIUS (*C macro*), 144, 146, 148
 state_machine (*built-in class*), 116
 state_machine::computeVelocitySetpoint ()
 (*built-in function*), 116
 state_machine::FSM () (*built-in function*), 116
 state_machine::getDistance () (*built-in function*), 116
 state_machine::getJointPosition () (*built-in function*), 116
 state_machine::getJointVelocity () (*built-in function*), 116
 state_machine::getPedalPosition () (*built-in function*), 116
 state_machine::importJointPIDParameters ()
 (*built-in function*), 116
 state_machine::importJointTrajectoryRecord ()
 (*built-in function*), 116
 state_machine::interpolateTrajectoryPoints ()
 (*built-in function*), 116
 state_machine::main () (*built-in function*), 116
 state_machine::setJointVelocity () (*built-in function*), 116
 state_machine::setPedalSingleRotationDuration ()
 (*built-in function*), 116
 state_machine::setTrajectoryPointDuration ()
 (*built-in function*), 116
 std (*C++ type*), 117
 steering (*built-in class*), 117
 steering_capture_multiple_trajectories
 (*built-in class*), 117
 steering_capture_multiple_trajectories::computeHand
 (*built-in function*), 118
 steering_capture_multiple_trajectories::computeSteer
 (*built-in function*), 118
 steering_capture_multiple_trajectories::getPositionL
 (*built-in function*), 118
 steering_capture_multiple_trajectories::getPositionR
 (*built-in function*), 118
 steering_capture_multiple_trajectories::inverse_kin
 (*built-in function*), 118
 steering_capture_multiple_trajectories::jointStateCa
 (*built-in function*), 118
 steering_capture_multiple_trajectories::main ()
 (*built-in function*), 118
 steering_capture_multiple_trajectories::setJointCont
 (*built-in function*), 118
 steering_capture_trajectory (*built-in class*),
 119
 steering_capture_trajectory::computeHandTrajectories
 (*built-in function*), 119
 steering_capture_trajectory::computeSteeringAngles ()
 (*built-in function*), 119
 steering_capture_trajectory::getPositionLeftHand ()

```

(built-in function), 119
steering_capture_trajectory.getPositionRightHand($imulation.get_joint_position()
(built-in function), 119
steering_capture_trajectory.inverse_kinematics($imulation.import_joint_trajectory_record
(built-in function), 119
steering_capture_trajectory.jointStateCast($imulation.interpolate_joint_angles()
(built-in function), 119
steering_capture_trajectory.main() steering_simulation.joint_state_callback()
(built-in function), 119
(built-in function), 127
steering_capture_trajectory.setJointConstraints($imulation.main() (built-in func-
(built-in function), 119
tion), 129
steering_interpolate_and_print (built-in steering_simulation.publish_joint_angle()
class), 121
(built-in function), 128
steering_interpolate_and_print.importJointTrajectoryRegr($imulation.regress_joint_positions_from_fi
(built-in function), 121
(built-in function), 127
steering_interpolate_and_print.interpolateJointControllerParameters($imulation.set_joint_controller_parameters
(built-in function), 121
(built-in function), 128
steering_interpolate_and_print.main() steering_simulation.steering_control()
(built-in function), 121
(built-in function), 128
steering_interpolate_and_print.printInterpolatedFam($imulation.update_steering_angle()
(built-in function), 121
(built-in function), 128
steering_interpolate_multiple_trajectory.end($imulation.old_hand (built-in
(built-in class), 122
class), 131
steering_interpolate_multiple_trajectory.end($imulation.old_hand.$adecheckReeding_angle_
(built-in function), 122
(built-in function), 132
steering_interpolate_multiple_trajectory.end($imulation.old_hand.get_angle_difference()
(built-in function), 123
(built-in function), 132
steering_interpolate_multiple_trajectory.end($imulation.old_hand.$aleTdaJendoge$oint_position()
(built-in function), 122
(built-in function), 131
steering_interpolate_multiple_trajectory.end($imulation.old_hand.$egsbedEumpo$oint_trajectory
(built-in function), 122
(built-in function), 131
steering_interpolate_multiple_trajectory.end($imulation.old_hand.$oldJhandPositionate_joint_ang
(built-in function), 122
(built-in function), 132
steering_interpolate_multiple_trajectory.end($imulation.old_hand.$ate$oint_callback()
(built-in function), 122
(built-in function), 131
steering_response_test (built-in class), 124 steering_simulation.old_hand.main()
steering_response_test.check_joint_angle() (built-in function), 133
(built-in function), 124
steering_simulation.old_hand.publish_joint_angle()
steering_response_test.import_joint_trajectory($imulation), 132
(built-in function), 124
steering_simulation.old_hand.regress_joint_position()
steering_response_test.joint_state_callback() (built-in function), 131
(built-in function), 124
steering_simulation.old_hand.set_joint_controller_p
steering_response_test.main() (built-in (built-in function), 132
function), 125
steering_simulation.old_hand.steering_control()
steering_response_test.regress_joint_positions($imulation), 132
(built-in function), 124
steering_simulation.old_hand.update_steering_angle()
steering_response_test.steering_angle_reached()($imulation), 132
(built-in function), 124
steering_trajectory_following_test
steering_response_test.steering_test() (built-in class), 135
(built-in function), 125
steering_trajectory_following_test.computeHandTraje
steering_simulation (built-in class), 127 ($imulation), 135
steering_simulation.check_steering_anglesteering_trajectory_following_test.computeSteering(
(built-in function), 128
(built-in function), 135
steering_simulation.get_angle_difference$teering_trajectory_following_test.getPositionLeftH

```

(*built-in function*), 135
steering_trajectory_following_test.getPosition(*function*), 74
(*built-in function*), 135 TorquePositionController::starting (*C++ function*), 74
steering_trajectory_following_test.jointStateC*onstructor*, 74 TorquePositionController::stopping (*C++ function*), 74
(*built-in function*), 135 TorquePositionController::TorquePositionController (*C++ constructor*), 74
steering_trajectory_following_test.main() (*C++ function*), 73
(*built-in function*), 136 TorquePositionController::update (*C++ function*), 73
steering_trajectory_following_test.printPlanned(*function*), 74 and Trajectories ()
(*built-in function*), 136
steering_trajectory_following_test.recordActualHandTrajectories ()
(*built-in function*), 135 UDP Socket (*C++ class*), 75
steering_trajectory_following_test.resetFybkensEggsElder (*C++ function*), 76
(*built-in function*), 135 UDP Socket ::broadcast_addr (*C++ member*), 78
steering_trajectory_following_test.setJointParameterBaseAddr_len (*C++ member*), 78
(*built-in function*), 135 UDP Socket ::broadcastHostIP (*C++ function*), 76

T
TheClaw (*C++ class*), 73
TheClaw ::external_robot_state (*C++ member*), 73
TheClaw ::meterPerSecondToServoSpeed (*C++ function*), 73
TheClaw ::motor_command (*C++ member*), 73
TheClaw ::nh (*C++ member*), 73
TheClaw ::read (*C++ function*), 73
TheClaw ::write (*C++ function*), 73
TorquePositionController (*C++ class*), 73
TorquePositionController ::controller_params myBroadcastIP (*C++ member*), 77
(*C++ member*), 75 UDP Socket ::myIP (*C++ member*), 77
TorquePositionController ::controller_state numbytes (*C++ member*), 77
(*C++ member*), 75 UDP Socket ::receiveHostIP (*C++ function*), 76
TorquePositionController ::init (*C++ function*), 73 UDP Socket ::receiveSensorData (*C++ function*), 76, 77
TorquePositionController ::joint (*C++ member*), 75 UDP Socket ::receiveUDP (*C++ function*), 77
TorquePositionController ::joint_command (*C++ member*), 75 UDP Socket ::receiveUDPFromClient (*C++ function*), 77
TorquePositionController ::joint_name (*C++ member*), 75 UDP Socket ::sendUDPToClient (*C++ function*), 77
TorquePositionController ::JointCommand (*C++ function*), 74 UDP Socket ::server_addr (*C++ member*), 78
TorquePositionController ::Kd (*C++ member*), 75 UDP Socket ::server_addr_len (*C++ member*), 78
TorquePositionController ::Kp (*C++ member*), 75 UDP Socket ::servinfo (*C++ member*), 78
TorquePositionController ::nh (*C++ member*), 75 UDP Socket ::setTimeOut (*C++ function*), 78
TorquePositionController ::q_target (*C++ member*), 75 UDP Socket ::sockfd (*C++ member*), 78
TorquePositionController ::setControllerParams 75_64 (*C macro*), 140
(*C++ function*), 74 UDP Socket ::UDPSocket (*C++ function*), 75, 76
TorquePositionController ::spinner (*C++ member*), 75 UDP Socket ::what'sMyIP (*C++ function*), 78
(*C++ member*), 140 UDP SocketPtr (*C++ type*), 140
unpack754 (*C++ function*), 140, 141 unpack754_32 (*C macro*), 140
unpack754_32 (*C macro*), 140 update (*C++ function*), 144–149
TorquePositionController ::user (*C++ member*), 141

V

velocity_test (*built-in class*), 138
velocity_test.evaluate_current_pedal_angle()
 (*built-in function*), 138
velocity_test.evaluate_error() (*built-in
 function*), 138
velocity_test.get_angle_difference()
 (*built-in function*), 138
velocity_test.get_position_left_foot()
 (*built-in function*), 138
velocity_test.get_position_right_foot()
 (*built-in function*), 138
velocity_test.get_twist() (*built-in function*),
 138
velocity_test.main() (*built-in function*), 138
velocity_test.reality_test_acceleration()
 (*built-in function*), 138
velocity_test.simulation_test() (*built-in
 function*), 138
velocity_test.velocity_reached() (*built-in
 function*), 138
visualization_msgs (*C++ type*), 139
VRpuppet (*C++ class*), 79
VRpuppet::endeffector_jointnames (*C++
 member*), 79
VRpuppet::endeffectors (*C++ member*), 79
VRpuppet::external_robot_state (*C++ mem-
 ber*), 79
VRpuppet::motor_command (*C++ member*), 79
VRpuppet::motor_config (*C++ member*), 79
VRpuppet::motor_control_mode (*C++ mem-
 ber*), 79
VRpuppet::nh (*C++ member*), 79
VRpuppet::read (*C++ function*), 79
VRpuppet::sphere_left_axis0_params (*C++
 member*), 79
VRpuppet::sphere_left_axis1_params (*C++
 member*), 79
VRpuppet::sphere_left_axis2_params (*C++
 member*), 79
VRpuppet::VRpuppet (*C++ function*), 79
VRpuppet::write (*C++ function*), 79

Y

Yatr (*C++ class*), 80
Yatr::external_robot_state (*C++ member*),
 80
Yatr::motor_command (*C++ member*), 80
Yatr::nh (*C++ member*), 80
Yatr::read (*C++ function*), 80
Yatr::write (*C++ function*), 80
Yatr::Yatr (*C++ function*), 80